

Drill Hole	From (m)	To (m)	Interval	Silver (gpt)	Gold (gpt)	Lead	Rock Type
LN-01-14	3	44	41	110.46	0.068	0.13	Breccia
Incl.	18	37	19	177.10	0.113	0.06	Breccia
Incl.	18	31	13	223.23	0.129	0.07	Breccia
95m EOH							
LN-02-14	0	50	50	141.28	0.108	0.22	Breccia
Incl.	0	40	40	161.25	0.121	0.26	Breccia
Incl.	19	47	28	212.64	0.149	0.14	Breccia
Incl.	19	34	15	323.13	0.198	0.22	Breccia
100m EOH							
LN-03-14	0	144	144	82.57	0.058	0.31	Breccia
Incl.	0	27	27	108.32	0.077	0.62	Breccia
Incl.	0	106	106	98.03	0.062	0.37	Breccia
Incl.	0	78	78	114.63	0.066	0.38	Breccia
Incl.	53	78	25	195.84	0.107	0.14	Breccia
Incl.	54	67	13	229.38	0.104	0.17	Breccia
144m EOH							
LN-04-14	0	114	114	78.54	0.066	0.31	Breccia
Incl.	0	92	92	92.98	0.080	0.35	Breccia
Incl.	0	67	67	118.93	0.083	0.41	Breccia
Incl.	0	20	20	149.43	0.073	0.85	Breccia
Incl.	43	74	31	146.38	0.096	0.10	Breccia
152m EOH							
LN-05-14	0	119	119	91.00	0.046	0.58	Breccia
Incl.	0	88	88	108.85	0.040	0.63	Breccia
Incl.	89	119	30	40.40	0.065	0.43	Breccia
Incl.	51	91	40	182.87	0.071	1.17	Breccia
Incl.	51	65	14	367.85	0.111	1.84	Stockwork
147m EOH							
LN-06-14	3	101	98	92.79	0.104	0.15	Breccia
Incl.	3	55	52	124.36	0.089	0.22	Breccia
Incl.	3	24	21	168.33	0.126	0.42	Breccia
Incl.	3	16	13	214.30	0.131	0.62	Breccia
101m EOH							
LN-07-14	5	64	59	132.49	0.085	0.26	Breccia
Incl.	5	48	43	149.60	0.079	0.27	Breccia
Incl.	31	48	17	185.35	0.153	0.23	Breccia
Incl.	5	116	111	83.89	0.052	0.23	Breccia/Stockwork
Incl.	65	116	51	17.06	0.007	0.19	Stockwork
Incl.	106	116	10	41.90	0.013	0.47	Stockwork
130m EOH							
LN-08-14	13	62	49	91.89	0.015	0.26	Breccia/+Andesite
Incl.	30	41	11	251.00	0.035	0.15	Breccia
Incl.	53	62	9	59.70	0.009	0.53	Breccia
137m EOH							
LN-09-14	9	37	28	60.00	0.038	0.32	Breccia
Incl.	9	23	14	64.57	0.044	0.39	Breccia
105m EOH							
LN-10-14	5	40	35	87.08	0.037	0.51	Breccia/+Andesite
Incl.	10	35	25	116.56	0.045	0.60	Breccia
Incl.	14	35	21	135.52	0.053	0.65	Breccia
	70	78	8	37.25	0.005	0.24	Breccia
	157	163	6	38.83	0.063	0.27	Breccia
191m EOH							
LN-11-14	6	11	5	56.33	0.010	0.33	Breccia
	27	29	2	32.50	0.003	0.01	Stockwork
131m EOH							
LN-12-14	13	28	15	29.76	0.009	0.44	Stockwork/Breccia
Incl.	17	28	11	37.33	0.010	0.47	Breccia
117m EOH							
LN-13-14	0	140	140	61.43	0.048	0.38	Breccia/Stockwork
Incl.	24	71	47	79.00	0.052	0.31	Breccia
Incl.	12	19	7	95.57	0.050	0.22	Stockwork
Incl.	24	34	10	83.33	0.050	0.10	Breccia
Incl.	54	64	10	136.50	0.057	0.73	Breccia
Incl.	66	71	5	120.20	0.013	0.74	Breccia
Incl.	112	120	8	355.16	0.118	2.97	Breccia
Incl.	132	140	8	52.75	0.089	0.19	Breccia
183.5m EOH							

Drill Hole	From (m)	To (m)	Interval	Silver (gpt)	Gold (gpt)	Lead	Rock Type
LN-31-15	0	180	180	66.12	0.062	0.22	Breccia/Phyllic
Incl.	0	138	138	76.20	0.074	0.19	Breccia/Phyllic
Incl.	34	45	11	104.00	0.034	0.21	Breccia
Incl.	51	74	23	115.95	0.145	0.27	Breccia
Incl.	55	67	12	160.75	0.178	0.18	Breccia
Incl.	101	138	37	146.02	0.103	0.20	Breccia
Incl.	102	103	1	3040.00	0.434	0.24	Breccia
Incl.	162	180	18	62.61	0.039	0.64	Breccia/Phyllic
222m EOH							
LN-32-15	0	146	146	68.39	0.054	0.18	Breccia/Phyllic
Incl.	88	144	56	139.60	0.069	0.30	Breccia/Phyllic
Incl.	88	99	11	142.00	0.065	0.05	Breccia
Incl.	115	143	28	217.32	0.102	0.55	Breccia
Incl.	115	129	14	126.20	0.050	0.55	Breccia
Incl.	135	144	9	462.11	0.227	0.60	Breccia
Incl.	138	139	1	2790.00	0.771	0.63	Breccia
146m EOH							
LN-33-15	0	138	138	63.12	0.049	0.21	Breccia/Phyllic
Incl.	9	90	81	86.79	0.063	0.13	Breccia/Phyllic
Incl.	9	14	5	453.00	0.042	0.31	Breccia
Incl.	11	38	27	152.62	0.079	0.21	Breccia/Phyllic
Incl.	32	38	6	228.00	0.124	0.12	Breccia/Phyllic
Incl.	67	75	8	147.12	0.095	0.05	Breccia
Incl.	132	138	6	89.50	0.013	0.64	Breccia
167m EOH							
LN-34-15	91	96	5	162.00	0.078	0.94	Breccia/Phyllic
	138	149	11	149.27	0.053	0.82	Breccia
	142	149	7	205.50	0.063	1.07	Breccia
	178	208	30	53.60	0.108	0.24	Breccia
	199	208	9	99.33	0.104	0.34	Breccia
294m EOH							
LN-36-15	19	40	21	40.71	0.138	0.12	Breccia
	19	28	9	68.11	0.303	0.21	Breccia
	19	25	6	82.50	0.349	0.30	Breccia
90m EOH							
LN-37-15	164	172	8	96.12	0.076	0.18	Breccia
	208	233	25	51.48	0.037	0.64	Breccia
	215	233	18	69.33	0.049	0.85	Breccia
	216	229	13	77.15	0.058	1.02	Breccia
288m EOH							
LN-38-15	83	150	67	113.15	0.054	0.75	Breccia/Phyllic
	83	98	15	306.73	0.154	1.93	Phyllic
	92	97	5	850.60	0.360	4.24	Phyllic
	94	96	2	1772.50	0.664	6.52	Phyllic
	141	149	8	160.37	0.084	1.20	Breccia
	197	227	30	101.86	0.117	0.42	Breccia
	197	205	8	134.00	0.163	0.88	Breccia
	213	227	14	130.42	0.116	0.28	Breccia
	224	227	3	373.60	0.180	0.25	Breccia
	293	296	3	177.00	0.084	3.87	Breccia
351m EOH							
LN-39-15	77	94	17	169.82	0.071	0.24	Breccia
	80	94	14	199.07	0.075	0.19	Breccia
	80	91	11	221.09	0.086	0.17	Breccia
	80	83	3	446.66	0.065	0.18	Breccia
137m EOH							
LN-40-15	157	227	70	42.06	0.037	0.22	Breccia/Phyllic
	189	209	20	88.75	0.037	0.34	Breccia
	189	192	3	174.66	0.090	1.20	Breccia
	254	310	56	124.27	0.175	0.10	Breccia
	275	307	32	198.70	0.298	0.03	Breccia
	283	307	24	252.60	0.387	0.03	Breccia
	294	307	13	353.00	0.242	0.02	Breccia
	302	307	5	798.40	0.451	0.03	Breccia
360m EOH							
LN-41-15	85	101	16	12.37	0.008	0.33	Breccia/Phyllic
	85	94	9	13.55	0.009	0.30	Breccia/Phyllic
	85	87	2	36.50	0.025	0.71	Breccia/Phyllic

Drill hole	From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Copper (ppm)	Lead (ppm)	Zinc (ppm)
LN-42-16	16.7	138.85	122.15	124	0.15	189	4,730	146
Incl.	35.65	41.9	6.25	693	0.39	123	29,902	68
Incl.	46.45	51.1	4.65	672	0.13	65	1,042	51
Incl.	69.75	73.2	3.45	631	0.18	998	1,524	185
LN-43-16	88.2	89.1	0.9	373	0.22	860	3,606	178
and	92.6	93.2	0.6	161	0.09	1,005	1,649	212
and	95.35	95.85	0.5	146	0.04	408	22,900	148
and	102.4	140.4	38	235	0.09	374	2,260	164
Incl.	133.7	139.85	6.15	1,246	0.28	1770	1,099	439
and	171.3	215.8	44.5	363	0.12	670	1,009	208
Incl.	177.45	196.45	19	720	0.13	1,176	594	300
LN-44-16	103.9	109	5.1	109	0.08	175	2,813	600
and	135.1	136.2	1.1	138	0.04	306	37,000	4,709
and	140.35	144.45	4.1	105	0.07	193	16,768	943
and	210.25	264.7	54.45	137	0.14	210	10,789	174
Incl.	212.25	219.95	7.7	543	0.19	692	66,890	372
LN-45-16	82.2	102.4	20.2	73	0.01	361	7,283	1347
and	120.3	147.8	27.5	59	0.07	96	247	151
Incl.	120.3	121.4	1.1	951	0.19	1,531	1,005	803
LN-46-16	151.8	212.55	60.75	76	0.05	180	3,246	92
Incl.	178.4	192	13.6	137	0.05	200	7,435	90
LN-47-16	165.2	182.25	17.05	65	0.01	71	5,221	378
Incl.	165.2	170.8	5.6	116	0.02	128	11,804	174
and	205.5	206.5	1	158	0.07	244	7,163	131
LN-48-16	108.55	116.05	7.5	81	0.02	174	10,916	1156
Incl.	109.3	114.1	4.8	109	0.02	244	15,128	1654
and	142.9	147.7	4.8	113	0.14	472	30	111
Incl.	146.4	147.7	1.3	305	0.32	1,281	32	219
and	165.7	193.75	28.05	97	0.05	168	1,229	100
Incl.	179.85	193.75	13.9	141	0.06	234	2,310	122
Incl.	180.75	182.6	1.85	648	0.1	1,105	192	210
LN-50-16	39.05	73	33.95	66	0.03	154	6,782	257
Incl.	43.7	56.05	12.35	81	0.03	101	9,086	136
Incl.	66.65	73	6.35	103	0.05	204	4,199	311
Incl.	68	69	1	263	0.02	216	8,676	218
LN-52-16	116.7	117.7	1	163	0.01	44	61	191
LN-53-16	0	27.15	27.15	74	0.04	241	6,303	75
Incl.	10.7	15.35	4.65	131	0.07	334	17,308	89

Drill hole	From	To	Interval	Silver gpt	Gold gpt	Copper ppm	Lead ppm	Zinc ppm	Breccia
LN-54-16	0	30.95	30.95	77	0.02	120	3366	74	LN Bx Principal
Incl.	1.25	5	3.75	341	0.03	147	5179	48	LN Bx Principal
Incl.	1.25	2.6	1.35	429	0.01	175	5404	30	LN Bx Principal
LN-57-16	59.9	104.05	44.15	149	0.07	124	1836	109	LN Bx Principal
Incl.	70.65	79.8	9.15	449	0.08	61	2447	78	LN Bx Principal
Incl.	72.15	73.65	1.5	1786	0.21	57	4765	93	LN Bx Principal
Incl.	92.55	93.55	1	384	0.18	499	733	104	LN Bx Principal
Incl.	100.45	104.05	3.6	228	0.08	637	346	166	LN Bx Principal
Incl.	103.25	104.05	0.8	520	0.18	1849	558	171	LN Bx Principal
LN-58-16	119.35	128.05	8.7	352	0.35	1856	5793	6737	LN Bx Principal
Incl.	119.35	125.05	5.7	516	0.53	2739	8485	8021	LN Bx Principal
	148.15	151.35	3.2	170	0.09	433	9341	214	LN Bx Principal
Incl.	149.85	151.35	1.5	295	0.17	731	14700	268	LN Bx Principal
	219.95	257.05	37.1	124	0.18	287	2765	252	LN Bx Inferior
Incl.	232.3	239.5	7.2	245	0.46	577	699	577	LN Bx Inferior
Incl.	249.25	254.05	4.8	264	0.07	699	2110	216	LN Bx Inferior
LN-59-16	105.55	109.4	3.85	88	0.21	212	12229	197	LN Bx Principal
Incl.	106.55	107.2	0.65	172	0.33	457	9424	329	LN Bx Principal
	135.6	138.6	3	157	0.09	230	10939	169	LN Bx Principal
Incl.	136.6	137.4	0.8	423	0.25	663	28000	318	LN Bx Principal
	200	232.15	32.15	237	0.1	448	2229	353	LN Bx Inferior
Incl.	209.65	220.85	11.2	534	0.18	968	694	437	LN Bx Inferior
Incl.	211	212.65	1.65	991	0.32	1734	1035	994	LN Bx Inferior
Incl.	216.55	219.45	2.9	815	0.18	1428	1213	364	LN Bx Inferior

Drill hole	From	To	Interval	Silver gpt	Gold gpt	Copper ppm	Lead ppm	Zinc ppm	Breccia
Inc.	31.75	33.15	1.4	979	0.05	1129	4074	59	LN Bx Principal
	61.55	62.95	1.4	346	0.12	613	11900	432	LN Bx Principal
LN-76-17	73.2	121.9	48.7	281	0.08	399	2590	175	LN Bx Principal
Inc.	75.35	77.3	1.95	3004	0.43	885	1486	221	LN Bx Principal
Inc.	76.4	77.3	0.9	3143	0.46	742	1197	190	LN Bx Principal
Inc.	93.05	94.05	1	2146	0.34	3395	28800	438	LN Bx Principal
Inc.	104.35	105.65	1.3	474	0.45	2260	12300	809	LN Bx Principal
Inc.	116.55	121.9	5.35	558	0.11	851	387	248	LN Bx Principal
Inc.	117.65	118.95	1.3	642	0.15	1052	645	349	LN Bx Principal
Inc.	120.65	121.9	1.25	1029	0.15	1448	417	312	LN Bx Principal
LN-77-17	47.55	53.25	5.70	30	0.09	125	5933	188	LN Bx Principal
LN-78-17	46.1	47.7	1.6	42	0.01	71	224	379	LN Bx Principal
LN-79-17	34.4 5	45.65	11.2	34	0.01	108	1665	212	LN Bx Principal
Inc.	43.6	44.25	0.65	66	0.01	61	224	76	LN Bx Principal
LN-80-17	1.25	43.55	42.3	45	0.01	85	3365	93	LN Bx Principal
Inc.	6	2205	16.05	72	0.01	115	2512	108	LN Bx Principal
Inc.	6	9.95	3.95	167	0.01	118	866	214	LN Bx Principal
Inc.	8	9.95	1.95	211	0.01	146	1152	220	LN Bx Principal
LN-81-17	33	36.6	3.6	101	0.13	330	6545	566	LN Bx Principal
	46.1	48	1.9	83	0.01	216	13531	4118	LN Bx Principal
	72.55	73.75	1.2	156	0.06	298	1643	149	LN Bx Principal
	93.45	94.95	1.5	234	0.07	489	8396	140	LN Bx Principal
	117.2	138.2	21	274	0.09	528	736	175	LN Bx Principal
Inc.	122.85	124.15	1.3	832	0.18	1209	1873	362	LN Bx Principal
Inc.	129.15	129.95	0.8	739	0.13	1173	837	279	LN Bx Principal
Inc.	136.45	137.55	1.1	3018	0.6	5612	2382	1055	LN Bx Principal
	158.5	205.4	46.9	137	0.13	200	535	88	LN Bx Inferior
Inc.	159.4	170.8	11.4	388	0.09	617	51	211	LN Bx Inferior
Inc.	159.4	161.25	1.85	1261	0.18	1936	87	534	LN Bx Inferior
Inc.	159.95	161.25	1.3	1458	0.2	2234	95	599	LN Bx Inferior
LN-82-17	45.40	74.65	29.25	138	0.11	210	11245	272	LN Bx Principal
Inc.	46.75	47.8	1.05	1111	0.22	901	32700	377	LN Bx Principal
Inc.	57.6	62.45	4.85	242	0.24	417	18535	280	LN Bx Principal
Inc.	62	62.45	0.45	463	0.98	976	22300	462	LN Bx Principal
	107.9	139.7	31.8	403	0.13	706	676	221	LN Bx Principal
Inc.	128.75	137.6	8.85	1098	0.26	1515	388	365	LN Bx Principal
Inc.	128.75	130.3	1.55	2102	0.29	3635	1391	909	LN Bx Principal
Inc.	136.9	137.6	0.7	3759	0.46	3622	84	717	LN Bx Principal
LN-83-17	52.5	128.85	76.35	236	0.1	401	1627	163	LN Bx Principal
Inc.	72.75	74.55	1.8	1112	0.15	1733	3644	375	LN Bx Principal
Inc.	100.4	106.95	6.55	1248	0.31	2234	1405	423	LN Bx Principal
Inc.	100.4	101.85	1.45	3581	0.6	5890	2045	1029	LN Bx Principal
	174.4	213.1	38.7	289	0.16	491	1180	225	LN Bx Inferior
Inc.	184.75	187.4	2.65	553	0.2	948	1695	274	LN Bx Inferior
Inc.	195.3	202.9	7.6	674	0.1	1192	514	338	LN Bx Inferior
Inc.	199.5	200.9	1.4	1330	0.14	2375	614	451	LN Bx Inferior
	231.05	238.1	7.05	61	0.02	72	1809	136	LN Bx Inferior
Inc.	236.8	238.1	1.3	110	0.02	143	594	102	LN Bx Inferior
LN-84-17	65.1	75.15	10.05	77	0.04	132	3787	197	LN Bx Principal
Inc.	65.1	65.7	0.6	190	0.1	65	2659	33	LN Bx Principal
Inc.	73.3	73.85	0.55	703	0.32	1304	27500	698	LN Bx Principal
	116.65	117.7	1.05	125	0.14	157	8859	204	LN Bx Principal
	131.8	133.1	1.3	120	0.13	159	9013	112	LN Bx Principal
	209.8	264.75	54.95	68	0.05	150	434	130	LN Bx Inferior
Inc.	209.8	210.65	0.85	535	0.05	975	1338	504	LN Bx Inferior
Inc.	225.8	233.3	7.5	209	0.18	348	808	343	LN Bx Inferior
Inc.	231.65	233.3	1.65	400	0.05	824	918	482	LN Bx Inferior
LN-85-17	39.05	44.4	5.35	571	0.25	2566	12143	609	LN Bx Principal
Inc.	40.1	40.65	0.55	3735	2.26	21200	93300	2200	LN Bx Principal
	84.85	89.7	4.85	72	0.01	170	6279	336	LN Bx Principal
	121.65	175.45	53.8	174	0.09	263	2039	114	LN Bx Inferior
Inc.	130.55	142.7	12.15	308	0.17	476	2602	176	LN Bx Inferior
Inc.	137.8	139.75	1.95	913	40	1401	3131	392	LN Bx Inferior
Inc.	162.65	167.1	4.45	779	0.2	1211	373	321	LN Bx Inferior
Inc.	164	165.15	1.15	1363	0.26	2006	640	578	LN Bx Inferior