

Drill Hole	From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Lead %	Rock Type
LN-01-14	3	44	<b>41</b>	<b>110.46</b>	0.068	0.13	Breccia
Incl.	18	37	<b>19</b>	<b>177.10</b>	0.113	0.06	Breccia
Incl.	18	31	<b>13</b>	<b>223.23</b>	0.129	0.07	Breccia
95m EOH							
LN-02-14	0	50	<b>50</b>	<b>141.28</b>	0.108	0.22	Breccia
Incl.	0	40	<b>40</b>	<b>161.25</b>	0.121	0.26	Breccia
Incl.	19	47	<b>28</b>	<b>212.64</b>	0.149	0.14	Breccia
Incl.	19	34	<b>15</b>	<b>323.13</b>	0.198	0.22	Breccia
100m EOH							
LN-03-14	0	144	<b>144</b>	<b>82.57</b>	0.058	0.31	Breccia
Incl.	0	27	<b>27</b>	<b>108.32</b>	0.077	0.62	Breccia
Incl.	0	106	<b>106</b>	<b>98.03</b>	0.062	0.37	Breccia
Incl.	0	78	<b>78</b>	<b>114.63</b>	0.066	0.38	Breccia
Incl.	53	78	<b>25</b>	<b>195.84</b>	0.107	0.14	Breccia
Incl.	54	67	<b>13</b>	<b>229.38</b>	0.104	0.17	Breccia
144m EOH							
LN-04-14	0	114	<b>114</b>	<b>78.54</b>	0.066	0.31	Breccia
Incl.	0	92	<b>92</b>	<b>92.98</b>	0.080	0.35	Breccia
Incl.	0	67	<b>67</b>	<b>118.93</b>	0.083	0.41	Breccia
Incl.	0	20	<b>20</b>	<b>149.43</b>	0.073	0.85	Breccia
Incl.	43	74	<b>31</b>	<b>146.38</b>	0.096	0.10	Breccia
152m EOH							
LN-05-14	0	119	<b>119</b>	<b>91.00</b>	0.046	0.58	Breccia
Incl.	0	88	<b>88</b>	<b>108.85</b>	0.040	0.63	Breccia
Incl.	89	119	<b>30</b>	<b>40.40</b>	0.065	0.43	Breccia
Incl.	51	91	<b>40</b>	<b>182.87</b>	0.071	1.17	Breccia
Incl.	51	65	<b>14</b>	<b>367.85</b>	0.111	1.84	Stockwork
147m EOH							
LN-06-14	3	101	<b>98</b>	<b>92.79</b>	0.104	0.15	Breccia
Incl.	3	55	<b>52</b>	<b>124.36</b>	0.089	0.22	Breccia
Incl.	3	24	<b>21</b>	<b>168.33</b>	0.126	0.42	Breccia
Incl.	3	16	<b>13</b>	<b>214.30</b>	0.131	0.62	Breccia
101m EOH							
LN-07-14	5	64	<b>59</b>	<b>132.49</b>	0.085	0.26	Breccia
Incl.	5	48	<b>43</b>	<b>149.60</b>	0.079	0.27	Breccia
Incl.	31	48	<b>17</b>	<b>185.35</b>	0.153	0.23	Breccia
Incl.	5	116	<b>111</b>	<b>83.89</b>	0.052	0.23	Breccia/Stockwork
Incl.	65	116	<b>51</b>	<b>17.06</b>	0.007	0.19	Stockwork
Incl.	106	116	<b>10</b>	<b>41.90</b>	0.013	0.47	Stockwork
130m EOH							
LN-08-14	13	62	<b>49</b>	<b>91.89</b>	0.015	0.26	Breccia/+Andesite
Incl.	30	41	<b>11</b>	<b>251.00</b>	0.035	0.15	Breccia
Incl.	53	62	<b>9</b>	<b>59.70</b>	0.009	0.53	Breccia
137m EOH							
LN-09-14	9	37	<b>28</b>	<b>60.00</b>	0.038	0.32	Breccia
Incl.	9	23	<b>14</b>	<b>64.57</b>	0.044	0.39	Breccia
105m EOH							
LN-10-14	5	40	<b>35</b>	<b>87.08</b>	0.037	0.51	Breccia/+Andesite
Incl.	10	35	<b>25</b>	<b>116.56</b>	0.045	0.60	Breccia
Incl.	14	35	<b>21</b>	<b>135.52</b>	0.053	0.65	Breccia
	70	78	<b>8</b>	<b>37.25</b>	0.005	0.24	Breccia
	157	163	<b>6</b>	<b>38.83</b>	0.063	0.27	Breccia
191m EOH							

Drill Hole	From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Lead %	Rock Type
LN-11-14	6	11	5	56.33	0.010	0.33	Breccia
	27	29	2	32.50	0.003	0.01	Stockwork
131m EOH							
LN-12-14	13	28	15	29.76	0.009	0.44	Stockwork/Breccia
Incl.	17	28	11	37.33	0.010	0.47	Breccia
117m EOH							
LN-13-14	0	140	140	61.43	0.048	0.38	Breccia/Stockwork
Incl.	24	71	47	79.00	0.052	0.31	Breccia
Incl.	12	19	7	95.57	0.050	0.22	Stockwork
Incl.	24	34	10	83.33	0.050	0.10	Breccia
Incl.	54	64	10	136.50	0.057	0.73	Breccia
Incl.	66	71	5	120.20	0.013	0.74	Breccia
Incl.	112	120	8	355.16	0.118	2.97	Breccia
Incl.	132	140	8	52.75	0.089	0.19	Breccia
183.5m EOH							
LN-14-14	0	33	33	179.65	0.033	0.33	Breccia
Incl.	13	24	11	412.11	0.062	0.24	Breccia
Incl.	26	30	4	181.00	0.055	0.72	Breccia
	48	60	12	31.50	0.008	0.13	Stockwork
92m EOH							
LN-15-14	-45°/180° Az			No Significant Results			Argillic Andesite
LN-16-14	-90°/360° Az			No Significant Results			Argillic/Propylitic
LN-17-14	-45°/360° Az			No Significant Results			Argillic/Propylitic
LN-18-14	-45°/090° Az			No Significant Results			Argillic/Propylitic
LN-19-14	70	82	12	289.58	0.040	1.42	Breccia
Incl.	74	82	8	421.37	0.051	1.93	Breccia
193m EOH							
LN-20-14	51	61	10	33.70	0.030	0.40	Stockwork
	97	133	36	79.05	0.065	0.24	Breccia/Stockwork
Incl.	105	133	28	99.35	0.089	0.24	Breccia/Stockwork
Incl.	111	133	22	107.66	0.100	0.16	Breccia
192m EOH							
LN-21-14	0	200	200	156.47	0.103	0.18	Breccia/Stockwork
Incl.	41	57	16	114.31	0.009	0.21	Breccia
Incl.	119	128	9	392.11	0.218	0.15	Breccia
Incl.	150	158	8	258.37	0.155	0.07	Breccia
Incl.	164	169	5	476.20	0.294	0.14	Breccia
Incl.	150	200	50	420.34	0.183	0.23	Breccia
Incl.	174	180	6	1337.66	0.475	0.28	Breccia
Incl.	183	200	17	492.30	0.128	0.50	Breccia
200m EOH							
LN-22-14	0	34	34	265.31	0.114	0.75	Breccia/Stockwork
Incl.	16	34	18	467.77	0.201	1.11	Breccia
82m EOH							
LN-23-14	0	30	30	239.92	0.053	0.41	Breccia/Stockwork
Incl.	17	30	13	459.76	0.090	0.59	Breccia
Incl.	17	23	6	899.50	0.161	1.15	Breccia
	18	19	1	3040.00	0.426	4.53	Breccia
78m EOH							
LN-24-14	0	76	76	92.88	0.063	0.69	Breccia/Stockwork
Incl.	29	41	12	397.83	0.246	1.76	Breccia
144m EOH							

<b>Drill Hole</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>Silver (gpt)</b>	<b>Gold (gpt)</b>	<b>Lead %</b>	<b>Rock Type</b>
LN-25-14	0	61	<b>61</b>	<b>44.86</b>	0.017	0.17	Breccia
Incl.	0	19	<b>19</b>	<b>50.11</b>	0.020	0.34	Breccia
Incl.	3	30	<b>27</b>	<b>74.18</b>	0.026	0.24	Breccia
Incl.	21	30	<b>9</b>	<b>128.55</b>	0.037	0.13	Breccia
115m EOH							
LN-26-15	37	72	<b>35</b>	<b>49.37</b>	0.092	0.16	Breccia
Incl.	37	46	<b>9</b>	<b>72.00</b>	0.017	0.17	Breccia
Incl.	68	72	<b>4</b>	<b>129.75</b>	0.070	0.40	Breccia
102m EOH							
LN-27-15	45	97	<b>52</b>	<b>96.86</b>	0.068	0.08	Breccia
Incl.	72	97	<b>25</b>	<b>183.60</b>	0.082	0.10	Breccia
Incl.	72	77	<b>5</b>	<b>322.25</b>	0.152	0.14	Breccia
Incl.	88	96	<b>8</b>	<b>357.37</b>	0.110	0.09	Breccia
Incl.	94	96	<b>2</b>	<b>963.00</b>	0.273	0.11	Breccia
153m EOH							
LN-28-15	55	139	<b>84</b>	<b>110.48</b>	0.079	0.47	Breccia
Incl.	98	116	<b>18</b>	<b>178.94</b>	0.098	0.24	Breccia
Incl.	123	131	<b>8</b>	<b>300.70</b>	0.180	2.04	Breccia
168m EOH							
LN-29-15	3	44	<b>41</b>	<b>47.11</b>	0.012	0.24	Breccia
Incl.	10	27	<b>17</b>	<b>72.61</b>	0.018	0.28	Breccia
78m EOH							
LN-30-15	0	60	<b>60</b>	<b>120.70</b>	0.032	0.43	Breccia
Incl.	22	48	<b>26</b>	<b>185.84</b>	0.041	0.59	Breccia
Incl.	22	29	<b>7</b>	<b>539.28</b>	0.097	1.29	Breccia
102m EOH							
LN-31-15	0	180	<b>180</b>	<b>66.12</b>	0.062	0.22	Breccia/Phyllic Andesite
Incl.	0	138	<b>138</b>	<b>76.20</b>	0.074	0.19	Breccia/Phyllic Andesite
Incl.	34	45	<b>11</b>	<b>104.00</b>	0.034	0.21	Breccia
Incl.	51	74	<b>23</b>	<b>115.95</b>	0.145	0.27	Breccia
Incl.	55	67	<b>12</b>	<b>160.75</b>	0.178	0.18	Breccia
Incl.	101	138	<b>37</b>	<b>146.02</b>	0.103	0.20	Breccia
Incl.	102	103	<b>1</b>	<b>3040.00</b>	0.434	0.24	Breccia
Incl.	162	180	<b>18</b>	<b>62.61</b>	0.039	0.64	Breccia/Phyllic Andesite
222m EOH							
LN-32-15	0	146	<b>146</b>	<b>68.39</b>	0.054	0.18	Breccia/Phyllic Andesite
Incl.	88	144	<b>56</b>	<b>139.60</b>	0.069	0.30	Breccia/Phyllic Andesite
Incl.	88	99	<b>11</b>	<b>142.00</b>	0.065	0.05	Breccia
Incl.	115	143	<b>28</b>	<b>217.32</b>	0.102	0.55	Breccia
Incl.	115	129	<b>14</b>	<b>126.20</b>	0.050	0.55	Breccia
Incl.	135	144	<b>9</b>	<b>462.11</b>	0.227	0.60	Breccia
Incl.	138	139	<b>1</b>	<b>2790.00</b>	0.771	0.63	Breccia
146m EOH							
LN-33-15	0	138	<b>138</b>	<b>63.12</b>	0.049	0.21	Breccia/Phyllic Andesite
Incl.	9	90	<b>81</b>	<b>86.79</b>	0.063	0.13	Breccia/Phyllic Andesite
Incl.	9	14	<b>5</b>	<b>453.00</b>	0.042	0.31	Breccia
Incl.	11	38	<b>27</b>	<b>152.62</b>	0.079	0.21	Breccia/Phyllic Andesite
Incl.	32	38	<b>6</b>	<b>228.00</b>	0.124	0.12	Breccia/Phyllic Andesite
Incl.	67	75	<b>8</b>	<b>147.12</b>	0.095	0.05	Breccia

Drill Hole	From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Lead %	Rock Type
Incl.	132	138	6	89.50	0.013	0.64	Breccia
167m EOH							
LN-34-15	91	96	5	162.00	0.078	0.94	Breccia/Phyllic Andesite
	138	149	11	149.27	0.053	0.82	Breccia
	142	149	7	205.50	0.063	1.07	Breccia
	178	208	30	53.60	0.108	0.24	Breccia
	199	208	9	99.33	0.104	0.34	Breccia
294m EOH							
LN-36-15	19	40	21	40.71	0.138	0.12	Breccia
	19	28	9	68.11	0.303	0.21	Breccia
	19	25	6	82.50	0.349	0.30	Breccia
90m EOH							
LN-37-15	164	172	8	96.12	0.076	0.18	Breccia
	208	233	25	51.48	0.037	0.64	Breccia
	215	233	18	69.33	0.049	0.85	Breccia
	216	229	13	77.15	0.058	1.02	Breccia
288m EOH							
LN-38-15	83	150	67	113.15	0.054	0.75	Breccia/Phyllic Andesite
	83	98	15	306.73	0.154	1.93	Phyllic Andesite/Stockwork
	92	97	5	850.60	0.360	4.24	Phyllic Andesite/Stockwork
	94	96	2	1772.50	0.664	6.52	Phyllic Andesite/Stockwork
	141	149	8	160.37	0.084	1.20	Breccia
	197	227	30	101.86	0.117	0.42	Breccia
	197	205	8	134.00	0.163	0.88	Breccia
	213	227	14	130.42	0.116	0.28	Breccia
	224	227	3	373.60	0.180	0.25	Breccia
	293	296	3	177.00	0.084	3.87	Breccia
351m EOH							
LN-39-15	77	94	17	169.82	0.071	0.24	Breccia
	80	94	14	199.07	0.075	0.19	Breccia
	80	91	11	221.09	0.086	0.17	Breccia
	80	83	3	446.66	0.065	0.18	Breccia
137m EOH							
LN-40-15	157	227	70	42.06	0.037	0.22	Breccia/Phyllic Andesite
	189	209	20	88.75	0.037	0.34	Breccia
	189	192	3	174.66	0.090	1.20	Breccia
	254	310	56	124.27	0.175	0.10	Breccia
	275	307	32	198.70	0.298	0.03	Breccia
	283	307	24	252.60	0.387	0.03	Breccia
	294	307	13	353.00	0.242	0.02	Breccia
	302	307	5	798.40	0.451	0.03	Breccia
360m EOH							
LN-41-15	85	101	16	12.37	0.008	0.33	Breccia/Phyllic Andesite
	85	94	9	13.55	0.009	0.30	Breccia/Phyllic Andesite
	85	87	2	36.50	0.025	0.71	Breccia/Phyllic Andesite
194.2m EOH							



Drill hole	To	Interval	Silver gpt	Gold gpt	Copper ppm	Lead ppm	Zinc ppm	Breccia
LN-54-16	<b>30.95</b>	<b>30.95</b>	<b>77</b>	<b>0.02</b>	<b>120</b>	<b>3366</b>	<b>74</b>	LN Bx Principal
Incl.	5	3.75	341	0.03	147	5179	48	LN Bx PrIncipal
Incl.	2.6	1.35	429	0.01	175	5404	30	LN Bx Principal
LN-57-16	<b>104.05</b>	<b>44.15</b>	<b>149</b>	<b>0.07</b>	<b>124</b>	<b>1836</b>	<b>109</b>	LN Bx Principal
Incl.	79.8	9.15	449	0.08	61	2447	78	LN Bx Principal
Incl.	73.65	1.5	1786	0.21	57	4765	93	LN Bx Principal
Incl.	93.55	1	384	0.18	499	733	104	LN Bx Principal
Incl.	104.05	3.6	228	0.08	637	346	166	LN Bx Principal
Incl.	104.05	0.8	520	0.18	1849	558	171	LN Bx Principal
LN-58-16	<b>128.05</b>	<b>8.7</b>	<b>352</b>	<b>0.35</b>	<b>1856</b>	<b>5793</b>	<b>6737</b>	LN Bx Principal
Incl.	125.05	5.7	516	0.53	2739	8485	8021	LN Bx Principal
	<b>151.35</b>	<b>3.2</b>	<b>170</b>	<b>0.09</b>	<b>433</b>	<b>9341</b>	<b>214</b>	LN Bx Principal
Incl.	151.35	1.5	295	0.17	731	14700	268	LN Bx Principal
	<b>257.05</b>	<b>37.1</b>	<b>124</b>	<b>0.18</b>	<b>287</b>	<b>2765</b>	<b>252</b>	LN Bx Inferior
Incl.	239.5	7.2	245	0.46	577	699	577	LN Bx Inferior
Incl.	254.05	4.8	264	0.07	699	2110	216	LN Bx Inferior
LN-59-16	<b>109.4</b>	<b>3.85</b>	<b>88</b>	<b>0.21</b>	<b>212</b>	<b>12229</b>	<b>197</b>	LN Bx Principal
Incl.	107.2	0.65	172	0.33	457	9424	329	LN Bx Principal
	<b>138.6</b>	<b>3</b>	<b>157</b>	<b>0.09</b>	<b>230</b>	<b>10939</b>	<b>169</b>	LN Bx Principal
Incl.	137.4	0.8	423	0.25	663	28000	318	LN Bx Principal
	<b>232.15</b>	<b>32.15</b>	<b>237</b>	<b>0.1</b>	<b>448</b>	<b>2229</b>	<b>353</b>	LN Bx Inferior
Incl.	220.85	11.2	534	0.18	968	694	437	LN Bx Inferior
Incl.	212.65	1.65	991	0.32	1734	1035	994	LN Bx Inferior
Incl.	219.45	2.9	815	0.18	1428	1213	364	LN Bx Inferior
LN-60-16	<b>134.9</b>	<b>1.9</b>	<b>82.7</b>	<b>0</b>	<b>216</b>	<b>10400</b>	<b>3284</b>	LN Bx Principal
Incl.	<b>266.65</b>	<b>31.75</b>	<b>69.5</b>	<b>0</b>	<b>170</b>	<b>366</b>	<b>94</b>	LN Bx Inferior
Incl.	240.2	5.3	154	0.06	418	625	183	LN Bx Inferior
Incl.	240.2	1.05	297	0.17	846	465	239	LN Bx Inferior
Incl.	266.65	5.95	92	0.03	220	130	95	LN Bx Inferior
	261.5	0.8	221	0.04	623	108	171	LN Bx Inferior
LN-61-16	<b>182.15</b>	<b>14.4</b>	<b>98</b>	<b>0.14</b>	<b>169</b>	<b>5644</b>	<b>163</b>	LN Bx Principal
Incl.	172.15	4.4	237	0.26	430	10316	268	LN Bx Principal
Incl.	172.15	1.5	325	0.21	587	16800	540	LN Bx Principal
LN-62-16	<b>176.1</b>	<b>1.2</b>	<b>97</b>	<b>0.05</b>	<b>205</b>	<b>5429</b>	<b>297</b>	LN Bx Principal
	<b>234.45</b>	<b>0.9</b>	<b>178</b>	<b>0.44</b>	<b>288</b>	<b>798</b>	<b>103</b>	LN Bx Principal
	<b>282.2</b>	<b>0.8</b>	<b>155</b>	<b>0.1</b>	<b>417</b>	<b>97</b>	<b>122</b>	LN Bx Principal
	<b>337.45</b>	<b>4.45</b>	<b>163</b>	<b>0.04</b>	<b>1146</b>	<b>84</b>	<b>304</b>	LN Bx Inferior
Incl.	334.4	1.4	288	0.08	1866	143	425	LN Bx Inferior
	<b>352.4</b>	<b>1.2</b>	<b>313</b>	<b>0.23</b>	<b>3067</b>	<b>52</b>	<b>400</b>	LN Bx Inferior
	<b>385.65</b>	<b>3.85</b>	<b>115</b>	<b>0.06</b>	<b>626</b>	<b>1030</b>	<b>175</b>	LN Bx Inferior
Incl.	383.4	1.6	235	0.07	1294	1910	296	LN Bx Inferior
LN-63-16	<b>208.35</b>	<b>10.65</b>	<b>67</b>	<b>0.03</b>	<b>94</b>	<b>6085</b>	<b>135</b>	LN Bx Inferior
Incl.	208.35	1	351	0.11	581	28900	427	LN Bx Inferior
LN-64-16	<b>41.5</b>	<b>0.95</b>	<b>61</b>	<b>0.01</b>	<b>865</b>	<b>780</b>	<b>327</b>	LN Bx Principal
LN-65-16	<b>28.55</b>	<b>28.55</b>	<b>145</b>	<b>0.05</b>	<b>66</b>	<b>6769</b>	<b>53</b>	LN Bx Principal
Incl.	25.2	8.15	460	0.12	170	19186	30	LN Bx Principal
Incl.	25.2	3.55	738	0.19	285	38963	42	LN Bx Principal
Incl.	25.2	0.6	1208	0.54	422	16100	75	LN Bx Principal
LN-66-16	<b>17.75</b>	<b>17.75</b>	<b>67</b>	<b>0.03</b>	<b>95</b>	<b>2307</b>	<b>153</b>	LN Bx Principal
Incl.	15.05	4.5	147	0.04	106	2312	116	LN Bx Principal
LN-67-16	<b>73.3</b>	<b>47.1</b>	<b>121</b>	<b>0.11</b>	<b>189</b>	<b>2630</b>	<b>59</b>	LN Bx Principal
Incl.	50.35	13.05	216	0.18	93	1411	58	LN Bx Principal
incl.	38.8	1.5	458	0.39	91	1032	86	LN Bx Principal
Incl.	50.35	2.55	582	0.14	47	2113	31	LN Bx Principal
incl.	50.35	1.05	973	0.19	65	3012	34	LN Bx Principal

Drill hole	To	Interval	Silver gpt	Gold gpt	Copper ppm	Lead ppm	Zinc ppm	Breccia
LN-68-16	<b>41.85</b>	<b>40.85</b>	<b>194</b>	<b>0.06</b>	<b>172</b>	<b>4070</b>	<b>299</b>	LN Bx Principal
Incl.	14.05	11.65	441	0.08	367	10318	426	LN Bx Principal
incl.	14.05	7.5	529	0.09	298	7446	312	LN Bx Principal
Incl.	8.05	1.5	784	0.08	384	19400	377	LN Bx Principal
incl.	14.05	1.5	1613	0.24	553	3765	290	LN Bx Principal
Incl.	30.2	1.5	772	0.12	106	1872	226	LN Bx Principal
	<b>102.15</b>	<b>10.65</b>	<b>90</b>	<b>0.09</b>	<b>421</b>	<b>8822</b>	<b>34</b>	LN Bx Principal
Incl.	101.6	5.55	137	0.11	666	12645	35	LN Bx Principal
LN-69-16	<b>64.35</b>	<b>59.25</b>	<b>98</b>	<b>0.04</b>	<b>71</b>	<b>1759</b>	<b>100</b>	LN Bx Principal
Incl.	6.6	1.5	514	0.08	76	4950	79	LN Bx Principal
incl.	49.4	13.7	189	0.08	63	1506	65	LN Bx Principal
Incl.	49.4	3.65	378	0.13	88	2529	33	LN Bx Principal
incl.	49.4	1.3	602	0.18	112	2378	26	LN Bx Principal
LN-70-16	<b>120.45</b>	<b>0.7</b>	<b>85</b>	<b>0.64</b>	<b>244</b>	<b>37300</b>	<b>729</b>	LN Bx Principal
	<b>137.25</b>	<b>1.2</b>	<b>121</b>	<b>0.03</b>	<b>241</b>	<b>880</b>	<b>874</b>	LN Bx Principal
	<b>256.25</b>	<b>1.55</b>	<b>68</b>	<b>0.02</b>	<b>193</b>	<b>132</b>	<b>112</b>	LN Bx Inferior