

Hole ID	From (meters)	To (meters)	Interval (meters)	Silver gpt	Gold gpt	Pb %	Zn %	Geologic Intersection
<b>CDH-19-001</b>	59	75.5	<b>16.5</b>	<b>93</b>	N/A	-	-	Hanging-wall Vein
Including	61.58	71	<b>9.42</b>	<b>141</b>	N/A	-	-	<b>F Vein</b>
Including	68	70.15	<b>2.15</b>	<b>307</b>	N/A	-	-	
<b>CDH-19-002</b>	49.83	51	<b>1.17</b>	<b>111</b>	N/A	-	-	Hanging-wall Vein
	70	84	<b>14</b>	<b>104</b>	N/A	-	-	<b>F Vein</b>
Including	80	81	<b>1</b>	<b>328</b>	N/A	-	-	
	71.27	75	<b>3.73</b>	<b>213</b>	<b>0.311</b>	-	-	
Including	71.27	72	0.73	<b>332</b>	<b>0.554</b>	-	-	<b>F Vein</b>
<b>CDH-19-003</b>	15	20	5	<b>85</b>	N/A	-	-	<b>F Vein</b>
<b>CDH-19-004</b>	No Significant values							N/A
<b>CDH-19-005</b>	20	24.83	<b>4.83</b>	<b>230</b>	-	-	-	<b>F Vein</b>
Including	21	22.15	<b>1.15</b>	<b>775</b>	-	-	-	
Including	21	23	<b>2</b>	<b>518</b>	-	-	-	
<b>CDH-19-006</b>	139	140.5	1.5	<b>235</b>	-	-	-	Hanging-wall vein Stockwork
	150.61	151.48	0.87	<b>267</b>	-	-	-	
	165	175.45	<b>10.45</b>	<b>133</b>	-	-	-	
Including	174	175.45	<b>1.45</b>	<b>287</b>	-	-	-	
	175.45	178	2.55	N/A	-	-	-	Mined Stope
<b>CDH-19-007</b>	110	111.68	<b>1.68</b>	<b>417</b>	-	-	0.125	Hanging Wall Vein
	149.45	151	<b>1.55</b>	<b>693</b>	-	0.428	1.13	
	151	154	3	N/A	-	N/A	N/A	
<b>CDH-19-008</b>	19	52.5	<b>33.5</b>	<b>112</b>	-	N/A	N/A	Hanging Wall Vein
Includes	42.45	47.3	<b>4.85</b>	<b>408</b>	-	0.695	1.08	<b>F Vein</b>
Includes	44.25	44.83	<b>0.58</b>	<b>707</b>	-	0.271	0.43	
Includes	44.83	46	<b>1.17</b>	<b>366</b>	-	0.135	0.162	
Includes	46	47.3	<b>1.3</b>	<b>509</b>	-	0.164	0.26	
	63.92	65.38	1.46	148	-	-	-	
<b>CDH-19-009</b>	145	147.9	2.9	<b>516</b>	-	-	0.206	Hanging Wall Vein
Includes	147	147.9	0.9	<b>1,070</b>	-	0.0193	0.411	
	168	178.4	10.4	50	-	-	-	
	178.4	181.45	3.05	N/A	-	-	-	
<b>CDH-19-010</b>	0	3.05	3.05	200	-	-	-	Hanging Wall Vein
	177	190	13	42	-	-	-	Altered Intrusive
Includes	188	189	1	197	-	-	-	Hanging Wall Vein
	215	217	2	112	-	-	0.256	
	219	221.53	<b>2.53</b>	<b>338</b>	-	0.275	0.63	<b>F Vein</b>
Includes	219	220.6	<b>1.6</b>	<b>391</b>	-	0.293	0.72	
Includes	220.6	221.53	<b>0.93</b>	<b>247</b>	-	0.245	0.477	
<b>CDH-19-011</b>	63	74	<b>11</b>	<b>133</b>	-	0.04	0.15	<b>F Vein</b>
Includes	63	68	<b>5</b>	<b>245</b>	0.126	0.07	0.27	
Includes	65	66	<b>1</b>	<b>648</b>	0.634	0.218	0.609	
	104	105.2	1.2	228	-	0.126	0.561	Footwall Vein
	122.13	124	1.87	102	-	0.031	0.113	Footwall Vein
<b>CDH-19-012</b>	145.65	147	1.35	113	-	0.041	0.064	Hanging Wall
	150.3	152.4	<b>2.1</b>	<b>699</b>	-	0.366	0.799	Vein
	214.5	215.1	0.6	113	-	0.053	0.092	
	237	248	<b>11</b>	<b>184</b>	0.205	0.13	0.393	<b>F Vein</b>
Includes	238.85	242	<b>3.15</b>	<b>476</b>	0.657	0.295	1.04	
Includes	239.65	241.4	<b>1.75</b>	<b>755</b>	1.158	0.47	1.725	
	270	272	2	111	-	0.017	0.02	Footwall Vein
<b>CDH-19-013</b>	62	80.85	18.85	45	-	0.01	0.1	Hanging Wall
	80.85	85	4.15	273	-	0.07	0.2	<b>I Vein</b>
Includes	80.85	81.5	<b>0.65</b>	<b>697</b>	-	0.15	0.29	
Includes	82.35	85	<b>2.65</b>	<b>328</b>	-	0.1	0.24	

<b>CDH-19-014</b>	54.08	54.59	0.51	155	-	0.055	0.125	Hanging Wall Vein
	80.43	80.85	<b>0.42</b>	<b>894</b>	-	0.023	0.408	Hanging Wall Vein
	107.57	108.3	0.73	115	-	0.049	0.133	Hanging Wall Vein
	136	137.25	1.25	262	-	0.207	0.648	Hanging Wall Vein
	158	162.71	<b>5.01</b>	<b>261</b>	-	0.316	0.55	<b>I Vein</b>
<b>CDH-19-015</b>	224	224.56	0.56	283	-	-	-	<b>F Vein</b>
<b>CDH-19-016</b>	58.33	62.5	4.17	26		0.021	0.034	Hanging wall vein
	67.1	67.4	<b>0.3</b>	<b>1,005</b>	-	0.361	0.687	<b>I Vein</b> (mined stope)
<b>CDH-19-017</b>	104	117.4	13.4	71	-	0.04	0.12	<b>I Vein</b>
Includes	112	117.4	5.4	146	-	0.1	0.24	
Includes	114.92	117.4	2.48	212	-	0.2	0.33	
	117.4	118.95	1.55	-	-	-	-	
<b>CDH-19-018</b>	16.7	70.83	54.13	32		0.01	0.05	Hanging Wall Vein, <b>I Vein &amp;</b> Footwall
Includes	40.86	41.4	<b>0.54</b>	<b>357</b>	-	-	-	<b>I Vein</b>
Includes	63	63.71	0.71	237	-	0.091	0.268	Footwall Vein
<b>CDH-19-019</b>	15	27	12	35	-	0.01	0.08	HangingWall vein
	53.55	79.3	25.75	25	-	0.01	0.05	
	102	119.04	17.04	42	-	0.03	0.07	
Includes	109.8	110.32	0.52	175	-	0.308	0.462	
<b>CDH-19-020</b>	95	97	2	147	-	0.032	0.1	Hanging Wall Vein
	179.06	180.04	0.98	122	-	0.126	0.513	I Vein
	259	260.75	1.75	113	-	0.077	0.332	Footwall Vein
<b>CDH-19-021</b>	91	92.2	1.2	187	-	0.1	0.361	D vein
	92.2	116	23.8	51	-	0.02	0.1	Footwall stockwork-breccias
Includes	112	114	2	191	-	0.084	0.168	
<b>CDH-19-022</b>	77.75	84	6.25	<b>244</b>	-	0.117	0.231	<b>D Vein</b>
Includes	79.3	80.8	1.5	373	-	0.211	0.403	
<b>CDH-19-023</b>	139.9	150.2	10.3	60	-	0.034	0.085	<b>E vein</b>
Includes	143	144	1	138	-	0.046	0.115	
	157.1	158.74	1.64	236	-	0.074	0.068	Footwall E Vein
	175.35	176.6	1.25	145	-	0.028	0.08	
	193.38	194.34	0.96	146	-	0.047	0.072	
	201	202	1	138	-	0.067	0.044	
<b>CDH-19-024</b>	29.48	31	1.52	198	-	0.05	0.138	
Includes	30.5	31	0.5	<b>358</b>	-	0.033	0.337	
	48.8	74	25.2	47	-	0.02	0.087	Z vein-Breccias
Includes	53.4	54.9	1.5	160	-	0.064	0.167	<b>Z Vein</b>
<b>CDH-19-025</b>	135.2	233.3	<b>98.1</b>	<b>32</b>	-	0.03	0.119	Stockworks and Breccias
Includes	186.05	193.65	<b>7.6</b>	<b>105</b>	-	0.103	0.411	
<b>CDH-10-026</b>	89	172	83	28	-	0.02	0.06	Stockworks and Breccias
<b>CDH-19-027</b>	120.09	147	26.91	43	-	0.05	0.1	Faulted J vein
Includes	121	127.56	<b>6.56</b>	<b>115</b>	-	0.18	0.25	
Includes	126.17	127.56	<b>1.39</b>	<b>247</b>	-	0.8	0.56	
<b>CDH-19-028</b>	138	205	67	40	-	0.03	0.08	Hydrothermal breccia and Stockwork
Includes	153	167	14	<b>72</b>	-	0.03	0.09	Stockwork
Includes	160	162	2	163	-	0.23	0.31	
Includes	195	205	10	95	-	0.11	0.21	
<b>CDH-19-029</b>	42.7	45.35	<b>2.65</b>	<b>73</b>	-	0.02	0.04	<b>J Vein</b>
	114	166	52	26	-	0.01	0.04	<b>Z Vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	128	136	8	67	-	0.02	0.05	
Includes	130.21	132.3	<b>2.09</b>	<b>172</b>	-	0.05	0.1	
Includes	164	166	<b>2</b>	<b>104</b>	-	0.02	0.06	
<b>CDH-19-030</b>	67.1	76	<b>8.9</b>	<b>76</b>	-	0.02	0.11	<b>J Vein</b> - Fractured Zone, Quartz Barite vein
Includes	70.67	74	<b>3.33</b>	<b>173</b>	-	0.06	0.24	
	149.15	175	<b>25.85</b>	<b>200</b>	-	0.03	0.15	<b>Z Vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	150.5	161.65	<b>11.15</b>	<b>415</b>	-	0.07	0.26	
Includes	154	158.07	<b>4.07</b>	<b>721</b>	-	0.08	0.33	
Includes	154	160.1	<b>6.1</b>	<b>573</b>	-	0.07	0.3	
Includes	156.17	158.07	<b>1.9</b>	<b>982</b>	-	0.08	0.4	

<b>CDH-19-031</b>	223	226	<b>3</b>	<b>314</b>	-	0.2	0.28	<b>E vein</b> - Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	224.15	224.78	<b>0.63</b>	<b>776</b>	-	0.41	0.32	
<b>CDH-19-032</b>	165	175	10	24	-	0.27	0.6	<b>E Vein</b> - Brecciated rhyolite with stockwork of Quartz and Barite
	238.85	289	50.15	20	-	0.02	0.07	Quartz veinlets in Rhyolite and Hydrothermal Breccias
<b>CDH-19-033</b>	105.2	165	<b>59.8</b>	<b>48</b>	-	0.03	0.13	<b>E vein</b> - Fault zone, manganese calcite vein, and rhyolite fragments
Includes	150.95	160.52	<b>9.57</b>	<b>146</b>	-	0.27	1	
<b>CDH-19-034</b>	38.15	54	<b>15.85</b>	<b>68</b>	-	0.02	0.05	Oxidized rhyolite with phenocrystals and quartz stockworks
Includes	41.2	47.83	<b>6.63</b>	<b>103</b>	-	0.04	0.04	<b>E vein</b> - Quartz-barite vein with banded textures
	107	130.21	23.21	20	-	0.16	0.03	Quartz veinlets in Rhyolite and Hydrothermal Breccias
Includes	117	118	<b>1</b>	<b>124</b>	-	0.04	0.4	
<b>CDH-19-035</b>	39	50.35	<b>11.35</b>	<b>103</b>	-	0.02	0.07	Quartz- Calcite Veinlet Stockwork in Footwall of F Vein
Includes	46	48.28	<b>2.28</b>	<b>405</b>	-	0.054	0.1	
	119	142	23	60	-	0.04	0.16	
Includes	119	122	<b>3</b>	<b>274</b>	-	0.18	0.6	
Includes	120.65	122	<b>1.35</b>	<b>494</b>	-	0.327	1.14	F Vein, Banded Quartz
	179	186.05	<b>7.05</b>	<b>114</b>	-	0.04	0.08	Quartz Calcite Veinlet Stockwork
Includes	179	180	<b>1</b>	<b>547</b>	-	0.1	0.2	Hydrothermal Breccia E Vein
	181	182	1	134	-	0.05	0.06	
CDH-19-036	No significant values							
CDH-19-037	No significant values							
<b>CDH-19-038</b>	161.51	165.53	4.02	65	-	0.03	0.05	Hydrothermal Breccia
Includes	164.7	165.53	0.83	198	-	0.104	0.09	Banded Quartz (F Vein?)
	195.2	196	0.8	106	-	0.02	0.03	Quartz barite vein
	244	254	<b>10</b>	<b>175</b>	-	0.03	0.12	B Vein - Quartz, Quartz-Barite veins, veinlet stockwork and silicified rhyolite
Includes	247.05	251.68	<b>4.63</b>	<b>301</b>	-	0.05	0.15	
Includes	247.05	248.55	<b>1.5</b>	<b>628</b>	-	0.108	0.284	
Includes	248.55	250.6	2.05	106	-	0.007	0.113	
Includes	250.6	251.68	1.08	218	-	0.07	0.06	
<b>CDH-19-039 (</b>	15.25	21.35	<b>6.1</b>	<b>67</b>	-	0.01	0.06	
<b>CDH-19-040 (</b>	21	25.9	<b>4.9</b>	<b>194</b>	-	0.07	0.19	F Vein Banded Quartz
Includes	22.85	23.73	<b>0.88</b>	<b>808</b>	-	0.28	0.42	
Includes	23.73	24.16	0.43	<b>173</b>	-	0.05	0.14	
<b>CDH-19-041 (</b>	15	54.9	<b>39.9</b>	<b>159</b>	-	0.05	0.13	F Vein Banded Quartz
Includes	42.85	50.3	<b>7.45</b>	<b>650</b>	-	0.23	0.26	
Includes	42.85	44	<b>1.15</b>	<b>919</b>	-	0.361	0.092	
Includes	44	45	<b>1</b>	<b>953</b>	-	0.337	0.373	
Includes	45	46	<b>1</b>	<b>527</b>	-	0.163	0.213	
Includes	46	47	<b>1</b>	<b>860</b>	-	0.242	0.417	
Includes	47	48.8	<b>1.8</b>	<b>715</b>	-	0.302	0.259	
<b>CDH-20-042</b>	42.4	42.7	0.3	<b>115</b>	-			Hanging wall Quartz vein
And	67	80	<b>13</b>	<b>86</b>	-	0.02	0.1	<b>F Vein system &amp;</b>
And	70.4	76.3	<b>5.9</b>	<b>111</b>	-	0.03	0.11	mined stope
<b>CDH-20-043</b>	63	64	<b>1</b>	<b>105</b>	-	0.02	0.06	<b>F Vein system &amp;</b>
And	75	80	<b>5</b>	<b>119</b>	-	0.05	0.16	mined stope
<b>CDH-20-044</b>	29	30.9	1.9	56	-	0.03	0.01	Calcite-Quartz-Barite vein (Footwall Vein)
<b>CDH-20-045</b>	63.7	68	<b>4.3</b>	<b>239</b>	-	0.08	0.36	Faulted F Vein
Includes	64.6	67.1	<b>2.5</b>	<b>350</b>	-	0.12	0.48	<b>F Vein</b>
Includes	65.6	67.1	<b>1.5</b>	<b>456</b>	-	0.17	0.62	
And	77	80	<b>3</b>	<b>208</b>	-	0.08	0.21	
Includes	78.3	78.8	<b>0.5</b>	<b>974</b>	-	0.03	0.3	
<b>CDH-20-046</b>	71	77.8	<b>6.8</b>	<b>264</b>	-	0.06	0.13	Quartz Barite Vein, (Footwall Vein)
Includes	71.8	73.2	<b>1.4</b>	<b>911</b>	-	0.24	0.24	<b>F Vein Structure</b>
Includes	71.8	74.7	<b>2.9</b>	<b>553</b>	-	0.13	0.18	
Includes	71.8	72.4	<b>0.6</b>	<b>1585</b>	-	0.33	0.33	

Includes	72.7	73.2	0.5	689	-	0.206	0.29	
Includes	73.2	74.7	1.5	219	-	0.04	0.13	
<b>CDH-20-047</b>	111	126.65	15.65	166	-	0.17	0.47	
Includes	114	119.97	5.97	351	-	0.4	1.03	
Includes	115	119.97	4.97	400	-	0.45	1.2	
Includes	115.7	116.75	1.05	782	-	1.13	3.6	
Includes	116.75	117.9	1.15	305	-	0.1	0.3	<b>F Vein Structure</b>
Includes	117.9	119	1.1	219	-	0.38	0.65	
Includes	119	119.97	0.97	432	-	0.48	1.05	
Includes	119.97	126.65	6.68	55	-	0.02	0.13	
<b>CDH-20-048</b>	108.69	109.75	1.06	259	-	0.16	0.3	Hanging-wall Structure
	182	189	7	124	-	0.16	0.6	
including	184.4	188	3.6	197	-	0.28	1.07	F Vein Structure
including	184.4	186.05	1.65	257	-	0.33	1.74	
	219	220	1	104	-	0.2	0.04	Footwall Structure
<b>CDH-20-049</b>	124	126.8	2.8	762	-	0.42	0.54	
including	125.8	126.8	1	2010	-	1.18	1.24	Hanging-wall Vein
	248.8	259	10.2	68	-	0.02	0.1	
including	250.95	251.6	0.65	368	-	0.2	0.43	Hanging-wall Structure
	311	315.4	4.4	209	-	0.16	0.26	
including	311.9	312.7	0.8	212	-	0.29	0.53	F Vein Structure
and	314	315.4	1.4	484	-	0.15	0.3	
<b>CDH-20-050</b>	137.8	145.9	8.1	92	-	0.07	0.12	
including	140.2	140.7	0.5	737	-	0.257	0.52	Hanging-wall Structure
	175	213	38	50	-	0.04	0.11	
including	175	176.2	1.2	141	-		0.09	
and	184.7	185.15	0.45	486	-	0.24	0.15	F Vein Structure
and	198.25	200.06	1.81	118	-	0.13	0.24	
and	211	213	2	119	-	0.06	0.22	
<b>CDH-20-051</b>	147	153	6	317	-	0.12	0.17	
including	149	151	2	865	-	0.37	0.42	Hanging-wall Structure
	193	198	5	87	-	0.07	0.1	
including	196.54	198	1.46	135	-	0.02	0.15	Hanging-wall Vein
	207	243	36	72	-	0.05	0.17	
including	207	211.36	4.36	317	-	0.27	0.93	F Vein Structure
and	210.26	211.36	1.1	769	-	0.75	2.88	
	278	281.63	3.63	147	-	0.21	1.41	Footwall Structure
<b>CDH-20-052</b>	100.92	143.35	42.43	61	-	0.03	0.12	
Including	100.92	108.45	7.53	199	-	0.08	0.27	
	100.92	105	4.08	279	-	0.11	0.38	F Vein + Hanging Wall
	102.39	105	2.61	366	-	0.14	0.5	
Including	102.39	103.62	1.23	601	-	0.26	0.76	
And	132.55	134.48	1.93	103	-	0.06	0.67	<b>F Vein</b>
CDH-20-053	72.48	72.91	0.43	193	-	0.13	0.19	
And	138	172	34	116	-	0.11	0.24	F Vein + Hanging Wall
Including	139	150	11	175	-	0.17	0.37	
Including	161.65	164.65	3	496	-	0.55	0.91	
Including	162.65	164.65	2	620	-	0.35	0.9	<b>F Vein</b>
Including	162.65	163.6	0.95	753	-	0.38	1	
Including	163.6	164.65	1.05	501	-	1	0.82	
<b>CDH-20-054</b>	98	123	25	57	-	0.12	0.13	<b>F Vein</b>
Including	106	111	5	158	-	0.4	0.35	
Including	108	109.8	1.8	319	-	0.18	0.5	
And	121	123	2	104	-	0.07	0.28	F Vein Footwall
<b>CDH-20-055</b>	196.7	199.75	3.05	58	-	0.05	0.11	<b>F Vein</b>
Including	198.25	198.8	0.55	101	-	0.1	0.15	
And	217	221	4	171	-	0.1	0.3	
Including	217	219	2	150	-	0.08	0.27	Footwall Structure
Including	219	221	2	192	-	0.2	0.31	
<b>CDH-20-056</b>	Abandoned Due to Bad Ground							
<b>CDH-20-057</b>	275.91	280.47	4.56	103	-	0.12	0.19	

Includes	275.91	280.47	1.81	163	-	0.26	0.32	<b>F Vein</b>
And	166	226.84	<b>60.84</b>	<b>40</b>	-	0.03	0.1	
<b>CDH-20-058</b>	Hit An Old Mine Working At Target Depth							
<b>CDH-20-059</b>	No Significant values							<b>F Vein</b>
<b>CDH-20-060</b>	144	208	<b>64</b>	<b>132</b>	-	0.03	0.1	<b>J-Z Vein</b>
Includes	147	156	<b>9</b>	<b>226</b>	-	0.03	0.13	
Includes	152	153	<b>1</b>	<b>1025</b>	-	0.08	0.21	
Includes	183	205	<b>22</b>	<b>229</b>	-	0.05	0.14	
Includes	190	201	<b>11</b>	<b>361</b>	-	0.08	0.18	
Includes	191	196	<b>5</b>	<b>608</b>	-	0.09	0.12	
Includes	191	192	<b>1</b>	<b>447</b>	-	0.034	0.096	
Includes	192	193	<b>1</b>	<b>342</b>	-	0.056	0.081	
Includes	193	194	<b>1</b>	<b>1160</b>	-	0.1	0.128	
Includes	194	195	<b>1</b>	<b>776</b>	-	0.175	0.223	
Includes	195	196	<b>1</b>	<b>315</b>	-	0.093	0.101	
<b>CDH-20-061</b>	180	210.85	<b>30.85</b>	<b>43</b>	-	0.02	0.06	
Includes	180	181	<b>1</b>	<b>164</b>	-	0.15	0.1	
Includes	180	188	<b>8</b>	<b>63</b>	-	0.35	0.72	
Includes	194	197	<b>3</b>	<b>72</b>	-	0.05	0.06	
Includes	203	204	<b>1</b>	<b>108</b>	-	0.03	0.06	
Includes	203	210.85	<b>7.85</b>	<b>54</b>	-	0.02	0.06	
	222	224	<b>2</b>	<b>144</b>	-	0.1	0.52	
<b>CDH-20-062</b>	69.4	81	<b>11.6</b>	<b>93</b>	-	0.03	0.1	Hydrothermal Breccia & Stockwork
Includes	71	79.3	<b>8.3</b>	<b>115</b>	-	0.04	0.13	
Includes	71	72	<b>1</b>	<b>161</b>	-	0.09	0.2	
Includes	72	73	<b>1</b>	<b>141</b>	-	0.056	0.14	
Includes	73	74.7	<b>1.7</b>	<b>111</b>	-	0.05	0.1	
Includes	76.25	77.75	<b>1.5</b>	<b>103</b>	-	0.01	0.04	
Includes	77.75	79.3	<b>1.55</b>	<b>141</b>	-	0.06	0.23	
<b>CDH-20-063</b>	66	75	<b>9</b>	<b>91</b>	-	0.04	0.08	Hydrothermal Breccia & Stockwork
Includes	70	73.2	<b>3.2</b>	<b>165</b>	-	0.1	0.11	
	161.51	164	<b>2.49</b>	<b>187</b>	-	0.05	0.06	
Includes	161.51	162	<b>0.49</b>	<b>762</b>	-	0.15	0.15	
<b>CDH-20-064</b>	61.31	69	<b>7.69</b>	<b>67</b>	-	0.02	0.04	Quartz Vein
Includes	62.5	67	<b>4.5</b>	<b>100</b>	-	0.03	0.05	
<b>CDH-20-065</b>	72	79	<b>7</b>	<b>106</b>	-	0.02	0.11	Quartz Vein
<b>CDH-20-066</b>	129	148	19	22	-	0.01	0.03	Hydrothermal Breccia & Stockwork
Includes	144	148	4	52	-	0.01	0.03	
	189.5	215	<b>25.5</b>	<b>69</b>	-	0.05	0.15	
Includes	206	215	<b>9</b>	<b>154</b>	-	0.1	0.3	
Includes	213.5	215	<b>1.5</b>	<b>773</b>	-	0.4	0.8	
<b>CDH-20-067</b>	87	137.25	<b>50.25</b>	<b>18</b>	-	0.01	0.03	Hydrothermal breccia & Stockwork (J&Z Vein)
<b>CDH-20-068</b>	213	215.88	2.88	58	-	0.01	0.17	Hydrothermal breccia & Stockwork (J&Z Vein)
<b>CDH-20-069</b>	132	211	<b>79</b>	<b>58</b>	-	0.04	0.22	Hydrothermal breccia & Stockwork (J&Z Vein)
Includes	159	169.1	<b>10.1</b>	<b>152</b>	-	0.14	0.4	
Includes	166	169.1	<b>3.1</b>	<b>325</b>	-	0.37	2.6	
Includes	169.1	171	1.9	115	-	0.03	0.49	
Includes	177	179	2	176	-	0.04	0.11	
Includes	179	180	1	111	-	0.035	0.09	
Includes	190.6	192	1.4	126	-	0.089	0.16	
	286.28	286.82	0.54	336	-	0.355	2.08	
<b>CDH-20-070</b>	83	84.4	1.4	91	-	0.04	0.14	Hydrothermal breccia & Stockwork (J&Z Vein)
	130	133	3	64	-	0.02	0.13	
	171.8	175.58	3.78	170	-	0.07	0.32	
	202.5	230.25	<b>27.75</b>	<b>40</b>	-	0.02	0.06	
<b>CDH-20-071</b>	100.03	100.65	0.62	178	-	0.11	0.38	Hydrothermal breccia (E Vein)
	107	108	1	74	-	0.03	0.15	Quartz stockwork (E Vein)
<b>CDH-20-072</b>	No Significant values							
<b>CDH-20-073</b>	95.59	97.06	1.47	102	-	0.02	0.07	E Vein

	121.37	121.91	0.54	69	-	0.01	0.02	Hydrothermal breccia & Quartz barite vein
<b>CDH-20-074</b>	64.35	64.9	0.55	91	-	0.043	0.05	E vein
<b>CDH-20-075</b>	232	239.5	7.5	33	-	0.01	0.05	Quartz stockwork (E Vein)
<b>CDH-20-076</b>	69.94	164	<b>94.06</b>	<b>40</b>	-	0.03	0.07	Hydrothermal breccia & Quartz barite vein (W Vein)
Includes	83.5	84.5	1	272	-	0.1	0.18	W Vein
Includes	83.5	90.5	7	97	-	0.03	0.12	W Vein system
Includes	96.5	100	3.5	105	-	0.03	0.1	Hydrothermal breccia
Includes	134.2	138	3.8	98	-	0.11	0.18	Faulted hydrothermal breccia
	185	186.19	1.19	118	-	0.02	0.01	Quartz stockwork
<b>CDH-20-077</b>	No Significant values							E Vein
<b>CDH-20-078</b>	No Significant values							E Vein
<b>CDH-20-079</b>	150.95	160	<b>9.05</b>	<b>179</b>	-	0.05	0.14	D vein
Includes	150.95	156.3	<b>5.35</b>	<b>290</b>	-	0.08	0.22	
Includes	153.6	155.18	<b>1.58</b>	<b>525</b>	-	0.14	0.42	
Includes	153.6	154.34	0.74	689	-	0.226	0.52	
Includes	154.34	155.18	0.84	381	-	0.06	0.33	
<b>CDH-20-080</b>	92	116.25	<b>24.25</b>	<b>80</b>	-	0.04	0.11	D Vein
Includes	93	95.5	<b>2.5</b>	<b>195</b>	-	0.06	0.13	
<b>CDH-20-081</b>	No Significant values							
<b>CDH-20-082</b>	26.3	30.5	4.2	42	-	0.02	0.03	F Vein system
	93	95.5	<b>2.5</b>	<b>195</b>	-	0.06	0.11	F Vein
Includes	93	94	<b>1</b>	<b>434</b>	-	0.15	0.15	
and	127.5	198	<b>70.5</b>	<b>112</b>	-	0.02	0.1	B Vein system
Includes	183	192	<b>9</b>	<b>691</b>	-	0.11	0.46	
Includes	184.5	189.1	<b>4.6</b>	<b>1,186</b>	-	0.2	0.53	B Vein
Includes	184.5	186.05	<b>1.55</b>	<b>1,455</b>	-	0.13	0.34	
Includes	186.05	187.55	<b>1.5</b>	<b>1,055</b>	-	0.378	0.88	
Includes	187.55	189.1	<b>1.55</b>	<b>1,045</b>	-	0.092	0.38	
<b>CDH-20-083</b>	261	261.85	0.85	231	-	0.374	0.09	
	275.5	276	0.5	77	-	0.17	0.1	
<b>CDH-20-084</b>	194	219	25	47	-	0.01	0.05	B Vein system
Includes	206	213	7	126	-	0.02	0.08	
Includes	208	210.45	2.45	208	-	0.01	0.05	
<b>CDH-21-085</b>	47	57	10	67	-	-	-	F vein + Stock work
Includes	49	50.3	1.3	254	-	-	-	F vein
<b>CDH-21-086</b>	2.35	7	4.65	54	-	-	-	Hanging-wall vein
	90	101.32	11.32	49	-	-	-	F vein + Stock work
Includes	94	95.28	1.28	181	-	-	-	F vein
<b>CDH-21-087</b>	102	127	25	59	-	-	-	F vein + Stock work
Includes	104	108	<b>4</b>	<b>200</b>	-	-	-	
Includes	105.06	106.15	<b>1.09</b>	<b>559</b>	-	-	-	F vein
<b>CDH-21-088</b>	147	156	<b>9</b>	<b>107</b>	-	-	-	F vein + Stock work
Includes	148.7	154	<b>5.3</b>	<b>144</b>	-	-	-	F vein
<b>CDH-21-089</b>	46.39	47.25	0.86	96	-	0.01	0.12	Hanging-wall vein
	140.1	155.55	<b>15.45</b>	<b>162</b>	-	0.08	0.37	F vein + Stock work
Includes	140.1	147	<b>6.9</b>	<b>285</b>	-	0.16	0.76	
Includes	140.1	142.8	<b>2.7</b>	<b>439</b>	-	0.35	1.52	F vein
Includes	140.1	140.67	<b>0.57</b>	<b>533</b>	-	0.265	1.505	F vein
Includes	141.35	142	<b>0.65</b>	<b>511</b>	-	0.468	1.225	
	169	173	<b>4</b>	<b>233</b>	-	0.03	0.44	Footwall vein
Includes	169	170	<b>1</b>	<b>411</b>	-	0.027	0.05	
<b>CDH-21-090</b>	88.45	89.65	<b>1.2</b>	<b>503</b>	-	0.09	0.22	Hanging-wall vein
Includes	89.1	89.65	<b>0.55</b>	<b>889</b>	-	0.17	0.38	Hanging-wall vein
	115.7	119.64	<b>3.94</b>	<b>185</b>	-	0.1	0.22	F vein
Includes	116.45	118.85	<b>2.4</b>	<b>245</b>	-	0.13	0.28	
Includes	117.4	118	<b>0.6</b>	<b>365</b>	-	0.209	0.551	
	130	131	<b>1</b>	<b>165</b>	-	0.06	0.19	Footwall vein
<b>CDH-21-091</b>	50.15	51.7	<b>1.55</b>	<b>189</b>	-	0.07	0.21	F vein system
Includes	50.15	51	<b>0.85</b>	<b>271</b>	-	0.093	0.28	F vein
	62	63	<b>1</b>	<b>104</b>	-	0.03	0.08	Footwall system
<b>CDH-21-092</b>	25.56	28	<b>2.44</b>	<b>217</b>	-	0.08	0.14	Hanging-wall Structure
Includes	25.56	26.5	<b>0.94</b>	<b>368</b>	-	0.15	0.17	

	74.7	77.64	<b>2.94</b>	<b>321</b>	-	0.22	0.57	F Vein
Includes	75.7	77.64	<b>1.94</b>	<b>428</b>	-	0.3	0.73	
Includes	75.7	76.5	<b>0.8</b>	<b>413</b>	-	0.3	0.57	
Includes	76.5	77.64	<b>1.14</b>	<b>439</b>	-	0.29	0.84	
	145	153	<b>8</b>	<b>130</b>	-	0.07	0.24	Footwall system
Includes	145	147.9	<b>2.9</b>	<b>265</b>	-	0.15	0.54	
Includes	146.4	147.9	<b>1.5</b>	<b>339</b>	-	0.2	0.77	
<b>CDH-21-093</b>	118.95	123.75	No significant results				Mine Stope	
<b>CDH-21-094</b>	90.95	92.9	1.95	104	-	0.1	0.15	Hanging-wall vein
	175	184	<b>9</b>	<b>354</b>	-	0.11	0.36	F Vein
Includes	175	181	<b>6</b>	<b>481</b>	-	0.153	0.35	
Includes	176.9	179.53	<b>2.63</b>	<b>809</b>	-	0.3	0.45	
Includes	176.9	178.4	<b>1.5</b>	<b>985</b>	-	0.47	0.5	
Includes	178.4	179.53	<b>1.13</b>	<b>576</b>	-	0.06	0.4	
<b>CDH-21-095</b>	38.65	39.09	0.44	<b>218</b>	-	-	0.1	
<b>CDH-21-096</b>	182	212	<b>30</b>	<b>86</b>	-	-	0.04	F vein system
Includes	182	196	<b>14</b>	<b>164</b>	-	-	0.07	Faulted F vein system
Includes	186	195	<b>9</b>	<b>230</b>	-	-	0.11	Faulted F Vein system
Includes	186	187	1	194	-	-	0.06	F Vein
Includes	187	189.37	<b>2.37</b>	<b>425</b>	-	-	0.23	
Includes	189.37	190.6	<b>1.23</b>	<b>242</b>	-	-	0.11	
Includes	192	193.5	<b>1.5</b>	<b>228</b>	-	-	0.04	Quartz veining in intrusive
<b>CDH-21-097</b>	98	100	2	33	-	0.047	0.05	Fault Zone
<b>CDH-21-098</b>	88.45	89.47	1.02	32	-	0.01	0.3	Fault Zone
<b>CDH-21-099</b>	126.41	127.58	1.17	61	-	0.011	0.08	Hydrothermal breccia
	207	209	2	30	-	0.031	0.04	Rhyolite some oxidation
<b>CDH-21-100</b>	No Significant Values							
<b>CDH-21-101</b>	208.5	210.1	1.6	459	-	0.23	4	Fault zone with tiny quartz stockwork (East Block)
including	208.5	209	<b>0.5</b>	<b>1,190</b>	-	<b>0.588</b>	<b>3.93</b>	
including	209	210.1	1.1	127	-	0.08	0.152	
<b>CDH-21-102</b>	83.2	86.95	3.75	81	-	0.01	0.27	Quartz Barite Vein
includes	83.2	84	0.8	163	-	0.02	0.062	Oxidized & Silicified Rhyolite
	91	92	1	94	-	0.01	0.05	
<b>CDH-21-103</b>	65.13	66	0.87	179	-	0.01	0.03	Quartz Barite Vein
	166	210	<b>44</b>	<b>333</b>	-	0.1	0.1	Hydrothermal Breccia with Rhyolite
Includes	179	196	<b>17</b>	<b>805</b>	-	0.21	0.137	
and	183	194	<b>11</b>	<b>1201</b>	-	0.3	0.16	Hydrothermal Breccia & Quartz Barite Vein
Includes	188	194	<b>6</b>	<b>2035</b>	-	0.5	0.19	Quartz barite rhyolite host
and	188	189.52	<b>1.52</b>	<b>933</b>	-	0.099	0.258	
and	189.52	191	<b>1.48</b>	<b>657</b>	-	0.128	0.161	Hydrothermal Breccia
and	191	192.15	<b>1.15</b>	<b>483</b>	-	0.166	0.164	
and	192.15	193.07	<b>0.92</b>	<b>9,840</b>	-	<b>2.59</b>	0.08	Quartz Barite Vein
<b>CDH-21-104</b>	85	90	5	100	-	0.03	0.05	Quartz Barite Vein
Includes	86	88.45	2.45	154	-	0.05	0.08	
	120.45	124.57	4.12	124	-	0.05	0.43	
Includes	121	123.5	2.5	168	-	0.05	0.54	
	174.5	177.5	3	120	-	0.04	0.24	
	185	186	1	<b>802</b>	-	0.34	0.29	Quartz Barite Vein
<b>CDH-21-105</b>	121	123.5	2.5	174	-	0.33	0.43	<i>JZ Trap Zone</i> -Hydrothermal Breccia
	163	165	<b>2</b>	<b>288</b>	-	0.01	0.03	<i>JZ Trap Zone</i> -Rhyolite with quartz breccia
	243	245	2	111	-	0.03	0.08	<i>JZ Trap Zone</i> -Hydrothermal Breccia
<b>CDH-21-106</b>	145	149	<b>4</b>	<b>316</b>	-	0.12	0.1	<i>JZ Trap Zone</i> – Rhyolite with quartz stockwork
and	147	149	<b>2</b>	<b>417</b>	-	0.17	0.12	
	184	205	21	34	-	0.02	0.1	
<b>CDH-21-107</b>	24	29	5	40	-	0.03	0.02	<i>JZ Trap Zone</i> – Rhyolite Breccia
	147.5	153	5.5	111	-	0.02	0.07	<i>JZ Trap Zone</i>
Includes	150	151.5	1.5	200	-	0.019	0.05	

					-			
<b>CDH-21-108</b>	177	343	<b>166</b>	<b>57</b>	-	0.02	0.116	Rhyolite with tiny quartz stockwork & Quartz -barite veins & veinlets
Includes	195	272	<b>77</b>	<b>98</b>	-	0.03	0.14	
Includes	213	224	<b>11</b>	<b>328</b>	-	0.12	0.5	
Includes	218.1	224	<b>5.9</b>	<b>504</b>	-	0.16	0.75	
Includes	218.1	220	<b>1.9</b>	<b>519</b>	-	0.094	0.85	Quartz-Barite manganese vein "D vein"
Includes	220	221	<b>1</b>	<b>1,100</b>	-	0.536	2.04	
Includes	221	222.5	<b>1.5</b>	<b>400</b>	-	0.093	0.29	
Includes	222.5	223	0.5	<b>331</b>	-	0.07	0.2	
Includes	223	224	<b>1</b>	<b>124</b>	-	0.057	0.24	Rhyolite with tiny quartz stockwork & Quartz -barite veins & veinlets
Includes	316	317	<b>1</b>	<b>273</b>	-	0.199	0.61	Rhyolite with tiny quartz stockwork
<b>CDH-21-109</b>	146	177	<b>31</b>	<b>100</b>	-	0.04	0.14	Rhyolite with tiny quartz stockwork & Quartz -barite veins & veinlets
Includes	148.44	163	<b>14.56</b>	<b>193</b>	-	0.08	0.25	
Includes	148.44	155.55	<b>7.11</b>	<b>294</b>	-	0.14	0.4	
Includes	148.44	150.19	<b>1.75</b>	<b>226</b>	-	0.159	0.24	Quartz-Barite manganese vein "D vein"
Includes	150.19	152.5	<b>2.31</b>	<b>476</b>	-	0.21	0.75	
Includes	150.19	150.95	0.76	<b>525</b>	-	0.245	0.78	
Includes	150.95	151.75	0.8	<b>323</b>	-	0.167	0.49	
Includes	151.75	152.5	0.75	<b>592</b>	-	0.222	0.99	
Includes	152.5	153.45	0.95	<b>197</b>	-	0.089	0.19	
Includes	153.45	154.12	0.67	<b>167</b>	-	0.048	0.13	
Includes	154.12	155.55	1	<b>206</b>	-	0.103	0.33	
<b>CDH-21-110</b>	151	206	<b>55</b>	<b>269</b>	-	0.33	0.81	Rhyolite with tiny quartz
Includes	176.1	206	<b>29.9</b>	<b>453</b>	-	0.6	1.43	Quartz-Barite manganese vein "D vein"
Includes	178.2	196	<b>17.8</b>	<b>650</b>	-	0.9	2.28	
Includes	178.2	179.61	<b>1.41</b>	<b>557</b>	-	0.137	0.26	
Includes	179.61	179.95	0.34	<b>633</b>	-	0.274	1.51	
Includes	179.95	181.17	<b>1.22</b>	<b>509</b>	-	0.43	1.79	
Includes	181.17	182	0.83	<b>1,915</b>	-	0.451	3.51	
Includes	182	184.5	2.5	<b>641</b>	-	0.507	0.59	
Includes	186	187	1	<b>101</b>	-	0.202	0.14	
Includes	187	187.93	0.93	<b>130</b>	-	0.077	0.12	
Includes	187.93	189	<b>1</b>	<b>604</b>	-	0.299	1.55	
Includes	189	190	<b>1</b>	<b>520</b>	-	1.415	3.68	
Includes	190	191	<b>1</b>	<b>885</b>	-	1.92	7.11	
Includes	191	192	<b>1</b>	<b>1,565</b>	-	3.06	8.86	
Includes	192	193	<b>1</b>	<b>1,360</b>	-	5.43	8.96	
Includes	193	194	<b>1</b>	<b>685</b>	-	0.775	1.99	
Includes	194	195	<b>1</b>	<b>362</b>	-	0.13	0.19	
Includes	195	196	<b>1</b>	<b>382</b>	-	0.188	0.22	
Includes	201.3	201.85	<b>1</b>	<b>1,765</b>	-	1.22	1.5	
<b>CDH-21-111</b>	155.71	161	5.29	105	-	0.04	0.06	B vein stockwork & veinlets
Including	157.85	160	2.15	190	-	0.07	0.1	
Including	157.85	158.5	0.65	387	-	0.19	0.12	B vein system
<b>CDH-21-112</b>	98.6	99.9	0.7	125	-	0.05	0.09	Quartz stockwork
	133	133.65	0.65	174	-	0.07	0.15	B2 quartz barite vein
	197.5	227	<b>29.5</b>	<b>219</b>	-	0.06	0.12	B vein + stockwork
Including	205	218.05	<b>13.05</b>	<b>434</b>	-	0.14	0.22	
Including	211	218.05	<b>7.05</b>	<b>667</b>	-	0.25	0.26	B vein system
Including	212	214	<b>2</b>	<b>1,050</b>	-	0.43	0.23	
Including	214	215	<b>1</b>	<b>781</b>	-	1	0.1	
<b>CDH-21-113</b>	149.5	153	3.5	156	-	0.06	0.15	B vein stockwork
Including	150.7	151.3	0.6	574	-	0.23	0.34	
	245.5	300.4	<b>54.9</b>	<b>47</b>	-	0.01	0.06	
Including	254.5	257.5	3	114	-	0.01	0.1	
Including	293.95	296	<b>2.05</b>	<b>393</b>	-	0.03	0.28	B vein system
Including	293.95	295.05	<b>1.1</b>	<b>628</b>	-	0.05	0.41	
<b>CDH-22-114</b>	NSR							F Vein Intercepted with low values
<b>CDH-22-115</b>	81.1	92.4	<b>11.3</b>	<b>449</b>	-	0.3	0.66	Quartz stockwork-hydrothermal breccia and D Vein
Includes	83.0	88.3	<b>5.3</b>	<b>522</b>	-	0.31	0.70	
(sub interval)	83.0	84.2	<b>1.2</b>	<b>635</b>	-	0.24	0.54	
(sub interval)	85.9	87.0	<b>1.1</b>	<b>665</b>	-	0.24	1.08	



(sub interval)	87.0	88.3	1.3	509	-	0.55	1.16	
Includes	90.0	91.0	1.0	795	-	0.95	1.47	
<b>CDH-22-116</b>	NSR							F Vein Intercepted with low values
<b>CDH-22-117</b>	111.0	118.0	7.0	108	-	0.05	0.09	Quartz stockwork and D Vein
Includes	112.0	115.8	3.8	167	-	0.08	0.14	D Vein
And	158.0	158.82	0.82	140	-	0.05	0.18	Quartz stockwork
And	233.15	236.0	2.85	183	-	0.1	0.35	Hydrothermal breccia New System
And	240.0	242.0	2.0	109	-	0.03	0.09	Quartz stockwork New System
<b>CDH-22-118</b>	223.05	225.0	1.95	103	-	0.03	0.16	Intrusive with calcite veins and quartz veins and hydrothermal breccias
And	226.0	227.0	1.0	151	-	0.1	0.37	
And	236.0	242.0	6.0	107	-	0.07	0.23	
Includes	237.0	238.0	1.0	110	-	0.05	0.37	
And	244.0	245.0	1.0	132	-	0.96	0.27	
And	247.0	247.66	0.66	156	-	0.25	1.35	Hydrothermal breccia
And	252.0	253.0	1.0	113	-	0.1	0.32	
<b>CDH-22-119</b>	145.5	147	1.5	112	-	0.07	0.2	Hydrothermal Breccia
And	244.5	252.24	7.74	416	-	0.32	1.3	D Vein
Includes	247.5	249.0	1.5	1,395	-	0.94	5.3	
(sub-interval)	247.87	248.76	0.89	1,550	-	0.95	4.5	
And	268.2	268.86	0.66	604	-	0.34	1.2	Quartz stockwork in rhyolite
And	275.0	276.0	1.0	213	-	0.26	0.74	Quartz barite vein
And	287.14	287.64	0.5	365	-	1.43	1.33	Calcite vein
And	293.64	293.94	0.5	346	-	8.12	9.94	
And	368.0	370.0	2.0	190	-	0.07	0.06	Quartz-Chlorite stockwork New System
<b>CDH-22-120</b>	63.0	80.0	17.0	95	-	0.03	0.11	Quartz-Barite-Calcite stockwork
Includes	63.95	66.0	2.05	221	-	0.03	0.17	
Includes	68.00	69.63	1.63	169	-	0.11	0.20	
Includes	73.25	76.0	2.75	151	-	0.07	0.20	
And	146.6	147.0	0.4	325	-	0.22	0.63	
And	148.3	148.8	0.5	173	-	0.1	0.36	
And	150	151.8	1.77	112	-	0.08	0.25	
And	247.0	247.66	0.66	156	-	0.25	1.35	Calcite-Barite vein
And	252.0	253.0	1.0	113	-	0.1	0.32	Calcite Vein
<b>CDH-22-121</b>	87.85	88.69	0.84	134	-	0.05	0.15	Hydrothermal Breccia
And	202	203.6	1.58	425	-	0.11	0.35	
And	211	214	2.97	91	-	0.07	0.23	Quartz-Barite vein
Includes	212.8	213.5	0.7	161	-	0.16	0.33	
And	248.6	250.2	1.63	2330	-	0.06	0.8	Calcite vein in Intrusive
And	260	262	2.0	161	-	0.04	0.07	
<b>CDH-22-122</b>	194.1	198.0	3.90	574	-	0.19	0.66	D Vein
Includes	194.1	195.0	0.90	949	-	0.38	1.135	
Includes	195.0	195.7	0.72	956	-	0.27	1.195	
Includes	195.7	196.1	0.41	503	-	0.08	0.13	
<b>CDH-22-123</b>	91	97.5	6.5	156	-	0.08	0.15	Hydrothermal breccia
includes	92.83	93.88	1.05	769	-	0.34	0.52	Calcite vein
And	283	284	1.0	117	-	0.01	0.05	Calcite vein in Intrusive
<b>CDH-22-124</b>	175	184	9.0	101	-	0.05	0.15	Dioritic rock with narrow quartz stockwork
Includes	175	176	1.0	305	-	0.22	0.17	
And	193	194.2	1.2	153	-	0.15	0.16	Hanging wall Structure
And	208	209	1.0	180	-	0.08	0.5	Quartz Calcite Hydrothermal breccia
And	222	225	3.0	136	-	0.12	0.15	
And	328	329	1.0	194	-	0.18	0.16	Dioritic rock with narrow quartz stockwork
<b>CDH-22-125</b>	183.0	184.82	1.83	158	-	0.06	0.20	Hydrothermal breccia
And	269.6	304.0	34.45	540	-	0.37	1.56	Hydrothermal breccia, D vein and quartz stockwork
Including	283.1	292.8	9.70	1746	-	1.11	5.20	D Vein System
(sub interval)	283.1	289.7	6.60	2498	-	1.59	7.47	
(sub interval)	286.0	288.5	2.45	5840	-	3.08	17.25	D Vein
CDH-22-126	230.0	244.63	14.63	135	-	0.08	0.18	Quartz Stockwork in rhyolite, D vein
Including	238.0	244.0	6.03	234	-	0.15	0.31	D Vein
(sub interval)	243.6	244.0	0.43	915	-	0.35	0.54	
And	247.4	248.3	0.84	137	-	0.18	0.32	Quartz Stockwork in rhyolite, D vein
CDH-22-127	254.72	255.7	0.98	788	-	0.64	1.33	D Vein
And	262.0	263.0	1.0	103	-	0.04	0.13	Quartz Stockwork in rhyolite, D vein

And	275.0	276.0	1.0	136	-	0.01	0.11	
<b>CDH-22-128</b>	245.0	265.0	20.0	136	-	0.09	0.22	D Vein System
Including	249.0	251.0	1.0	520	-	0.03	0.07	D Vein
And	276.0	277.0	2.0	277	-	0.34	1.24	Quartz Stockwork in rhyolite
And	282.0	284.0		136	-	0.58	1.29	Footwall vein
<b>CDH-22-129</b>	No Significant Results							D Vein
<b>CDH-22-130</b>	No Significant Results							B Vein
<b>CDH-22-131</b>	107.0	123.0	16.0	150	-	0.07	0.2	D Vein System
including	116.0	120.9	4.86	311	-	0.17	0.38	D Vein
(sub interval)	118.0	118.6	0.59	603	-	0.02	0.13	
<b>CDH-22-132</b>	No Significant Results							B Vein
<b>CDH-22-133</b>	No Significant Results							B Vein
<b>CDH-22-134</b>	233.4	240.0	6.6	109	-	0.03	0.12	B Vein System
Including	235.5	237.0	1.5	251	-	0.1	0.15	
And	253.5	254.0	0.5	279	-	0.13	0.2	
<b>CDH-122-135</b>	104.89	108	3.11	100	-	0.01	0.03	D Vein
Including	106.05	106.92	0.87	234	-	0.02	0.02	
<b>CDH-23-136</b>	76.03	81.0	4.97	203	-	0.03	0.09	D Vein System
Including	76.03	79.0	2.97	335	-	0.03	0.08	
<b>CDH-23-137</b>	116.8	146.0	29.20	118	-	0.03	0.08	D Vein System
Including	116.8	128.0	11.20	190	-	0.04	0.09	
Or	122.0	123.0	1.0	864	-	0.17	0.16	
Or	122.0	126.0	4.0	340	-	0.06	0.08	
<b>CDH-23-138</b>	182.94	196.5	13.56	599	-	0.54	1.21	D Vein System
Including	184.0	192.0	8.0	858	-	0.78	1.88	
Including	185.0	186.0	1.0	2060	-	3.22	4.29	
<b>CDH-23-139</b>	230.70	244.20	13.50	65	-	0.04	0.1	D Vein System
Includes	243.15	244.20	1.05	104	-	0.05	0.07	
<b>CDH-23-140</b>	154.90	181.0	26.10	69	-	0.03	0.09	Hanging Quartz Barite Stockwork Veining
Includes	154.90	158.0	3.10	308	-	0.14	0.26	
Includes	155.44	157.0	1.56	532	-	0.25	0.4	
<b>AND</b>	297.0	307.10	10.10	152	-	0.2	0.4	D Vein System
Includes	297.0	301.25	4.25	231	-	0.3	0.6	
Includes	303.36	303.94	0.58	745	-	0.8	1.3	D Vein System
<b>CDH-23-141</b>	250.0	279.0	29.0	208	-	0.21	0.46	
Includes	266.70	276.37	9.67	510	0.2	0.5	1.0	
Includes	266.70	267.20	0.50	728	1.7	0.3	0.3	
Includes	270.30	276.37	6.07	663	0.1	0.7	1.5	
Includes	274.0	276.37	2.37	1142	0.1	0.9	2.5	
<b>AND</b>	339.70	340.18	0.48	559	-	1.31	0.9	Footwall Vein
<b>CDH-23-142</b>	206.0	327.0	121	60	-	0.05	0.1	D Vein + Qtz Stockwork
Includes	246.0	248.3	2.3	149	-	0.05	0.1	
And	264.50	269.50	5.0	-	-	-	-	Dissolution Void
And	269.50	270.0	0.5	369	-	0.5	1.0	D Vein + Qtz Stockwork
And	286.24	287.21	0.97	217	-	0.3	0.3	D Vein
And	296.12	299.0	2.88	224	-	0.2	0.5	D Vein + Qtz Stockwork
Includes	296.12	296.69	0.57	574	-	0.4	0.9	
<b>CDH-23-143</b>	345.0	348.0	3.0	100	-	0.2	0.5	D Vein
Includes	345.53	346.33	0.8	232	-	0.6	1.0	
And	361.0	361.55	0.55	109	-	0.07	0.7	Footwall Vein
And	393.0	394.0	1.0	460	-	0.3	1.7	Stockwork Veinlet System
<b>CDH-23-144</b>	96.0	106.63	10.63	108	-	-	-	D Vein
Includes	102.6	105.16	2.56	170	-	-	-	
Includes	103.3	104.4	1.1	255	-	0.1	-	
<b>CDH-23-145</b>	9.0	14.1	5.1	54	-	-	-	E Vein
And	148.74	149.42	0.68	177	-	-	-	Hanging wall Vein
And	199.6	200.43	0.83	106	-	-	-	
And	208.0	230.0	22	174	-	v	-	D Vein + Stockwork
Includes	215.0	221.0	6.0	435	-	0.1	0.2	
Includes	215.0	216.0	1.0	592	-	-	0.1	
Includes	217.0	220.0	3.0	544	-	0.13	0.2	
Includes	219.0	220.0	1.0	814	0.24	0.1	0.2	
<b>CDH0230146</b>	159.0	183.26	24.26	228	-	0.1	0.3	D Vein System
Includes	173.0	183.26	10.26	501	-	0.3	0.7	
Includes	177.82	179.36	1.54	2123	-	1.3	2.2	D Vein

Includes	178.82	179.36	0.54	4120		3.4	2.8	
<b>CDH-23-147</b>	157.0	185.0	28	219		-	0.3	D Vein System
Includes	165.0	182.0	17	338		0.1	0.4	
Includes	168.0	176.19	8.19	532		0.2	0.7	D Vein
Includes	172.0	173.0	1.0	914		0.3	0.7	
And	173.0	174.0	1.0	777		0.6	0.7	
<b>CDH-24-148</b>	92.0	97.0	5.0	47		0.01	0.01	D Vein
<b>CDH-24-149</b>	226.50	228.0	1.50	53		0.01	0.15	
<b>CDH-24-150</b>	No Significant Intervals							D Vein at 153-157.5m
<b>CDH-24-151</b>	123.0	148.50	22.5	72.5		0.02	0.05	D Vein
Includes	126.0	129.0						Cavern
And	130.50	141.30	10.80	140		0.04	0.05	D Vein
Includes	136.0	137.0	1.0	223		0.03	0.06	
<b>CDH-24-152</b>	140.0	170.0	30.0	83		0.05	0.17	D Vein System
Includes	148.0	157.0	9.0	240		0.14	0.42	
Includes	150.40	156.0	5.60	347		0.20	0.60	D Vein
Includes	151.50	154.15	2.65	492		0.40	1.06	
Includes	152.0	153.0	1.0	539		0.30	1.60	
<b>CDH-24-153</b>	275.50	316.0	40.50	183		0.01	0.22	D Vein System
Includes	300.0	311.0	11.0	481		0.02	0.68	D Vein
Includes	309.0	310.35	1.35	920		0.80	3.30	
<b>CDH-24-154</b>	128.0	132.0	4.0	145		0.1	0.1	
<b>CDH-24-155</b>	No Significant Intervals							
<b>CDH-24-156</b>	240.70	252.27	11.57	127		0.1	0.1	D Vein
Includes	243.89	244.71	0.82	419		0.5	0.3	
<b>CDH024-157</b>	321.0	322.60	1.60	242		0.1	0.5	
And	366.3	374.50	8.20	64		-	0.3	Footwall Stockwork
Includes	366.3	367.08	0.78	256		0.1	0.4	
<b>CDH-24-158</b>	Hole Abandoned							Terminated before target
<b>CDH-24-159</b>	216.0	223.0	7.00	74		-	0.1	D Vein + D Vein System
And	237.0	238.0	1.00	178		0.1	0.1	Footwall of D Vein System
<b>CDH-24-160</b>	270.0	281.0	11.0	78		-	0.2	D Vein System
And	290.0	291.0	1.0	123		-	0.1	Stockwork Zone
And	333.0	334.50	1.50	162		0.2	1.4	Veinlet with sulphides
<b>CHD-24-161</b>	293.35	296.35	3.0	126		-	0.1	D Vein
Including	294.35	294.85	0.50	287		-	0.3	
And	364.0	373.2	9.20	81		-	0.1	Stockwork Zone
Including	372.6	373.2	0.60	221		-	0.2	
And	404.0	406.5	2.50	337		0.1	0.3	
Including	404.43	404.83	0.40	1,595		0.7	0.6	
And	419.0	421.0	2.0	240		-	0.3	Footwall Breccia
<b>CDH-24-162</b>	314.42	352.0	37.58	47		-	0.1	D Vein System
Including	336.0	338.0	2.0	171		-	0.1	
And	370.0	383.0	13.0	43		-	0.1	Footwall System
And	407.0	424.0	17.0	45		-	0.1	
Including	411.0	412.0	1.0	187		0.1	0.2	
And	442.0	454.0	12.0	78		-	0.1	
Including	448.0	449.0	1.0	334		-	0.2	
<b>CDH-24-163</b>	230.0	247.50	17.50	84		-	0.1	D Vein System
Including	233.16	238.78	5.62	155		0.1	0.1	D Vein
<b>CDH-24-164</b>	391.30	490.0	98.70	211		0.1	0.4	Mineralized interval on D Vein Trend
Including	394.0	432.0	38.0	358		0.2	0.5	Sub-interval on D trend
Sub interval	394.0	406.0	12.0	531		0.1	0.2	Upper zone in main sub-interval
Including	402.0	403.0	1.0	826		0.1	0.2	
And	409.96	432.0	22.04	318		0.1	0.7	Lower zone in main sub-interval
Including	424.10	424.50	0.40	980		1.3	3.3	
And	484.50	490.0	5.50	266		0.1	0.3	
<b>CDH-24-165</b>	230.5	231.1	0.6	739		0.3	1.0	Footwall to D Vein
And	275.2	309.0	33.8	96		0.1	0.3	D Vein System
Including	277.6	282.0	4.4	395		0.4	1.8	D Vein
Including	277.6	278.3	0.7	844		0.9	9.5	
<b>CDH-24-166</b>	298.9	327.5	28.6	176		0.1	0.4	D Vein System
Including	300.0	301.0	1.0	1020		1.0	2.5	
Including	312.0	321.0	9.0	303		0.2	0.7	
Including	313.0	315.5	2.5	593		0.3	1.8	

Including	315.0	315.5	0.5	1095		0.7	5.7	
<b>CDH-24-167</b>	No Significant Intercepts							D Vein Intersected above grade line
<b>CDH-24-168</b>	No Significant Intercepts							
<b>CDH-24-169</b>	215.0	290.7	75.7	90		0.1	0.2	D Vein System
Including	242.5	248.7	6.2	150		0.0	0.1	
And	273.0	289.5	16.5	185		0.3	0.6	
Including	275.7	276.7	1.0	424		0.2	0.5	
<b>CDH-24-170</b>	276.45	276.9	0.45	359		0.07	0.11	D-Vein extension
and	335.37	336	0.63	234		0.05	0.62	HW to D-Vein System
and	365.33	365.73	0.4	215		0.04	0.16	
<b>CDH-24-171</b>	256.4	259.0	2.6	1,334		0.82	3.41	Veining within D-Vein system
includes	257.5	258.0	0.5	2,370		1.19	5.47	
and	263.0	266.0	3.0	117		1.08	0.34	
and	268.5	276.3	7.8	298		1.30	0.55	
includes	272.5	275.6	3.1	627		2.47	0.53	
includes	275.0	275.6	0.6	1,525		1.31	0.24	
and	304.0	305.5	1.5	369		0.57	1.76	
includes	304.0	304.5	0.5	976		1.50	4.81	
and	315.0	332.0	18.0	338		0.35	1.06	
includes	315.0	326.21	11.21	484		0.49	1.42	
includes	319.5	321.0	1.5	923		0.83	2.51	
and	339.0	342.0	3.0	487		0.47	1.13	
<b>CDH-24-172</b>	340.0	342.0	2.0	312		0.07	0.38	
and	352.0	369.0	17.0	60		0.03	0.12	
and	553.1	556.13	3.03	89		0.04	0.25	
<b>CDH-24-173</b>	221.0	223.0	2.0	401		0.19	0.36	FW D-Vein
and	236.0	245.4	9.4	142		0.11	0.58	Calcite Qz Vein HW to D-Vein
includes	241.1	243.6	2.5	377		0.29	1.85	
and	259.0	260.0	1.0	459		0.28	0.58	
and	282.1	282.8	0.7	796		0.56	2.16	
and	291.0	292.0	1.0	679		0.32	0.47	
and	301.5	306.8	5.3	162		0.44	1.42	D-Vein
and	319.0	329.0	10.0	84		0.11	0.21	Footwall to D-Vein system
and	362.5	363.0	0.5	1,070		4.24	1.72	Footwall to D-Vein
<b>CDH-24-174</b>	194.0	201.0	7.0	104		-	0.1	Unnamed Vein and Stockwork
and	240.0	246.0	6.0	99		-	0.1	
includes	242.3	242.6	0.30	533		-	0.1	
and	296.8	338.0	41.20	233		0.1	0.3	
includes	324.0	328.0	4.0	1,100		0.4	0.3	B Vein incl. Stockwork
includes	352.1	326.2	1.10	3,090		0.9	0.2	B2 (F) Vein
<b>CDH-24-175</b>	229.0	237.0	8.0	270		0.2	0.7	HW Vein on D Vein trend
and	432.0	444.0	12.0	-		-	-	Dissolution cavity of D Vein projection
<b>CDH-24-176</b>	214.0	219.0	5.0	154		-	0.1	Unnamed Vein Parallel to B2
includes	216.0	217.0	1.0	496		0.1	0.1	
and	243.0	244.0	1.0	278		-	0.2	
and	258.0	259.0	1.0	114		-	0.1	
<b>CDH-24-177</b>	88.5	98.62	10.12	130		0.06	0.13	D Vein
includes	94.0	98.62	4.62	222		0.09	0.17	
<b>CDH-24-178</b>	288.0	295.0	7.0	110		0.03	0.23	B Vein Corridor "unnamed vein"
includes	289.75	294.3	4.55	153		0.04	0.27	
and	317.0	319.0	2.0	110		0.09	0.34	
<b>CDH-24-179</b>	289.0	291.0	1.0	165		0.03	0.07	D Vein
and	448.7	450.0	1.3	297		0.1	0.83	Footwall D Vein
<b>CDH-24-180</b>	238.0	247.05	9.05	208		0.12	0.62	B Vein Corridor
includes	244.0	247.05	3.05	413		0.25	1.43	
includes	245.0	246.0	1.0	535		0.2	1.84	
<b>CDH-24-181</b>	No Significant Intervals							F Vein – Did not reach target
<b>CDH-24-182</b>	68.33	86.0	17.67	69		0.04	0.12	Footwall of F Vein – Stringer Zone Encountered
includes	73.0	74.0	1.0	593		0.35	0.56	
and	147.0	151.35	4.35	93		0.33	0.97	
<b>CDH-24-183</b>	120.0	152.0	32.0	210		0.14	0.44	F Vein
includes	136.63	137.42	0.79	1,440		0.46	2.55	
and	143.35	150.0	6.65	468		0.40	1.10	
includes	144.0	145.0	1.0	811		0.62	1.85	
and	145.0	146.0	1.0	1,050		0.91	2.90	

and	218.0	234.0	16.0	82		0.05	0.12	FW to F Vein
includes	218.85	219.23	0.38	905		0.56	0.27	
<b>CDH-24-184</b>	63.15	83.78	0.63	411		0.184	0.323	HW to F Vein
<b>CDH-24-185</b>	93.0	98.53	5.53	207		0.11	0.36	I Vein
includes	95.54	96.0	0.46	394		0.06	0.29	
and	142.93	143.49	0.56	263		0.31	1.37	Qz Ca Vein FW to I Vein
<b>CDH-24-186</b>	37.23	38.18	0.95	490		0.56	0.458	FW to F Vein
and	96.76	98.0	1.24	214		0.15	0.33	
and	129.0	150.0	21.0	126		0.1	0.2	F vein Structure
includes	142.67	145.0	2.33	522		0.46	0.8	F Vein
and	177.0	178.0	1.0	511		0.2	1.2	HW Vein to F Vein
and	194.0	195.0	1.0	607		0.24	0.78	
and	230.25	236.0	5.75	218		0.09	0.18	
includes	233.0	234.0	1.0	457		0.09	0.35	
<b>CDH-24-187</b>	77.28	77.95	0.67	55		0.01	0.04	
<b>CDH-24-188</b>	76.0	79.73	3.73	551		0.6	0.49	I Vein
and	139.0	144.0	5.0	155		0.2	0.71	Breccia Zone
and	233.8	238.0	4.2	139		4.33	1.71	Veining FW to I Vein
includes	236.0	237.0	1.0	440		10.0	0.05	
and	300.0	311.0	11.0	38		0.03	0.03	Alteration Zone
<b>CDH-24-189</b>	141.0	143.0	2.0	79		0.04	0.03	Preciosa
<b>CDH-24-190</b>								
<b>CDH-24-191</b>	154.1	157.0	2.9	26		0.02	0.01	
<b>CDH-24-192</b>	21.19	22.15	0.96	121		0.07	0.09	HW to I Vein
and	168.0	170.0	2.0	158		0.02	0.52	I Vein
and	192.0	194.0	2.0	146		0.08	0.28	FW to I Vein
<b>CDH-24-193</b>	120.45	121.0	0.55	32		0.02	0.01	Preciosa/E Vein
<b>CDH-24-194</b>	120.0	121.0	1.0	119		0.01	0.02	HW to I Vein
and	219.2	219.7	0.5	1455		0.78	2.21	I Vein
and	278.12	279.0	0.88	181		3.92	5.83	FW to I Vein

<sup>1</sup>True widths are estimated at between 65% and 85% of the downhole lengths.