

## La Negra Drill Results Phase I and II

Drill Hole		From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Lead %	Rock Type
LN-01-14	-45°/180° Az	3	44	41	110.46	0.068	0.13	Breccia
	Including	18	37	19	177.10	0.113	0.06	Breccia
	Including	18	31	13	223.23	0.129	0.07	Breccia
95m EOH								
LN-02-14	-60°/180° Az	0	50	50	141.28	0.108	0.22	Breccia
	Including	0	40	40	161.25	0.121	0.26	Breccia
	Including	19	47	28	212.64	0.149	0.14	Breccia
	Including	19	34	15	323.13	0.198	0.22	Breccia
100m EOH								
LN-03-14	-90°/360° Az	0	144	144	82.57	0.058	0.31	Breccia
	Including	0	27	27	108.32	0.077	0.62	Breccia
	Including	0	106	106	98.03	0.062	0.37	Breccia
	Including	0	78	78	114.63	0.066	0.38	Breccia
	Including	53	78	25	195.84	0.107	0.14	Breccia
	Including	54	67	13	229.38	0.104	0.17	Breccia
144m EOH								
LN-04-14	-60°/360° Az	0	114	114	78.54	0.066	0.31	Breccia
	Including	0	92	92	92.98	0.080	0.35	Breccia
	Including	0	67	67	118.93	0.083	0.41	Breccia
	Including	0	20	20	149.43	0.073	0.85	Breccia
	Including	43	74	31	146.38	0.096	0.10	Breccia
152m EOH								
LN-05-14	-45°/360° Az	0	119	119	91.00	0.046	0.58	Breccia
	Including	0	88	88	108.85	0.040	0.63	Breccia
	Including	89	119	30	40.40	0.065	0.43	Breccia
	Including	51	91	40	182.87	0.071	1.17	Breccia
	Including	51	65	14	367.85	0.111	1.84	Stockwork
147m EOH								
LN-06-14	-60°/090° Az	3	101	98	92.79	0.104	0.15	Breccia
	Including	3	55	52	124.36	0.089	0.22	Breccia
	Including	3	24	21	168.33	0.126	0.42	Breccia
	Including	3	16	13	214.30	0.131	0.62	Breccia
101m EOH								
LN-07-14	-60°/270° Az	5	64	59	132.49	0.085	0.26	Breccia
	Including	5	48	43	149.60	0.079	0.27	Breccia
	Including	31	48	17	185.35	0.153	0.23	Breccia
	Including	5	116	111	83.89	0.052	0.23	Breccia/Stockwork
	Including	65	116	51	17.06	0.007	0.19	Stockwork
	Including	106	116	10	41.90	0.013	0.47	Stockwork
130m EOH								
LN-08-14	-45°/180° Az	13	62	49	91.89	0.015	0.26	Breccia/+Andesite
	Including	30	41	11	251.00	0.035	0.15	Breccia
	Including	53	62	9	59.70	0.009	0.53	Breccia
137m EOH								
LN-09-14	-60°/180° Az	9	37	28	60.00	0.038	0.32	Breccia
	Including	9	23	14	64.57	0.044	0.39	Breccia
105m EOH								
LN-10-14	-90°/360° Az	5	40	35	87.08	0.037	0.51	Breccia/+Andesite
	Including	10	35	25	116.56	0.045	0.60	Breccia
	Including	14	35	21	135.52	0.053	0.65	Breccia
		70	78	8	37.25	0.005	0.24	Breccia
		157	163	6	38.83	0.063	0.27	Breccia
191m EOH								

La Negra Drill Results Phase I and II

Drill Hole		From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Lead %	Rock Type
LN-11-14	-60°/360° Az	6	11	5	56.33	0.010	0.33	Breccia
		27	29	2	32.50	0.003	0.01	Stockwork
131m EOH								
LN-12-14	-45°/360° Az	13	28	15	29.76	0.009	0.44	Stockwork/Breccia
	Including	17	28	11	37.33	0.010	0.47	Breccia
117m EOH								
LN-13-14	-60°/090° Az	0	140	140	61.43	0.048	0.38	Breccia/Stockwork
	Including	24	71	47	79.00	0.052	0.31	Breccia
	Including	12	19	7	95.57	0.050	0.22	Stockwork
	Including	24	34	10	83.33	0.050	0.10	Breccia
	Including	54	64	10	136.50	0.057	0.73	Breccia
	Including	66	71	5	120.20	0.013	0.74	Breccia
	Including	112	120	8	355.16	0.118	2.97	Breccia
	Including	132	140	8	52.75	0.089	0.19	Breccia
183.5m EOH								
LN-14-14	-60°/270° Az	0	33	33	179.65	0.033	0.33	Breccia
	Including	13	24	11	412.11	0.062	0.24	Breccia
	Including	26	30	4	181.00	0.055	0.72	Breccia
		48	60	12	31.50	0.008	0.13	Stockwork
92m EOH								
LN-15-14	77m EOH	-45°/180° Az	No Significant Results					Argillic Andesite
LN-16-14	60m EOH	-90°/360° Az	No Significant Results					Argillic/Propylitic
LN-17-14	51m EOH	-45°/360° Az	No Significant Results					Argillic/Propylitic
LN-18-14	156m EOH	-45°/090° Az	No Significant Results					Argillic/Propylitic
LN-19-14	-45°/180° Az	70	82	12	289.58	0.040	1.42	Breccia
	Including	74	82	8	421.37	0.051	1.93	Breccia
193m EOH								
LN-20-14	-45°/180° Az	51	61	10	33.70	0.030	0.40	Stockwork
		97	133	36	79.05	0.065	0.24	Breccia/Stockwork
	Including	105	133	28	99.35	0.089	0.24	Breccia/Stockwork
	Including	111	133	22	107.66	0.100	0.16	Breccia
192m EOH								
LN-21-14	-45°/290° Az	0	200	200	156.47	0.103	0.18	Breccia/Stockwork
	Including	41	57	16	114.31	0.009	0.21	Breccia
	Including	119	128	9	392.11	0.218	0.15	Breccia
	Including	150	158	8	258.37	0.155	0.07	Breccia
	Including	164	169	5	476.20	0.294	0.14	Breccia
	Including	150	200	50	420.34	0.183	0.23	Breccia
	Including	174	180	6	1337.66	0.475	0.28	Breccia
	Including	183	200	17	492.30	0.128	0.50	Breccia
200m EOH								
LN-22-14	-90°/360° Az	0	34	34	265.31	0.114	0.75	Breccia/Stockwork
	Including	16	34	18	467.77	0.201	1.11	Breccia
82m EOH								
LN-23-14	-45°/180° Az	0	30	30	239.92	0.053	0.41	Breccia/Stockwork
	Including	17	30	13	459.76	0.090	0.59	Breccia
	Including	17	23	6	899.50	0.161	1.15	Breccia
		18	19	1	3040.00	0.426	4.53	Breccia
78m EOH								
LN-24-14	-45°/360° Az	0	76	76	92.88	0.063	0.69	Breccia/Stockwork
	Including	29	41	12	397.83	0.246	1.76	Breccia
144m EOH								

La Negra Drill Results Phase I and II

Drill Hole		From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Lead %	Rock Type
LN-25-14	-45°/015° Az	0	61	61	44.86	0.017	0.17	Breccia
	Including	0	19	19	50.11	0.020	0.34	Breccia
	Including	3	30	27	74.18	0.026	0.24	Breccia
	Including	21	30	9	128.55	0.037	0.13	Breccia
115m EOH								
LN-26-15	-45°/180° Az	37	72	35	49.37	0.092	0.16	Breccia
	Including	37	46	9	72.00	0.017	0.17	Breccia
	Including	68	72	4	129.75	0.070	0.40	Breccia
102m EOH								
LN-27-15	-70°/180° Az	45	97	52	96.86	0.068	0.08	Breccia
	Including	72	97	25	183.60	0.082	0.10	Breccia
	Including	72	77	5	322.25	0.152	0.14	Breccia
	Including	88	96	8	357.37	0.110	0.09	Breccia
	Including	94	96	2	963.00	0.273	0.11	Breccia
153m EOH								
LN-28-15	-90°/360° Az	55	139	84	110.48	0.079	0.47	Breccia
	Including	98	116	18	178.94	0.098	0.24	Breccia
	Including	123	131	8	300.70	0.180	2.04	Breccia
168m EOH								
LN-29-15	-90°/360° Az	3	44	41	47.11	0.012	0.24	Breccia
	Including	10	27	17	72.61	0.018	0.28	Breccia
78m EOH								
LN-30-15	-45°/330° Az	0	60	60	120.70	0.032	0.43	Breccia
	Including	22	48	26	185.84	0.041	0.59	Breccia
	Including	22	29	7	539.28	0.097	1.29	Breccia
102m EOH								
LN-31-15	-65°/360° Az	0	180	180	66.12	0.062	0.22	Breccia/Phyllic Andesite
	Including	0	138	138	76.20	0.074	0.19	Breccia/Phyllic Andesite
	Including	34	45	11	104.00	0.034	0.21	Breccia
	Including	51	74	23	115.95	0.145	0.27	Breccia
	Including	55	67	12	160.75	0.178	0.18	Breccia
	Including	101	138	37	146.02	0.103	0.20	Breccia
	Including	102	103	1	3040.00	0.434	0.24	Breccia
	Including	162	180	18	62.61	0.039	0.64	Breccia/Phyllic Andesite
222m EOH								
LN-32-15	-50°/50° Az	0	146	146	68.39	0.054	0.18	Breccia/Phyllic Andesite
	Including	88	144	56	139.60	0.069	0.30	Breccia/Phyllic Andesite
	Including	88	99	11	142.00	0.065	0.05	Breccia
	Including	115	143	28	217.32	0.102	0.55	Breccia
	Including	115	129	14	126.20	0.050	0.55	Breccia
	Including	135	144	9	462.11	0.227	0.60	Breccia
	Including	138	139	1	2790.00	0.771	0.63	Breccia
146m EOH								
LN-33-15	-50°/300° Az	0	138	138	63.12	0.049	0.21	Breccia/Phyllic Andesite
	Including	9	90	81	86.79	0.063	0.13	Breccia/Phyllic Andesite
	Including	9	14	5	453.00	0.042	0.31	Breccia
	Including	11	38	27	152.62	0.079	0.21	Breccia/Phyllic Andesite
	Including	32	38	6	228.00	0.124	0.12	Breccia/Phyllic Andesite
	Including	67	75	8	147.12	0.095	0.05	Breccia
	Including	132	138	6	89.50	0.013	0.64	Breccia
167m EOH								

## La Negra Drill Results Phase I and II

Drill Hole		From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Lead %	Rock Type
LN-34-15	-45°/180° Az	91	96	5	162.00	0.078	0.94	Breccia/Phyllic Andesite
		138	149	11	149.27	0.053	0.82	Breccia
		142	149	7	205.50	0.063	1.07	Breccia
		178	208	30	53.60	0.108	0.24	Breccia
	Including	199	208	9	99.33	0.104	0.34	Breccia
294m EOH								
LN-36-15	-45°/200° Az	19	40	21	40.71	0.138	0.12	Breccia
	Including	19	28	9	68.11	0.303	0.21	Breccia
	Including	19	25	6	82.50	0.349	0.30	Breccia
90m EOH								
LN-37-15	-45°/180° Az	164	172	8	96.12	0.076	0.18	Breccia
		208	233	25	51.48	0.037	0.64	Breccia
	Including	215	233	18	69.33	0.049	0.85	Breccia
	Including	216	229	13	77.15	0.058	1.02	Breccia
288m EOH								
LN-38-15	-50°/240° Az	83	150	67	113.15	0.054	0.75	Breccia/Phyllic Andesite
	Including	83	98	15	306.73	0.154	1.93	Phyllic Andesite/Stockwork
	Including	92	97	5	850.60	0.360	4.24	Phyllic Andesite/Stockwork
	Including	94	96	2	1772.50	0.664	6.52	Phyllic Andesite/Stockwork
	Including	141	149	8	160.37	0.084	1.20	Breccia
		197	227	30	101.86	0.117	0.42	Breccia
	Including	197	205	8	134.00	0.163	0.88	Breccia
	Including	213	227	14	130.42	0.116	0.28	Breccia
	Including	224	227	3	373.60	0.180	0.25	Breccia
		293	296	3	177.00	0.084	3.87	Breccia
351m EOH								
LN-39-15	-50°/150° Az	77	94	17	169.820	0.071	0.24	Breccia
	Including	80	94	14	199.070	0.075	0.19	Breccia
	Including	80	91	11	221.090	0.086	0.17	Breccia
	Including	80	83	3	446.660	0.065	0.18	Breccia
137m EOH								
LN-40-15	-60°/360° Az	157	227	70	42.060	0.037	0.22	Breccia/Phyllic Andesite
	Including	189	209	20	88.750	0.037	0.34	Breccia
	Including	189	192	3	174.660	0.090	1.20	Breccia
		254	310	56	124.270	0.175	0.10	Breccia
	Including	275	307	32	198.700	0.298	0.03	Breccia
	Including	283	307	24	252.600	0.387	0.03	Breccia
	Including	294	307	13	353.000	0.242	0.02	Breccia
	Including	302	307	5	798.400	0.451	0.03	Breccia
360m EOH								
LN-41-15	-50°/150° Az	85	101	16	12.370	0.008	0.33	Breccia/Phyllic Andesite
	Including	85	94	9	13.550	0.009	0.30	Breccia/Phyllic Andesite
	Including	85	87	2	36.500	0.025	0.71	Breccia/Phyllic Andesite
194.2m EOH								