

La Negra Drill Results

Drill Hole	From (m)	To (m)	Interval	Silver (gpt)	Gold (gpt)	Lead	Rock Type
LN-01-14	3	44	41	110.46	0.068	0.13	Breccia
Incl.	18	37	19	177.10	0.113	0.06	Breccia
Incl.	18	31	13	223.23	0.129	0.07	Breccia
95m EOH							
LN-02-14	0	50	50	141.28	0.108	0.22	Breccia
Incl.	0	40	40	161.25	0.121	0.26	Breccia
Incl.	19	47	28	212.64	0.149	0.14	Breccia
Incl.	19	34	15	323.13	0.198	0.22	Breccia
100m EOH							
LN-03-14	0	144	144	82.57	0.058	0.31	Breccia
Incl.	0	27	27	108.32	0.077	0.62	Breccia
Incl.	0	106	106	98.03	0.062	0.37	Breccia
Incl.	0	78	78	114.63	0.066	0.38	Breccia
Incl.	53	78	25	195.84	0.107	0.14	Breccia
Incl.	54	67	13	229.38	0.104	0.17	Breccia
144m EOH							
LN-04-14	0	114	114	78.54	0.066	0.31	Breccia
Incl.	0	92	92	92.98	0.080	0.35	Breccia
Incl.	0	67	67	118.93	0.083	0.41	Breccia
Incl.	0	20	20	149.43	0.073	0.85	Breccia
Incl.	43	74	31	146.38	0.096	0.10	Breccia
152m EOH							
LN-05-14	0	119	119	91.00	0.046	0.58	Breccia
Incl.	0	88	88	108.85	0.040	0.63	Breccia
Incl.	89	119	30	40.40	0.065	0.43	Breccia
Incl.	51	91	40	182.87	0.071	1.17	Breccia
Incl.	51	65	14	367.85	0.111	1.84	Stockwork
147m EOH							
LN-06-14	3	101	98	92.79	0.104	0.15	Breccia
Incl.	3	55	52	124.36	0.089	0.22	Breccia
Incl.	3	24	21	168.33	0.126	0.42	Breccia
Incl.	3	16	13	214.30	0.131	0.62	Breccia
101m EOH							
LN-07-14	5	64	59	132.49	0.085	0.26	Breccia
Incl.	5	48	43	149.60	0.079	0.27	Breccia
Incl.	31	48	17	185.35	0.153	0.23	Breccia
Incl.	5	116	111	83.89	0.052	0.23	Breccia/Stockwork
Incl.	65	116	51	17.06	0.007	0.19	Stockwork
Incl.	106	116	10	41.90	0.013	0.47	Stockwork
130m EOH							
LN-08-14	13	62	49	91.89	0.015	0.26	Breccia/+Andesite
Incl.	30	41	11	251.00	0.035	0.15	Breccia
Incl.	53	62	9	59.70	0.009	0.53	Breccia
137m EOH							
LN-09-14	9	37	28	60.00	0.038	0.32	Breccia
Incl.	9	23	14	64.57	0.044	0.39	Breccia
105m EOH							
LN-10-14	5	40	35	87.08	0.037	0.51	Breccia/+Andesite
Incl.	10	35	25	116.56	0.045	0.60	Breccia
Incl.	14	35	21	135.52	0.053	0.65	Breccia
	70	78	8	37.25	0.005	0.24	Breccia
	157	163	6	38.83	0.063	0.27	Breccia
191m EOH							
LN-11-14	6	11	5	56.33	0.010	0.33	Breccia
	27	29	2	32.50	0.003	0.01	Stockwork
131m EOH							
LN-12-14	13	28	15	29.76	0.009	0.44	Stockwork/Breccia
Incl.	17	28	11	37.33	0.010	0.47	Breccia
117m EOH							
LN-13-14	0	140	140	61.43	0.048	0.38	Breccia/Stockwork
Incl.	24	71	47	79.00	0.052	0.31	Breccia
Incl.	12	19	7	95.57	0.050	0.22	Stockwork
Incl.	24	34	10	83.33	0.050	0.10	Breccia
Incl.	54	64	10	136.50	0.057	0.73	Breccia
Incl.	66	71	5	120.20	0.013	0.74	Breccia
Incl.	112	120	8	355.16	0.118	2.97	Breccia
Incl.	132	140	8	52.75	0.089	0.19	Breccia
183.5m EOH							
LN-14-14	0	33	33	179.65	0.033	0.33	Breccia
Incl.	13	24	11	412.11	0.062	0.24	Breccia
Incl.	26	30	4	181.00	0.055	0.72	Breccia
Incl.	48	60	12	31.50	0.008	0.13	Stockwork
92m EOH							
LN-15-14	-45°/180° Az		No Significant Results				Argillic Andesite
LN-16-14	-90°/360° Az		No Significant Results				Argillic/Propylitic
LN-17-14	-45°/360° Az		No Significant Results				Argillic/Propylitic
LN-18-14	-45°/090° Az		No Significant Results				Argillic/Propylitic
LN-19-14	70	82	12	289.58	0.040	1.42	Breccia
Incl.	74	82	8	421.37	0.051	1.93	Breccia
193m EOH							
LN-20-14	51	61	10	33.70	0.030	0.40	Stockwork
	97	133	36	79.05	0.065	0.24	Breccia/Stockwork
Incl.	105	133	28	99.35	0.089	0.24	Breccia/Stockwork
Incl.	111	133	22	107.66	0.100	0.16	Breccia
192m EOH							
LN-21-14	0	200	200	156.47	0.103	0.18	Breccia/Stockwork
Incl.	41	57	16	114.31	0.009	0.21	Breccia
Incl.	119	128	9	392.11	0.218	0.15	Breccia
Incl.	150	158	8	258.37	0.155	0.07	Breccia
Incl.	164	169	5	476.20	0.294	0.14	Breccia
Incl.	150	200	50	420.34	0.183	0.23	Breccia
Incl.	174	180	6	1337.66	0.475	0.28	Breccia
Incl.	183	200	17	492.30	0.128	0.50	Breccia
200m EOH							
LN-22-14	0	34	34	265.31	0.114	0.75	Breccia/Stockwork

Incl.	16	34	18	467.77	0.201	1.11	Breccia
82m EOH							
Drill Hole	From (m)	To (m)	Interval	Silver (gpt)	Gold (gpt)	Lead	Rock Type
LN-23-14	0	30	30	239.92	0.053	0.41	Breccia/Stockwork
Incl.	17	30	13	459.76	0.090	0.59	Breccia
Incl.	17	23	6	899.50	0.161	1.15	Breccia
	18	19	1	3040.00	0.426	4.53	Breccia
78m EOH							
LN-24-14	0	76	76	92.88	0.063	0.69	Breccia/Stockwork
Incl.	29	41	12	397.83	0.246	1.76	Breccia
144m EOH							
LN-25-14	0	61	61	44.86	0.017	0.17	Breccia
Incl.	0	19	19	50.11	0.020	0.34	Breccia
Incl.	3	30	27	74.18	0.026	0.24	Breccia
Incl.	21	30	9	128.55	0.037	0.13	Breccia
115m EOH							
LN-26-15	37	72	35	49.37	0.092	0.16	Breccia
Incl.	37	46	9	72.00	0.017	0.17	Breccia
Incl.	68	72	4	129.75	0.070	0.40	Breccia
102m EOH							
LN-27-15	45	97	52	96.86	0.068	0.08	Breccia
Incl.	72	97	25	183.60	0.082	0.10	Breccia
Incl.	72	77	5	322.25	0.152	0.14	Breccia
Incl.	88	96	8	357.37	0.110	0.09	Breccia
Incl.	94	96	2	963.00	0.273	0.11	Breccia
153m EOH							
LN-28-15	55	139	84	110.48	0.079	0.47	Breccia
Incl.	98	116	18	178.94	0.098	0.24	Breccia
Incl.	123	131	8	300.70	0.180	2.04	Breccia
168m EOH							
LN-29-15	3	44	41	47.11	0.012	0.24	Breccia
Incl.	10	27	17	72.61	0.018	0.28	Breccia
78m EOH							
LN-30-15	0	60	60	120.70	0.032	0.43	Breccia
Incl.	22	48	26	185.84	0.041	0.59	Breccia
Incl.	22	29	7	539.28	0.097	1.29	Breccia
102m EOH							
LN-31-15	0	180	180	66.12	0.062	0.22	Breccia/Phyllic
Incl.	0	138	138	76.20	0.074	0.19	Breccia/Phyllic
Incl.	34	45	11	104.00	0.034	0.21	Breccia
Incl.	51	74	23	115.95	0.145	0.27	Breccia
Incl.	55	67	12	160.75	0.178	0.18	Breccia
Incl.	101	138	37	146.02	0.103	0.20	Breccia
Incl.	102	103	1	3040.00	0.434	0.24	Breccia
Incl.	162	180	18	62.61	0.039	0.64	Breccia/Phyllic
222m EOH							
LN-32-15	0	146	146	68.39	0.054	0.18	Breccia/Phyllic
Incl.	88	144	56	139.60	0.069	0.30	Breccia/Phyllic
Incl.	88	99	11	142.00	0.065	0.05	Breccia
Incl.	115	143	28	217.32	0.102	0.55	Breccia
Incl.	115	129	14	126.20	0.050	0.55	Breccia
Incl.	135	144	9	462.11	0.227	0.60	Breccia
Incl.	138	139	1	2790.00	0.771	0.63	Breccia
146m EOH							
LN-33-15	0	138	138	63.12	0.049	0.21	Breccia/Phyllic
Incl.	9	90	81	86.79	0.063	0.13	Breccia/Phyllic
Incl.	9	14	5	453.00	0.042	0.31	Breccia
Incl.	11	38	27	152.62	0.079	0.21	Breccia/Phyllic
Incl.	32	38	6	228.00	0.124	0.12	Breccia/Phyllic
Incl.	67	75	8	147.12	0.095	0.05	Breccia
Incl.	132	138	6	89.50	0.013	0.64	Breccia
167m EOH							
LN-34-15	91	96	5	162.00	0.078	0.94	Breccia/Phyllic
	138	149	11	149.27	0.053	0.82	Breccia
	142	149	7	205.50	0.063	1.07	Breccia
	178	208	30	53.60	0.108	0.24	Breccia
	199	208	9	99.33	0.104	0.34	Breccia
294m EOH							
LN-36-15	19	40	21	40.71	0.138	0.12	Breccia
	19	28	9	68.11	0.303	0.21	Breccia
	19	25	6	82.50	0.349	0.30	Breccia
90m EOH							
LN-37-15	164	172	8	96.12	0.076	0.18	Breccia
	208	233	25	51.48	0.037	0.64	Breccia
	215	233	18	69.33	0.049	0.85	Breccia
	216	229	13	77.15	0.058	1.02	Breccia
288m EOH							
LN-38-15	83	150	67	113.15	0.054	0.75	Breccia/Phyllic
	83	98	15	306.73	0.154	1.93	Phyllic
	92	97	5	850.60	0.360	4.24	Phyllic
	94	96	2	1772.50	0.664	6.52	Phyllic
	141	149	8	160.37	0.084	1.20	Breccia
	197	227	30	101.86	0.117	0.42	Breccia
	197	205	8	134.00	0.163	0.88	Breccia
	213	227	14	130.42	0.116	0.28	Breccia
	224	227	3	373.60	0.180	0.25	Breccia
	293	296	3	177.00	0.084	3.87	Breccia
351m EOH							
LN-39-15	77	94	17	169.82	0.071	0.24	Breccia
	80	94	14	199.07	0.075	0.19	Breccia
	80	91	11	221.09	0.086	0.17	Breccia
	80	83	3	446.66	0.065	0.18	Breccia
137m EOH							
LN-40-15	157	227	70	42.06	0.037	0.22	Breccia/Phyllic
	189	209	20	88.75	0.037	0.34	Breccia
	189	192	3	174.66	0.090	1.20	Breccia
	254	310	56	124.27	0.175	0.10	Breccia
	275	307	32	198.70	0.298	0.03	Breccia

	283	307	24	252.60	0.387	0.03	Breccia		
	294	307	13	353.00	0.242	0.02	Breccia		
	302	307	5	798.40	0.451	0.03	Breccia		
360m EOH									
Drill Hole	From (m)	To (m)	Interval	Silver (gpt)	Gold (gpt)	Lead	Rock Type		
LN-41-15	85	101	16	12.37	0.008	0.33	Breccia/Phyllic		
	85	94	9	13.55	0.009	0.30	Breccia/Phyllic		
	85	87	2	36.50	0.025	0.71	Breccia/Phyllic		
Drill hole	From (m)	To (m)	Interval (m)	Silver (gpt)	Gold (gpt)	Copper (ppm)	Lead (ppm)	Zinc (ppm)	
LN-42-16	16.7	138.85	122.15	124	0.15	189	4,730	146	
Incl.	35.65	41.9	6.25	693	0.39	123	29,902	68	
Incl.	46.45	51.1	4.65	672	0.13	65	1,042	51	
Incl.	69.75	73.2	3.45	631	0.18	998	1,524	185	
LN-43-16	88.2	89.1	0.9	373	0.22	860	3,606	178	
and	92.6	93.2	0.6	161	0.09	1,005	1,649	212	
and	95.35	95.85	0.5	146	0.04	408	22,900	148	
and	102.4	140.4	38	235	0.09	374	2,260	164	
Incl.	133.7	139.85	6.15	1,246	0.28	1,770	1,099	439	
and	171.3	215.8	44.5	363	0.12	670	1,009	208	
Incl.	177.45	196.45	19	720	0.13	1,176	594	300	
LN-44-16	103.9	109	5.1	109	0.08	175	2,813	600	
and	135.1	136.2	1.1	138	0.04	306	37,000	4,709	
and	140.35	144.45	4.1	105	0.07	193	16,768	943	
and	210.25	264.7	54.45	137	0.14	210	10,789	174	
Incl.	212.25	219.95	7.7	543	0.19	692	66,890	372	
LN-45-16	82.2	102.4	20.2	73	0.01	361	7,283	1347	
and	120.3	147.8	27.5	59	0.07	96	247	151	
Incl.	120.3	121.4	1.1	951	0.19	1,531	1,005	803	
LN-46-16	151.8	212.55	60.75	76	0.05	180	3,246	92	
Incl.	178.4	192	13.6	137	0.05	200	7,435	90	
LN-47-16	165.2	182.25	17.05	65	0.01	71	5,221	378	
Incl.	165.2	170.8	5.6	116	0.02	128	11,804	174	
and	205.5	206.5	1	158	0.07	244	7,163	131	
LN-48-16	108.55	116.05	7.5	81	0.02	174	10,916	1156	
Incl.	109.3	114.1	4.8	109	0.02	244	15,128	1654	
and	142.9	147.7	4.8	113	0.14	472	30	111	
Incl.	146.4	147.7	1.3	305	0.32	1,281	32	219	
and	165.7	193.75	28.05	97	0.05	168	1,229	100	
Incl.	179.85	193.75	13.9	141	0.06	234	2,310	122	
Incl.	180.75	182.6	1.85	648	0.1	1,105	192	210	
LN-50-16	39.05	73	33.95	66	0.03	154	6,782	257	
Incl.	43.7	56.05	12.35	81	0.03	101	9,086	136	
Incl.	66.65	73	6.35	103	0.05	204	4,199	311	
Incl.	68	69	1	263	0.02	216	8,676	218	
LN-52-16	116.7	117.7	1	163	0.01	44	61	191	
LN-53-16	0	27.15	27.15	74	0.04	241	6,303	75	
Drill hole	From	To	Interval	Silver gpt	Gold gpt	Copper ppm	Lead ppm	Zinc ppm	Breccia
LN-54-16	0	30.95	30.95	77	0.02	120	3366	74	LN Bx Principal
Incl.	1.25	5	3.75	341	0.03	147	5179	48	LN Bx Principal
Incl.	1.25	2.6	1.35	429	0.01	175	5404	30	LN Bx Principal
LN-57-16	59.9	104.05	44.15	149	0.07	124	1836	109	LN Bx Principal
Incl.	70.65	79.8	9.15	449	0.08	61	2447	78	LN Bx Principal
Incl.	72.15	73.65	1.5	1786	0.21	57	4765	93	LN Bx Principal
Incl.	92.55	93.55	1	384	0.18	499	733	104	LN Bx Principal
Incl.	100.45	104.05	3.6	228	0.08	637	346	166	LN Bx Principal
Incl.	103.25	104.05	0.8	520	0.18	1849	558	171	LN Bx Principal
LN-58-16	119.35	128.05	8.7	352	0.35	1856	5793	6737	LN Bx Principal
Incl.	119.35	125.05	5.7	516	0.53	2739	8485	8021	LN Bx Principal
Incl.	148.15	151.35	3.2	170	0.09	433	9341	214	LN Bx Principal
Incl.	149.85	151.35	1.5	295	0.17	731	14700	268	LN Bx Principal
Incl.	219.95	257.05	37.1	124	0.18	287	2765	252	LN Bx Inferior
Incl.	232.3	239.5	7.2	245	0.46	577	699	577	LN Bx Inferior
Incl.	249.25	254.05	4.8	264	0.07	699	2110	216	LN Bx Inferior
LN-59-16	105.55	109.4	3.85	88	0.21	212	12229	197	LN Bx Principal
Incl.	106.55	107.2	0.65	172	0.33	457	9424	329	LN Bx Principal
Incl.	135.6	138.6	3	157	0.09	230	10939	169	LN Bx Principal
Incl.	136.6	137.4	0.8	423	0.25	663	28000	318	LN Bx Principal
Incl.	200	232.15	32.15	237	0.1	448	2229	353	LN Bx Inferior
Incl.	209.65	220.85	11.2	534	0.18	968	694	437	LN Bx Inferior
Incl.	211	212.65	1.65	991	0.32	1734	1035	994	LN Bx Inferior
Incl.	216.55	219.45	2.9	815	0.18	1428	1213	364	LN Bx Inferior
LN-60-16	133	134.9	1.9	82.7	0	216	10400	3284	LN Bx Principal
Incl.	234.9	266.65	31.75	69.5	0	170	366	94	LN Bx Inferior
Incl.	234.9	240.2	5.3	154	0.06	418	625	183	LN Bx Inferior
Incl.	239.15	240.2	1.05	297	0.17	846	465	239	LN Bx Inferior
Incl.	260.7	266.65	5.95	92	0.03	220	130	95	LN Bx Inferior
Incl.	260.7	261.5	0.8	221	0.04	623	108	171	LN Bx Inferior
LN-61-16	167.75	182.15	14.4	98	0.14	169	5644	163	LN Bx Principal
Incl.	167.75	172.15	4.4	237	0.26	430	10316	268	LN Bx Principal
Incl.	170.65	172.15	1.5	325	0.21	587	16800	540	LN Bx Principal
LN-62-16	174.9	176.1	1.2	97	0.05	205	5429	297	LN Bx Principal
Incl.	233.55	234.45	0.9	178	0.44	288	798	103	LN Bx Principal
Incl.	281.4	282.2	0.8	155	0.1	417	97	122	LN Bx Principal
Incl.	333	337.45	4.45	163	0.04	1146	84	304	LN Bx Inferior
Incl.	333	334.4	1.4	288	0.08	1866	143	425	LN Bx Inferior
Incl.	351.2	352.4	1.2	313	0.23	3067	52	400	LN Bx Inferior
Incl.	381.8	385.65	3.85	115	0.06	626	1030	175	LN Bx Inferior
Incl.	381.8	383.4	1.6	235	0.07	1294	1910	296	LN Bx Inferior
LN-63-16	197.7	208.35	10.65	67	0.03	94	6085	135	LN Bx Inferior
Incl.	207.35	208.35	1	351	0.11	581	28900	427	LN Bx Inferior
LN-64-16	40.55	41.5	0.95	61	0.01	865	780	327	LN Bx Principal
LN-65-16	0	28.55	28.55	145	0.05	66	6769	53	LN Bx Principal
Incl.	17.05	25.2	8.15	460	0.12	170	19186	30	LN Bx Principal
Incl.	21.65	25.2	3.55	738	0.19	285	38963	42	LN Bx Principal
Incl.	24.6	25.2	0.6	1208	0.54	422	16100	75	LN Bx Principal
LN-66-16	0	17.75	17.75	67	0.03	95	2307	153	LN Bx Principal
Incl.	10.55	15.05	4.5	147	0.04	106	2312	116	LN Bx Principal
LN-67-16	26.2	73.3	47.1	121	0.11	189	2630	59	LN Bx Principal

Incl.	37.3	50.35	13.05	216	0.18	93	1411	58	LN Bx Principal	
incl.	37.3	38.8	1.5	458	0.39	91	1032	86	LN Bx Principal	
Incl.	47.8	50.35	2.55	582	0.14	47	2113	31	LN Bx Principal	
incl.	49.3	50.35	1.05	973	0.19	65	3012	34	LN Bx Principal	
Drill hole	From	To	Interval	Silver gpt	Gold gpt	Copper ppm	Lead ppm	Zinc ppm	Breccia	
LN-68-16	1	41.85	40.85	194	0.06	172	4070	299	LN Bx Principal	
incl.	2.4	14.05	11.65	441	0.08	367	10318	426	LN Bx Principal	
incl.	6.55	14.05	7.5	529	0.09	298	7446	312	LN Bx Principal	
incl.	6.55	8.05	1.5	784	0.08	384	19400	377	LN Bx Principal	
incl.	12.55	14.05	1.5	1613	0.24	553	3765	290	LN Bx Principal	
incl.	28.7	30.2	1.5	772	0.12	106	1872	226	LN Bx Principal	
	91.5	102.15	10.65	90	0.09	421	8822	34	LN Bx Principal	
incl.	96.05	101.6	5.55	137	0.11	666	12645	35	LN Bx Principal	
LN-69-16	5.1	64.35	59.25	98	0.04	71	1759	100	LN Bx Principal	
incl.	5.1	6.6	1.5	514	0.08	76	4950	79	LN Bx Principal	
incl.	35.7	49.4	13.7	189	0.08	63	1506	65	LN Bx Principal	
incl.	45.75	49.4	3.65	378	0.13	88	2529	33	LN Bx Principal	
incl.	48.1	49.4	1.3	602	0.18	112	2378	26	LN Bx Principal	
LN-70-16	119.75	120.45	0.7	85	0.64	244	37300	729	LN Bx Principal	
	136.05	137.25	1.2	121	0.03	241	880	874	LN Bx Principal	
	254.7	256.25	1.55	68	0.02	193	132	112	LN Bx Inferior	
LN-71-16	no significant results									
LN-72-16	no significant results									
LN-73-17	151.15	152.50	1.35	44	0.54	1381	2761	717	LN Bx Principal	
	295.7	300.7	5	52	0.03	172	26	65	LN Bx Inferior	
Inc.	295.7	297.45	1.75	96	0.03	282	31	91	LN Bx Inferior	
LN-74-17	67.65	94.9	27.25	58	0.03	148	4193	325	LN Bx Principal	
Inc.	74.65	75.4	0.75	388	0.17	775	8639	332	LN Bx Principal	
Inc.	82.35	82.8	0.45	1014	0.26	3069	31900	3691	LN Bx Principal	
	131.45	135	3.55	62	0.11	123	3189	165	LN Bx Principal	
Inc.	134.2	135	0.8	101	0.06	251	1167	118	LN Bx Principal	
	175.7	192.8	17.1	192	0.18	286	7061	231	LN Bx Inferior	
Inc.	175.7	179.25	3.55	597	0.4	840	29289	415	LN Bx Inferior	
Inc.	176.35	178.1	1.75	881	0.42	1252	37700	576	LN Bx Inferior	
	212.05	246.35	34.3	159	0.14	277	544	155	LN Bx Inferior	
Inc.	238.15	246.35	8.2	306	0.28	574	909	274	LN Bx Inferior	
Inc.	238.15	239.2	1.05	487	0.14	835	1062	368	LN Bx Inferior	
Inc.	243.85	246.35	2.5	487	0.29	1034	896	402	LN Bx Inferior	
Inc.	245.3	246.35	1.05	507	0.36	1127	1057	325	LN Bx Inferior	
Inc.	31.75	33.15	1.4	979	0.05	1129	4074	59	LN Bx Principal	
	61.55	62.95	1.4	346	0.12	613	11900	432	LN Bx Principal	
LN-76-17	73.2	121.9	48.7	281	0.08	399	2590	175	LN Bx Principal	
Inc.	75.35	77.3	1.95	3004	0.43	885	1486	221	LN Bx Principal	
Inc.	76.4	77.3	0.9	3143	0.46	742	1197	190	LN Bx Principal	
Inc.	93.05	94.05	1	2146	0.34	3395	28800	438	LN Bx Principal	
Inc.	104.35	105.65	1.3	474	0.45	2260	12300	809	LN Bx Principal	
Inc.	116.55	121.9	5.35	558	0.11	851	387	248	LN Bx Principal	
Inc.	117.65	118.95	1.3	642	0.15	1052	645	349	LN Bx Principal	
Inc.	120.65	121.9	1.25	1029	0.15	1448	417	312	LN Bx Principal	
LN-77-17	47.55	53.25	5.70	30	0.09	125	5933	188	LN Bx Principal	
LN-78-17	46.1	47.7	1.6	42	0.01	71	224	379	LN Bx Principal	
LN-79-17	34.45	45.65	11.2	34	0.01	108	1665	212	LN Bx Principal	
Inc.	43.6	44.25	0.65	66	0.01	61	224	76	LN Bx Principal	
LN-80-17	1.25	43.55	42.3	45	0.01	85	3365	93	LN Bx Principal	
Inc.	6	2205	16.05	72	0.01	115	2512	108	LN Bx Principal	
Inc.	6	9.95	3.95	167	0.01	118	866	214	LN Bx Principal	
Inc.	8	9.95	1.95	211	0.01	146	1152	220	LN Bx Principal	
LN-81-17	33	36.6	3.6	101	0.13	330	6545	566	LN Bx Principal	
	46.1	48	1.9	83	0.01	216	13531	4118	LN Bx Principal	
	72.55	73.75	1.2	156	0.06	298	1643	149	LN Bx Principal	
	93.45	94.95	1.5	234	0.07	489	8396	140	LN Bx Principal	
	117.2	138.2	21	274	0.09	528	736	175	LN Bx Principal	
Inc.	122.85	124.15	1.3	832	0.18	1209	1873	362	LN Bx Principal	
Inc.	129.15	129.95	0.8	739	0.13	1173	837	279	LN Bx Principal	
Inc.	136.45	137.55	1.1	3018	0.6	5612	2382	1055	LN Bx Principal	
Inc.	158.5	205.4	46.9	137	0.13	200	535	88	LN Bx Inferior	
Inc.	159.4	170.8	11.4	388	0.09	617	51	211	LN Bx Inferior	
Inc.	159.4	161.25	1.85	1261	0.18	1936	87	534	LN Bx Inferior	
Inc.	159.95	161.25	1.3	1458	0.2	2234	95	599	LN Bx Inferior	
LN-82-17	45.40	74.65	29.25	138	0.11	210	11245	272	LN Bx Principal	
Inc.	46.75	47.8	1.05	1111	0.22	901	32700	377	LN Bx Principal	
Inc.	57.6	62.45	4.85	242	0.24	417	18535	280	LN Bx Principal	
Inc.	62	62.45	0.45	463	0.98	976	22300	462	LN Bx Principal	
	107.9	139.7	31.8	403	0.13	706	676	221	LN Bx Principal	
Inc.	128.75	137.6	8.85	1098	0.26	1515	388	365	LN Bx Principal	
Inc.	128.75	130.3	1.55	2102	0.29	3635	1391	909	LN Bx Principal	
Inc.	136.9	137.6	0.7	3759	0.46	3622	84	717	LN Bx Principal	
LN-83-17	52.5	128.85	76.35	236	0.1	401	1627	163	LN Bx Principal	
Inc.	72.75	74.55	1.8	1112	0.15	1733	3644	375	LN Bx Principal	
Inc.	100.4	106.95	6.55	1248	0.31	2234	1405	423	LN Bx Principal	
Inc.	100.4	101.85	1.45	3581	0.6	5890	2045	1029	LN Bx Principal	
	174.4	213.1	38.7	289	0.16	491	1180	225	LN Bx Inferior	
Inc.	184.75	187.4	2.65	553	0.2	948	1695	274	LN Bx Inferior	
Inc.	195.3	202.9	7.6	674	0.1	1192	514	338	LN Bx Inferior	
Inc.	199.5	200.9	1.4	1330	0.14	2375	614	451	LN Bx Inferior	
	231.05	238.1	7.05	61	0.02	72	1809	136	LN Bx Inferior	
Inc.	236.8	238.1	1.3	110	0.02	143	594	102	LN Bx Inferior	
LN-84-17	65.1	75.15	10.05	77	0.04	132	3787	197	LN Bx Principal	
Inc.	65.1	65.7	0.6	190	0.1	65	2659	33	LN Bx Principal	
Inc.	73.3	73.85	0.55	703	0.32	1304	27500	698	LN Bx Principal	
	116.65	117.7	1.05	125	0.14	157	8859	204	LN Bx Principal	
	131.8	133.1	1.3	120	0.13	159	9013	112	LN Bx Principal	
	209.8	264.75	54.95	68	0.05	150	434	130	LN Bx Inferior	
Inc.	209.8	210.65	0.85	535	0.05	975	1338	504	LN Bx Inferior	
Inc.	225.8	233.3	7.5	209	0.18	348	808	343	LN Bx Inferior	
Inc.	231.65	233.3	1.65	400	0.05	824	918	482	LN Bx Inferior	
LN-85-17	39.05	44.4	5.35	571	0.25	2566	12143	609	LN Bx Principal	
Inc.	40.1	40.65	0.55	3735	2.26	21200	93300	2200	LN Bx Principal	

	84.85	89.7	4.85	72	0.01	170	6279	336	LN Bx Principal
	121.65	175.45	53.8	174	0.09	263	2039	114	LN Bx Inferior
Inc.	130.55	142.7	12.15	308	0.17	476	2602	176	LN Bx Inferior
Inc.	137.8	139.75	1.95	913	40	1401	3131	392	LN Bx Inferior
Inc.	162.65	167.1	4.45	779	0.2	1211	373	321	LN Bx Inferior
Inc.	164	165.15	1.15	1363	0.26	2006	640	578	LN Bx Inferior
Drill hole	From	To	Interval	Silver gpt	Gold gpt	Copper ppm	Lead ppm	Zinc ppm	Breccia
LN-86-17	46.5	97.15	50.65	136	0.09	269	1265	130	LN Bx Principal
Inc.	60.3	73.25	12.95	416	0.11	756	1026	134	LN Bx Principal
Inc.	66.95	73.25	6.3	555	0.13	1002	1425	184	LN Bx Principal
Inc.	60.3	61.95	1.65	870	0.11	1508	1070	137	LN Bx Principal
Inc.	66.95	68	1.05	1625	0.23	2702	1308	220	LN Bx Principal
Inc.	72.2	73.25	1.05	1423	0.2	2586	3745	439	LN Bx Principal
	178.25	227.4	49.15	247	0.12	436	1319	222	LN Bx Inferior
Inc.	191.85	215.35	23.5	394	0.12	715	1266	246	LN Bx Inferior
Inc.	191.85	193.35	1.5	808	0.46	1488	2421	291	LN Bx Inferior
Inc.	200.05	214.6	14.55	515	0.13	943	532	315	LN Bx Inferior
Inc.	200.05	202.7	2.65	823	0.27	1482	1798	344	LN Bx Inferior
Inc.	210.9	214.6	3.7	1027	0.2	1874	379	497	LN Bx Inferior
Inc.	210.9	212.4	1.5	1359	0.25	2478	458	577	LN Bx Inferior
	267.95	272.25	4.3	75	0.06	94	9314	203	LN Bx Inferior
Inc.	270.75	272.25	1.5	139	0.11	152	13800	238	LN Bx Inferior
LN-87-17	31.2	90.8	59.6	273	0.11	421	1582	131	LN Bx Principal
Inc.	37.05	41.05	4	548	0.16	35	1620	48	LN Bx Principal
Inc.	53.8	76.65	22.85	519	0.13	847	1632	200	LN Bx Principal
Inc.	53.8	55.2	1.4	1482	0.24	3047	2015	318	LN Bx Principal
Inc.	63.25	68.4	5.15	1161	0.15	1697	1280	284	LN Bx Principal
Inc.	63.25	64.7	1.45	1978	0.18	2922	2291	496	LN Bx Principal
Inc.	65.35	65.9	0.55	1198	0.14	1710	396	250	LN Bx Principal
Inc.	65.9	66.75	0.85	1641	0.17	2401	1054	282	LN Bx Principal
Inc.	75	76.65	1.65	1537	0.25	2471	10000	464	LN Bx Principal
	129.55	133.45	3.9	118	0.07	1701	2682	253	LN Bx Inferior
Inc.	129.55	130.35	0.8	332	0.2	5924	8200	575	LN Bx Inferior
LN-88-17	48.5	104.55	56.05	93	0.09	261	1958	125	LN Bx Principal
Inc.	48.5	72.35	23.85	175	0.08	527	1238	124	LN Bx Principal
Inc.	60.9	71.2	10.3	309	0.12	836	1379	152	LN Bx Principal
Inc.	60.9	62.45	1.55	1333	0.31	3961	2534	556	LN Bx Principal
Inc.	89.95	90.95	1	400	0.06	668	23400	222	LN Bx Principal
	130.55	131.5	0.95	66	0.85	195	12800	238	LN Bx Inferior
LN-89-17	11.25	46.65	35.4	60	0.03	83	7827	67	LN Bx Principal
Inc.	23.2	45.65	22.45	76	0.05	84	8804	55	LN Bx Principal
Inc.	27.35	38.4	11.05	106	0.05	79	13599	49	LN Bx Principal
Inc.	27.35	28.85	1.5	358	0.11	116	31400	121	LN Bx Principal
LN-90-17	19.75	24.85	5.1	79	0.03	259	2778	1129	LN Bx Principal
	34.8	130.65	95.85	79	0.04	211	3957	353	Principal- BX Inferior
Inc.	34.8	63.55	28.75	114	0.07	356	8157	782	LN Bx Principal
Inc.	36.1	38.65	2.55	888	0.44	2351	53994	2348	LN Bx Principal
Inc.	36.1	37.3	1.2	1623	0.58	2723	77500	2592	LN Bx Principal
Inc.	112.45	130.65	18.2	191	0.04	441	4201	90	LN Bx Inferior
Inc.	121.9	129.1	7.2	434	0.09	1016	733	70	LN Bx Inferior
Inc.	121.9	124.55	2.65	812	0.02	1198	704	77	LN Bx Inferior
Inc.	128.05	129.1	1.05	881	0.18	3877	1032	71	LN Bx Inferior
LN-91-17	28.3	29.55	1.25	57	0.05	134	1261	12	LN Bx Principal
LN-92-17	41.3	41.85	0.55	71	0.12	163	5884	758	LN Bx Principal
LN-93-17	No significant results								
LN-94-17	No significant results								
LN-95-17	4.95	8.8	3.85	271	0.13	329	27555	1522	LN Bx Principal
Inc.	5.95	7.15	1.2	445	0.21	447	54500	2791	LN Bx Principal
	40.1	62.6	22.5	74	0.03	321	3564	340	LN Bx Principal
Inc.	40.1	42	1.9	328	0.13	671	8884	277	LN Bx Principal
Inc.	49.85	51.85	2	192	0.02	239	5088	488	LN Bx Principal
	89.2	91.15	1.95	71	0.03	94	8158	799	LN Bx Inferior
	131.3	133.65	2.35	237	0.05	662	2022	275	LN Bx Inferior
Inc.	131.3	132.55	1.25	394	0.08	1028	3362	297	LN Bx Inferior