

| Hole ID | From (meters) | To (meters) | Interval (meters) | Silver gpt | Gold gpt | Pb % | Zn % | Geologic Intersection |
|-------------------|-----------------------|-------------|-------------------|--------------|--------------|--------|-------|-----------------------------|
| CDH-19-001 | 59 | 75.5 | 16.5 | 93 | N/A | - | - | Hanging-wall Vein |
| Including | 61.58 | 71 | 9.42 | 141 | N/A | - | - | F Vein |
| Including | 68 | 70.15 | 2.15 | 307 | N/A | - | - | |
| CDH-19-002 | 49.83 | 51 | 1.17 | 111 | N/A | - | - | Hanging-wall Vein |
| | 70 | 84 | 14 | 104 | N/A | - | - | F Vein |
| Including | 80 | 81 | 1 | 328 | N/A | - | - | |
| | 71.27 | 75 | 3.73 | 213 | 0.311 | - | - | |
| Including | 71.27 | 72 | 0.73 | 332 | 0.554 | - | - | |
| CDH-19-003 | 15 | 20 | 5 | 85 | N/A | - | - | F Vein |
| CDH-19-004 | No Significant values | | | | | | | N/A |
| CDH-19-005 | 20 | 24.83 | 4.83 | 230 | - | - | - | F Vein |
| Including | 21 | 22.15 | 1.15 | 775 | - | - | - | |
| Including | 21 | 23 | 2 | 518 | - | - | - | |
| CDH-19-006 | 139 | 140.5 | 1.5 | 235 | - | - | - | Hanging-wall vein Stockwork |
| | 150.61 | 151.48 | 0.87 | 267 | - | - | - | |
| | 165 | 175.45 | 10.45 | 133 | - | - | - | |
| Including | 174 | 175.45 | 1.45 | 287 | - | - | - | |
| | 175.45 | 178 | 2.55 | N/A | - | - | - | Mined Stope |
| CDH-19-007 | 110 | 111.68 | 1.68 | 417 | - | - | 0.125 | Hanging Wall Vein |
| | 149.45 | 151 | 1.55 | 693 | - | 0.428 | 1.13 | |
| | 151 | 154 | 3 | N/A | - | N/A | N/A | |
| CDH-19-008 | 19 | 52.5 | 33.5 | 112 | - | N/A | N/A | Hanging Wall Vein |
| Includes | 42.45 | 47.3 | 4.85 | 408 | - | 0.695 | 1.08 | F Vein |
| Includes | 44.25 | 44.83 | 0.58 | 707 | - | 0.271 | 0.43 | |
| Includes | 44.83 | 46 | 1.17 | 366 | - | 0.135 | 0.162 | |
| Includes | 46 | 47.3 | 1.3 | 509 | - | 0.164 | 0.26 | |
| | 63.92 | 65.38 | 1.46 | 148 | - | - | - | |
| CDH-19-009 | 145 | 147.9 | 2.9 | 516 | - | - | 0.206 | Hanging Wall Vein |
| Includes | 147 | 147.9 | 0.9 | 1,070 | - | 0.0193 | 0.411 | |
| | 168 | 178.4 | 10.4 | 50 | - | - | - | |
| | 178.4 | 181.45 | 3.05 | N/A | - | - | - | |
| CDH-19-010 | 0 | 3.05 | 3.05 | 200 | - | - | - | Hanging Wall Vein |
| | 177 | 190 | 13 | 42 | - | - | - | Altered Intrusive |
| Includes | 188 | 189 | 1 | 197 | - | - | - | Hanging Wall Vein |
| | 215 | 217 | 2 | 112 | - | - | 0.256 | |
| | 219 | 221.53 | 2.53 | 338 | - | 0.275 | 0.63 | F Vein |
| Includes | 219 | 220.6 | 1.6 | 391 | - | 0.293 | 0.72 | |
| Includes | 220.6 | 221.53 | 0.93 | 247 | - | 0.245 | 0.477 | |
| CDH-19-011 | 63 | 74 | 11 | 133 | - | 0.04 | 0.15 | F Vein |
| Includes | 63 | 68 | 5 | 245 | 0.126 | 0.07 | 0.27 | |
| Includes | 65 | 66 | 1 | 648 | 0.634 | 0.218 | 0.609 | |
| | 104 | 105.2 | 1.2 | 228 | - | 0.126 | 0.561 | Footwall Vein |
| | 122.13 | 124 | 1.87 | 102 | - | 0.031 | 0.113 | Footwall Vein |
| CDH-19-012 | 145.65 | 147 | 1.35 | 113 | - | 0.041 | 0.064 | Hanging Wall |
| | 150.3 | 152.4 | 2.1 | 699 | - | 0.366 | 0.799 | Vein |
| | 214.5 | 215.1 | 0.6 | 113 | - | 0.053 | 0.092 | |
| | 237 | 248 | 11 | 184 | 0.205 | 0.13 | 0.393 | F Vein |
| Includes | 238.85 | 242 | 3.15 | 476 | 0.657 | 0.295 | 1.04 | |
| Includes | 239.65 | 241.4 | 1.75 | 755 | 1.158 | 0.47 | 1.725 | |
| | 270 | 272 | 2 | 111 | - | 0.017 | 0.02 | Footwall Vein |
| CDH-19-013 | 62 | 80.85 | 18.85 | 45 | - | 0.01 | 0.1 | Hanging Wall |
| | 80.85 | 85 | 4.15 | 273 | - | 0.07 | 0.2 | I Vein |
| Includes | 80.85 | 81.5 | 0.65 | 697 | - | 0.15 | 0.29 | |
| Includes | 82.35 | 85 | 2.65 | 328 | - | 0.1 | 0.24 | |

| | | | | | | | | |
|-------------------|--------|--------|--------------|--------------|---|-------|-------|---|
| CDH-19-014 | 54.08 | 54.59 | 0.51 | 155 | - | 0.055 | 0.125 | Hanging Wall Vein |
| | 80.43 | 80.85 | 0.42 | 894 | - | 0.023 | 0.408 | Hanging Wall Vein |
| | 107.57 | 108.3 | 0.73 | 115 | - | 0.049 | 0.133 | Hanging Wall Vein |
| | 136 | 137.25 | 1.25 | 262 | - | 0.207 | 0.648 | Hanging Wall Vein |
| | 158 | 162.71 | 5.01 | 261 | - | 0.316 | 0.55 | I Vein |
| CDH-19-015 | 224 | 224.56 | 0.56 | 283 | - | - | - | F Vein |
| CDH-19-016 | 58.33 | 62.5 | 4.17 | 26 | | 0.021 | 0.034 | Hanging wall vein |
| | 67.1 | 67.4 | 0.3 | 1,005 | - | 0.361 | 0.687 | I Vein (mined stope) |
| CDH-19-017 | 104 | 117.4 | 13.4 | 71 | - | 0.04 | 0.12 | I Vein |
| Includes | 112 | 117.4 | 5.4 | 146 | - | 0.1 | 0.24 | |
| Includes | 114.92 | 117.4 | 2.48 | 212 | - | 0.2 | 0.33 | |
| | 117.4 | 118.95 | 1.55 | - | - | - | - | |
| CDH-19-018 | 16.7 | 70.83 | 54.13 | 32 | | 0.01 | 0.05 | Hanging Wall Vein, I Vein & Footwall |
| Includes | 40.86 | 41.4 | 0.54 | 357 | - | - | - | I Vein |
| Includes | 63 | 63.71 | 0.71 | 237 | - | 0.091 | 0.268 | Footwall Vein |
| CDH-19-019 | 15 | 27 | 12 | 35 | - | 0.01 | 0.08 | HangingWall vein |
| | 53.55 | 79.3 | 25.75 | 25 | - | 0.01 | 0.05 | |
| | 102 | 119.04 | 17.04 | 42 | - | 0.03 | 0.07 | |
| Includes | 109.8 | 110.32 | 0.52 | 175 | - | 0.308 | 0.462 | |
| CDH-19-020 | 95 | 97 | 2 | 147 | - | 0.032 | 0.1 | Hanging Wall Vein |
| | 179.06 | 180.04 | 0.98 | 122 | - | 0.126 | 0.513 | I Vein |
| | 259 | 260.75 | 1.75 | 113 | - | 0.077 | 0.332 | Footwall Vein |
| CDH-19-021 | 91 | 92.2 | 1.2 | 187 | - | 0.1 | 0.361 | D vein |
| | 92.2 | 116 | 23.8 | 51 | - | 0.02 | 0.1 | Footwall stockwork-breccias |
| Includes | 112 | 114 | 2 | 191 | - | 0.084 | 0.168 | |
| CDH-19-022 | 77.75 | 84 | 6.25 | 244 | - | 0.117 | 0.231 | D Vein |
| Includes | 79.3 | 80.8 | 1.5 | 373 | - | 0.211 | 0.403 | |
| CDH-19-023 | 139.9 | 150.2 | 10.3 | 60 | - | 0.034 | 0.085 | E vein |
| Includes | 143 | 144 | 1 | 138 | - | 0.046 | 0.115 | |
| | 157.1 | 158.74 | 1.64 | 236 | - | 0.074 | 0.068 | Footwall E Vein |
| | 175.35 | 176.6 | 1.25 | 145 | - | 0.028 | 0.08 | |
| | 193.38 | 194.34 | 0.96 | 146 | - | 0.047 | 0.072 | |
| | 201 | 202 | 1 | 138 | - | 0.067 | 0.044 | |
| CDH-19-024 | 29.48 | 31 | 1.52 | 198 | - | 0.05 | 0.138 | |
| Includes | 30.5 | 31 | 0.5 | 358 | - | 0.033 | 0.337 | |
| | 48.8 | 74 | 25.2 | 47 | - | 0.02 | 0.087 | Z vein-Breccias |
| Includes | 53.4 | 54.9 | 1.5 | 160 | - | 0.064 | 0.167 | Z Vein |
| CDH-19-025 | 135.2 | 233.3 | 98.1 | 32 | - | 0.03 | 0.119 | Stockworks and Breccias |
| Includes | 186.05 | 193.65 | 7.6 | 105 | - | 0.103 | 0.411 | |
| CDH-10-026 | 89 | 172 | 83 | 28 | - | 0.02 | 0.06 | Stockworks and Breccias |
| CDH-19-027 | 120.09 | 147 | 26.91 | 43 | - | 0.05 | 0.1 | Faulted J vein |
| Includes | 121 | 127.56 | 6.56 | 115 | - | 0.18 | 0.25 | |
| Includes | 126.17 | 127.56 | 1.39 | 247 | - | 0.8 | 0.56 | |
| CDH-19-028 | 138 | 205 | 67 | 40 | - | 0.03 | 0.08 | Hydrothermal breccia and Stockwork |
| Includes | 153 | 167 | 14 | 72 | - | 0.03 | 0.09 | Stockwork |
| Includes | 160 | 162 | 2 | 163 | - | 0.23 | 0.31 | |
| Includes | 195 | 205 | 10 | 95 | - | 0.11 | 0.21 | |
| CDH-19-029 | 42.7 | 45.35 | 2.65 | 73 | - | 0.02 | 0.04 | |
| | 114 | 166 | 52 | 26 | - | 0.01 | 0.04 | Z Vein - Quartz veinlets in Rhyolite and Hydrothermal Breccias |
| Includes | 128 | 136 | 8 | 67 | - | 0.02 | 0.05 | |
| Includes | 130.21 | 132.3 | 2.09 | 172 | - | 0.05 | 0.1 | |
| Includes | 164 | 166 | 2 | 104 | - | 0.02 | 0.06 | |
| CDH-19-030 | 67.1 | 76 | 8.9 | 76 | - | 0.02 | 0.11 | J Vein - Fractured Zone, Quartz Barite vein |
| Includes | 70.67 | 74 | 3.33 | 173 | - | 0.06 | 0.24 | |
| | 149.15 | 175 | 25.85 | 200 | - | 0.03 | 0.15 | Z Vein - Quartz veinlets in Rhyolite and Hydrothermal Breccias |
| Includes | 150.5 | 161.65 | 11.15 | 415 | - | 0.07 | 0.26 | |
| Includes | 154 | 158.07 | 4.07 | 721 | - | 0.08 | 0.33 | |
| Includes | 154 | 160.1 | 6.1 | 573 | - | 0.07 | 0.3 | |
| Includes | 156.17 | 158.07 | 1.9 | 982 | - | 0.08 | 0.4 | |

| | | | | | | | | |
|---------------------|-----------------------|--------|--------------|-------------|---|-------|-------|---|
| CDH-19-031 | 223 | 226 | 3 | 314 | - | 0.2 | 0.28 | E vein - Quartz veinlets in Rhyolite and Hydrothermal Breccias |
| Includes | 224.15 | 224.78 | 0.63 | 776 | - | 0.41 | 0.32 | |
| CDH-19-032 | 165 | 175 | 10 | 24 | - | 0.27 | 0.6 | E Vein - Brecciated rhyolite with stockwork of Quartz and Barite |
| | 238.85 | 289 | 50.15 | 20 | - | 0.02 | 0.07 | Quartz veinlets in Rhyolite and Hydrothermal Breccias |
| CDH-19-033 | 105.2 | 165 | 59.8 | 48 | - | 0.03 | 0.13 | E vein - Fault zone, manganese calcite vein, and rhyolite fragments |
| Includes | 150.95 | 160.52 | 9.57 | 146 | - | 0.27 | 1 | |
| CDH-19-034 | 38.15 | 54 | 15.85 | 68 | - | 0.02 | 0.05 | Oxidized rhyolite with phenocrystals and quartz stockworks |
| Includes | 41.2 | 47.83 | 6.63 | 103 | - | 0.04 | 0.04 | E vein - Quartz-barite vein with banded textures |
| | 107 | 130.21 | 23.21 | 20 | - | 0.16 | 0.03 | Quartz veinlets in Rhyolite and Hydrothermal Breccias |
| Includes | 117 | 118 | 1 | 124 | - | 0.04 | 0.4 | |
| CDH-19-035 | 39 | 50.35 | 11.35 | 103 | - | 0.02 | 0.07 | Quartz- Calcite Veinlet Stockwork in Footwall of F Vein |
| Includes | 46 | 48.28 | 2.28 | 405 | - | 0.054 | 0.1 | |
| | 119 | 142 | 23 | 60 | - | 0.04 | 0.16 | |
| Includes | 119 | 122 | 3 | 274 | - | 0.18 | 0.6 | |
| Includes | 120.65 | 122 | 1.35 | 494 | - | 0.327 | 1.14 | F Vein, Banded Quartz |
| | 179 | 186.05 | 7.05 | 114 | - | 0.04 | 0.08 | Quartz Calcite Veinlet Stockwork |
| Includes | 179 | 180 | 1 | 547 | - | 0.1 | 0.2 | Hydrothermal Breccia E Vein |
| | 181 | 182 | 1 | 134 | - | 0.05 | 0.06 | |
| CDH-19-036 | No significant values | | | | | | | |
| CDH-19-037 | No significant values | | | | | | | |
| CDH-19-038 | 161.51 | 165.53 | 4.02 | 65 | - | 0.03 | 0.05 | Hydrothermal Breccia |
| Includes | 164.7 | 165.53 | 0.83 | 198 | - | 0.104 | 0.09 | Banded Quartz (F Vein?) |
| | 195.2 | 196 | 0.8 | 106 | - | 0.02 | 0.03 | Quartz barite vein |
| | 244 | 254 | 10 | 175 | - | 0.03 | 0.12 | B Vein - Quartz, Quartz-Barite veins, veinlet stockwork and silicified rhyolite |
| Includes | 247.05 | 251.68 | 4.63 | 301 | - | 0.05 | 0.15 | |
| Includes | 247.05 | 248.55 | 1.5 | 628 | - | 0.108 | 0.284 | |
| Includes | 248.55 | 250.6 | 2.05 | 106 | - | 0.007 | 0.113 | |
| Includes | 250.6 | 251.68 | 1.08 | 218 | - | 0.07 | 0.06 | |
| CDH-19-039 (| 15.25 | 21.35 | 6.1 | 67 | - | 0.01 | 0.06 | |
| CDH-19-040 (| 21 | 25.9 | 4.9 | 194 | - | 0.07 | 0.19 | F Vein Banded Quartz |
| Includes | 22.85 | 23.73 | 0.88 | 808 | - | 0.28 | 0.42 | |
| Includes | 23.73 | 24.16 | 0.43 | 173 | - | 0.05 | 0.14 | |
| CDH-19-041 (| 15 | 54.9 | 39.9 | 159 | - | 0.05 | 0.13 | F Vein Banded Quartz |
| Includes | 42.85 | 50.3 | 7.45 | 650 | - | 0.23 | 0.26 | |
| Includes | 42.85 | 44 | 1.15 | 919 | - | 0.361 | 0.092 | |
| Includes | 44 | 45 | 1 | 953 | - | 0.337 | 0.373 | |
| Includes | 45 | 46 | 1 | 527 | - | 0.163 | 0.213 | |
| Includes | 46 | 47 | 1 | 860 | - | 0.242 | 0.417 | |
| Includes | 47 | 48.8 | 1.8 | 715 | - | 0.302 | 0.259 | |
| CDH-20-042 | 42.4 | 42.7 | 0.3 | 115 | - | | | Hanging wall Quartz vein |
| And | 67 | 80 | 13 | 86 | - | 0.02 | 0.1 | F Vein system & |
| And | 70.4 | 76.3 | 5.9 | 111 | - | 0.03 | 0.11 | mined stope |
| CDH-20-043 | 63 | 64 | 1 | 105 | - | 0.02 | 0.06 | F Vein system & |
| And | 75 | 80 | 5 | 119 | - | 0.05 | 0.16 | mined stope |
| CDH-20-044 | 29 | 30.9 | 1.9 | 56 | - | 0.03 | 0.01 | Calcite-Quartz-Barite vein (Footwall Vein) |
| CDH-20-045 | 63.7 | 68 | 4.3 | 239 | - | 0.08 | 0.36 | Faulted F Vein |
| Includes | 64.6 | 67.1 | 2.5 | 350 | - | 0.12 | 0.48 | F Vein |
| Includes | 65.6 | 67.1 | 1.5 | 456 | - | 0.17 | 0.62 | |
| And | 77 | 80 | 3 | 208 | - | 0.08 | 0.21 | |
| Includes | 78.3 | 78.8 | 0.5 | 974 | - | 0.03 | 0.3 | |
| CDH-20-046 | 71 | 77.8 | 6.8 | 264 | - | 0.06 | 0.13 | Quartz Barite Vein, (Footwall Vein) |
| Includes | 71.8 | 73.2 | 1.4 | 911 | - | 0.24 | 0.24 | F Vein Structure |
| Includes | 71.8 | 74.7 | 2.9 | 553 | - | 0.13 | 0.18 | |
| Includes | 71.8 | 72.4 | 0.6 | 1585 | - | 0.33 | 0.33 | |

| | | | | | | | | |
|-------------------|-----------------------------|--------|-------|------|---|-------|------|-------------------------|
| Includes | 72.7 | 73.2 | 0.5 | 689 | - | 0.206 | 0.29 | |
| Includes | 73.2 | 74.7 | 1.5 | 219 | - | 0.04 | 0.13 | |
| CDH-20-047 | 111 | 126.65 | 15.65 | 166 | - | 0.17 | 0.47 | |
| Includes | 114 | 119.97 | 5.97 | 351 | - | 0.4 | 1.03 | |
| Includes | 115 | 119.97 | 4.97 | 400 | - | 0.45 | 1.2 | |
| Includes | 115.7 | 116.75 | 1.05 | 782 | - | 1.13 | 3.6 | |
| Includes | 116.75 | 117.9 | 1.15 | 305 | - | 0.1 | 0.3 | F Vein Structure |
| Includes | 117.9 | 119 | 1.1 | 219 | - | 0.38 | 0.65 | |
| Includes | 119 | 119.97 | 0.97 | 432 | - | 0.48 | 1.05 | |
| Includes | 119.97 | 126.65 | 6.68 | 55 | - | 0.02 | 0.13 | |
| CDH-20-048 | 108.69 | 109.75 | 1.06 | 259 | - | 0.16 | 0.3 | Hanging-wall Structure |
| | 182 | 189 | 7 | 124 | - | 0.16 | 0.6 | |
| including | 184.4 | 188 | 3.6 | 197 | - | 0.28 | 1.07 | F Vein Structure |
| including | 184.4 | 186.05 | 1.65 | 257 | - | 0.33 | 1.74 | |
| | 219 | 220 | 1 | 104 | - | 0.2 | 0.04 | Footwall Structure |
| CDH-20-049 | 124 | 126.8 | 2.8 | 762 | - | 0.42 | 0.54 | |
| including | 125.8 | 126.8 | 1 | 2010 | - | 1.18 | 1.24 | Hanging-wall Vein |
| | 248.8 | 259 | 10.2 | 68 | - | 0.02 | 0.1 | |
| including | 250.95 | 251.6 | 0.65 | 368 | - | 0.2 | 0.43 | Hanging-wall Structure |
| | 311 | 315.4 | 4.4 | 209 | - | 0.16 | 0.26 | |
| including | 311.9 | 312.7 | 0.8 | 212 | - | 0.29 | 0.53 | F Vein Structure |
| and | 314 | 315.4 | 1.4 | 484 | - | 0.15 | 0.3 | |
| CDH-20-050 | 137.8 | 145.9 | 8.1 | 92 | - | 0.07 | 0.12 | |
| including | 140.2 | 140.7 | 0.5 | 737 | - | 0.257 | 0.52 | Hanging-wall Structure |
| | 175 | 213 | 38 | 50 | - | 0.04 | 0.11 | |
| including | 175 | 176.2 | 1.2 | 141 | - | | 0.09 | |
| and | 184.7 | 185.15 | 0.45 | 486 | - | 0.24 | 0.15 | F Vein Structure |
| and | 198.25 | 200.06 | 1.81 | 118 | - | 0.13 | 0.24 | |
| and | 211 | 213 | 2 | 119 | - | 0.06 | 0.22 | |
| CDH-20-051 | 147 | 153 | 6 | 317 | - | 0.12 | 0.17 | |
| including | 149 | 151 | 2 | 865 | - | 0.37 | 0.42 | Hanging-wall Structure |
| | 193 | 198 | 5 | 87 | - | 0.07 | 0.1 | |
| including | 196.54 | 198 | 1.46 | 135 | - | 0.02 | 0.15 | Hanging-wall Vein |
| | 207 | 243 | 36 | 72 | - | 0.05 | 0.17 | |
| including | 207 | 211.36 | 4.36 | 317 | - | 0.27 | 0.93 | F Vein Structure |
| and | 210.26 | 211.36 | 1.1 | 769 | - | 0.75 | 2.88 | |
| | 278 | 281.63 | 3.63 | 147 | - | 0.21 | 1.41 | Footwall Structure |
| CDH-20-052 | 100.92 | 143.35 | 42.43 | 61 | - | 0.03 | 0.12 | |
| Including | 100.92 | 108.45 | 7.53 | 199 | - | 0.08 | 0.27 | |
| | 100.92 | 105 | 4.08 | 279 | - | 0.11 | 0.38 | F Vein + Hanging Wall |
| | 102.39 | 105 | 2.61 | 366 | - | 0.14 | 0.5 | |
| Including | 102.39 | 103.62 | 1.23 | 601 | - | 0.26 | 0.76 | |
| And | 132.55 | 134.48 | 1.93 | 103 | - | 0.06 | 0.67 | F Vein |
| CDH-20-053 | 72.48 | 72.91 | 0.43 | 193 | - | 0.13 | 0.19 | |
| And | 138 | 172 | 34 | 116 | - | 0.11 | 0.24 | F Vein + Hanging Wall |
| Including | 139 | 150 | 11 | 175 | - | 0.17 | 0.37 | |
| Including | 161.65 | 164.65 | 3 | 496 | - | 0.55 | 0.91 | |
| Including | 162.65 | 164.65 | 2 | 620 | - | 0.35 | 0.9 | F Vein |
| Including | 162.65 | 163.6 | 0.95 | 753 | - | 0.38 | 1 | |
| Including | 163.6 | 164.65 | 1.05 | 501 | - | 1 | 0.82 | |
| CDH-20-054 | 98 | 123 | 25 | 57 | - | 0.12 | 0.13 | F Vein |
| Including | 106 | 111 | 5 | 158 | - | 0.4 | 0.35 | |
| Including | 108 | 109.8 | 1.8 | 319 | - | 0.18 | 0.5 | |
| And | 121 | 123 | 2 | 104 | - | 0.07 | 0.28 | F Vein Footwall |
| CDH-20-055 | 196.7 | 199.75 | 3.05 | 58 | - | 0.05 | 0.11 | F Vein |
| Including | 198.25 | 198.8 | 0.55 | 101 | - | 0.1 | 0.15 | |
| And | 217 | 221 | 4 | 171 | - | 0.1 | 0.3 | |
| Including | 217 | 219 | 2 | 150 | - | 0.08 | 0.27 | Footwall Structure |
| Including | 219 | 221 | 2 | 192 | - | 0.2 | 0.31 | |
| CDH-20-056 | Abandoned Due to Bad Ground | | | | | | | |
| CDH-20-057 | 275.91 | 280.47 | 4.56 | 103 | - | 0.12 | 0.19 | |

| | | | | | | | | |
|-------------------|---|--------|--------------|-------------|---|-------|-------|---|
| Includes | 275.91 | 280.47 | 1.81 | 163 | - | 0.26 | 0.32 | F Vein |
| And | 166 | 226.84 | 60.84 | 40 | - | 0.03 | 0.1 | |
| CDH-20-058 | Hit An Old Mine Working At Target Depth | | | | | | | |
| CDH-20-059 | No Significant values | | | | | | | F Vein |
| CDH-20-060 | 144 | 208 | 64 | 132 | - | 0.03 | 0.1 | J-Z Vein |
| Includes | 147 | 156 | 9 | 226 | - | 0.03 | 0.13 | |
| Includes | 152 | 153 | 1 | 1025 | - | 0.08 | 0.21 | |
| Includes | 183 | 205 | 22 | 229 | - | 0.05 | 0.14 | |
| Includes | 190 | 201 | 11 | 361 | - | 0.08 | 0.18 | |
| Includes | 191 | 196 | 5 | 608 | - | 0.09 | 0.12 | |
| Includes | 191 | 192 | 1 | 447 | - | 0.034 | 0.096 | |
| Includes | 192 | 193 | 1 | 342 | - | 0.056 | 0.081 | |
| Includes | 193 | 194 | 1 | 1160 | - | 0.1 | 0.128 | |
| Includes | 194 | 195 | 1 | 776 | - | 0.175 | 0.223 | |
| Includes | 195 | 196 | 1 | 315 | - | 0.093 | 0.101 | |
| CDH-20-061 | 180 | 210.85 | 30.85 | 43 | - | 0.02 | 0.06 | |
| Includes | 180 | 181 | 1 | 164 | - | 0.15 | 0.1 | |
| Includes | 180 | 188 | 8 | 63 | - | 0.35 | 0.72 | |
| Includes | 194 | 197 | 3 | 72 | - | 0.05 | 0.06 | |
| Includes | 203 | 204 | 1 | 108 | - | 0.03 | 0.06 | |
| Includes | 203 | 210.85 | 7.85 | 54 | - | 0.02 | 0.06 | |
| | 222 | 224 | 2 | 144 | - | 0.1 | 0.52 | |
| CDH-20-062 | 69.4 | 81 | 11.6 | 93 | - | 0.03 | 0.1 | Hydrothermal Breccia & Stockwork |
| Includes | 71 | 79.3 | 8.3 | 115 | - | 0.04 | 0.13 | |
| Includes | 71 | 72 | 1 | 161 | - | 0.09 | 0.2 | |
| Includes | 72 | 73 | 1 | 141 | - | 0.056 | 0.14 | |
| Includes | 73 | 74.7 | 1.7 | 111 | - | 0.05 | 0.1 | |
| Includes | 76.25 | 77.75 | 1.5 | 103 | - | 0.01 | 0.04 | |
| Includes | 77.75 | 79.3 | 1.55 | 141 | - | 0.06 | 0.23 | |
| CDH-20-063 | 66 | 75 | 9 | 91 | - | 0.04 | 0.08 | Hydrothermal Breccia & Stockwork |
| Includes | 70 | 73.2 | 3.2 | 165 | - | 0.1 | 0.11 | |
| | 161.51 | 164 | 2.49 | 187 | - | 0.05 | 0.06 | |
| Includes | 161.51 | 162 | 0.49 | 762 | - | 0.15 | 0.15 | |
| CDH-20-064 | 61.31 | 69 | 7.69 | 67 | - | 0.02 | 0.04 | Quartz Vein |
| Includes | 62.5 | 67 | 4.5 | 100 | - | 0.03 | 0.05 | Quartz Vein |
| CDH-20-065 | 72 | 79 | 7 | 106 | - | 0.02 | 0.11 | Quartz Vein |
| CDH-20-066 | 129 | 148 | 19 | 22 | - | 0.01 | 0.03 | Hydrothermal Breccia & Stockwork |
| Includes | 144 | 148 | 4 | 52 | - | 0.01 | 0.03 | |
| | 189.5 | 215 | 25.5 | 69 | - | 0.05 | 0.15 | |
| Includes | 206 | 215 | 9 | 154 | - | 0.1 | 0.3 | |
| Includes | 213.5 | 215 | 1.5 | 773 | - | 0.4 | 0.8 | |
| CDH-20-067 | 87 | 137.25 | 50.25 | 18 | - | 0.01 | 0.03 | Hydrothermal breccia & Stockwork (J&Z Vein) |
| CDH-20-068 | 213 | 215.88 | 2.88 | 58 | - | 0.01 | 0.17 | Hydrothermal breccia & Stockwork (J&Z Vein) |
| CDH-20-069 | 132 | 211 | 79 | 58 | - | 0.04 | 0.22 | Hydrothermal breccia & Stockwork (J&Z Vein) |
| Includes | 159 | 169.1 | 10.1 | 152 | - | 0.14 | 0.4 | |
| Includes | 166 | 169.1 | 3.1 | 325 | - | 0.37 | 2.6 | |
| Includes | 169.1 | 171 | 1.9 | 115 | - | 0.03 | 0.49 | |
| Includes | 177 | 179 | 2 | 176 | - | 0.04 | 0.11 | |
| Includes | 179 | 180 | 1 | 111 | - | 0.035 | 0.09 | |
| Includes | 190.6 | 192 | 1.4 | 126 | - | 0.089 | 0.16 | |
| | 286.28 | 286.82 | 0.54 | 336 | - | 0.355 | 2.08 | |
| CDH-20-070 | 83 | 84.4 | 1.4 | 91 | - | 0.04 | 0.14 | Hydrothermal breccia & Stockwork (J&Z Vein) |
| | 130 | 133 | 3 | 64 | - | 0.02 | 0.13 | |
| | 171.8 | 175.58 | 3.78 | 170 | - | 0.07 | 0.32 | |
| | 202.5 | 230.25 | 27.75 | 40 | - | 0.02 | 0.06 | |
| CDH-20-071 | 100.03 | 100.65 | 0.62 | 178 | - | 0.11 | 0.38 | Hydrothermal breccia (E Vein) |
| | 107 | 108 | 1 | 74 | - | 0.03 | 0.15 | Quartz stockwork (E Vein) |
| CDH-20-072 | No Significant values | | | | | | | |
| CDH-20-073 | 95.59 | 97.06 | 1.47 | 102 | - | 0.02 | 0.07 | E Vein |

| | | | | | | | | |
|-------------------|-----------------------|--------|--------------|--------------|---|-------|-------|--|
| | 121.37 | 121.91 | 0.54 | 69 | - | 0.01 | 0.02 | Hydrothermal breccia & Quartz barite vein |
| CDH-20-074 | 64.35 | 64.9 | 0.55 | 91 | - | 0.043 | 0.05 | E vein |
| CDH-20-075 | 232 | 239.5 | 7.5 | 33 | - | 0.01 | 0.05 | Quartz stockwork (E Vein) |
| CDH-20-076 | 69.94 | 164 | 94.06 | 40 | - | 0.03 | 0.07 | Hydrothermal breccia & Quartz barite vein (W Vein) |
| Includes | 83.5 | 84.5 | 1 | 272 | - | 0.1 | 0.18 | W Vein |
| Includes | 83.5 | 90.5 | 7 | 97 | - | 0.03 | 0.12 | W Vein system |
| Includes | 96.5 | 100 | 3.5 | 105 | - | 0.03 | 0.1 | Hydrothermal breccia |
| Includes | 134.2 | 138 | 3.8 | 98 | - | 0.11 | 0.18 | Faulted hydrothermal breccia |
| | 185 | 186.19 | 1.19 | 118 | - | 0.02 | 0.01 | Quartz stockwork |
| CDH-20-077 | No Significant values | | | | | | | E Vein |
| CDH-20-078 | No Significant values | | | | | | | E Vein |
| CDH-20-079 | 150.95 | 160 | 9.05 | 179 | - | 0.05 | 0.14 | D vein |
| Includes | 150.95 | 156.3 | 5.35 | 290 | - | 0.08 | 0.22 | |
| Includes | 153.6 | 155.18 | 1.58 | 525 | - | 0.14 | 0.42 | |
| Includes | 153.6 | 154.34 | 0.74 | 689 | - | 0.226 | 0.52 | |
| Includes | 154.34 | 155.18 | 0.84 | 381 | - | 0.06 | 0.33 | |
| CDH-20-080 | 92 | 116.25 | 24.25 | 80 | - | 0.04 | 0.11 | D Vein |
| Includes | 93 | 95.5 | 2.5 | 195 | - | 0.06 | 0.13 | |
| CDH-20-081 | No Significant values | | | | | | | |
| CDH-20-082 | 26.3 | 30.5 | 4.2 | 42 | - | 0.02 | 0.03 | F Vein system |
| | 93 | 95.5 | 2.5 | 195 | - | 0.06 | 0.11 | F Vein |
| Includes | 93 | 94 | 1 | 434 | - | 0.15 | 0.15 | |
| and | 127.5 | 198 | 70.5 | 112 | - | 0.02 | 0.1 | B Vein system |
| Includes | 183 | 192 | 9 | 691 | - | 0.11 | 0.46 | |
| Includes | 184.5 | 189.1 | 4.6 | 1,186 | - | 0.2 | 0.53 | B Vein |
| Includes | 184.5 | 186.05 | 1.55 | 1,455 | - | 0.13 | 0.34 | |
| Includes | 186.05 | 187.55 | 1.5 | 1,055 | - | 0.378 | 0.88 | |
| Includes | 187.55 | 189.1 | 1.55 | 1,045 | - | 0.092 | 0.38 | |
| CDH-20-083 | 261 | 261.85 | 0.85 | 231 | - | 0.374 | 0.09 | |
| | 275.5 | 276 | 0.5 | 77 | - | 0.17 | 0.1 | |
| CDH-20-084 | 194 | 219 | 25 | 47 | - | 0.01 | 0.05 | B Vein system |
| Includes | 206 | 213 | 7 | 126 | - | 0.02 | 0.08 | |
| Includes | 208 | 210.45 | 2.45 | 208 | - | 0.01 | 0.05 | |
| CDH-21-085 | 47 | 57 | 10 | 67 | - | - | - | F vein + Stock work |
| Includes | 49 | 50.3 | 1.3 | 254 | - | - | - | F vein |
| CDH-21-086 | 2.35 | 7 | 4.65 | 54 | - | - | - | Hanging-wall vein |
| | 90 | 101.32 | 11.32 | 49 | - | - | - | F vein + Stock work |
| Includes | 94 | 95.28 | 1.28 | 181 | - | - | - | F vein |
| CDH-21-087 | 102 | 127 | 25 | 59 | - | - | - | F vein + Stock work |
| Includes | 104 | 108 | 4 | 200 | - | - | - | |
| Includes | 105.06 | 106.15 | 1.09 | 559 | - | - | - | F vein |
| CDH-21-088 | 147 | 156 | 9 | 107 | - | - | - | F vein + Stock work |
| Includes | 148.7 | 154 | 5.3 | 144 | - | - | - | F vein |
| CDH-21-089 | 46.39 | 47.25 | 0.86 | 96 | - | 0.01 | 0.12 | Hanging-wall vein |
| | 140.1 | 155.55 | 15.45 | 162 | - | 0.08 | 0.37 | F vein + Stock work |
| Includes | 140.1 | 147 | 6.9 | 285 | - | 0.16 | 0.76 | |
| Includes | 140.1 | 142.8 | 2.7 | 439 | - | 0.35 | 1.52 | F vein |
| Includes | 140.1 | 140.67 | 0.57 | 533 | - | 0.265 | 1.505 | F vein |
| Includes | 141.35 | 142 | 0.65 | 511 | - | 0.468 | 1.225 | |
| | 169 | 173 | 4 | 233 | - | 0.03 | 0.44 | Footwall vein |
| Includes | 169 | 170 | 1 | 411 | - | 0.027 | 0.05 | |
| CDH-21-090 | 88.45 | 89.65 | 1.2 | 503 | - | 0.09 | 0.22 | Hanging-wall vein |
| Includes | 89.1 | 89.65 | 0.55 | 889 | - | 0.17 | 0.38 | Hanging-wall vein |
| | 115.7 | 119.64 | 3.94 | 185 | - | 0.1 | 0.22 | F vein |
| Includes | 116.45 | 118.85 | 2.4 | 245 | - | 0.13 | 0.28 | |
| Includes | 117.4 | 118 | 0.6 | 365 | - | 0.209 | 0.551 | |
| | 130 | 131 | 1 | 165 | - | 0.06 | 0.19 | Footwall vein |
| CDH-21-091 | 50.15 | 51.7 | 1.55 | 189 | - | 0.07 | 0.21 | F vein system |
| Includes | 50.15 | 51 | 0.85 | 271 | - | 0.093 | 0.28 | F vein |
| | 62 | 63 | 1 | 104 | - | 0.03 | 0.08 | Footwall system |
| CDH-21-092 | 25.56 | 28 | 2.44 | 217 | - | 0.08 | 0.14 | Hanging-wall Structure |
| Includes | 25.56 | 26.5 | 0.94 | 368 | - | 0.15 | 0.17 | |

| | | | | | | | | |
|-------------------|-----------------------|--------|------------------------|--------------|---|--------------|-------------|--|
| | 74.7 | 77.64 | 2.94 | 321 | - | 0.22 | 0.57 | F Vein |
| Includes | 75.7 | 77.64 | 1.94 | 428 | - | 0.3 | 0.73 | |
| Includes | 75.7 | 76.5 | 0.8 | 413 | - | 0.3 | 0.57 | |
| Includes | 76.5 | 77.64 | 1.14 | 439 | - | 0.29 | 0.84 | |
| | 145 | 153 | 8 | 130 | - | 0.07 | 0.24 | Footwall system |
| Includes | 145 | 147.9 | 2.9 | 265 | - | 0.15 | 0.54 | |
| Includes | 146.4 | 147.9 | 1.5 | 339 | - | 0.2 | 0.77 | |
| CDH-21-093 | 118.95 | 123.75 | No significant results | | | | Mine Stope | |
| CDH-21-094 | 90.95 | 92.9 | 1.95 | 104 | - | 0.1 | 0.15 | Hanging-wall vein |
| | 175 | 184 | 9 | 354 | - | 0.11 | 0.36 | F Vein |
| Includes | 175 | 181 | 6 | 481 | - | 0.153 | 0.35 | |
| Includes | 176.9 | 179.53 | 2.63 | 809 | - | 0.3 | 0.45 | |
| Includes | 176.9 | 178.4 | 1.5 | 985 | - | 0.47 | 0.5 | |
| Includes | 178.4 | 179.53 | 1.13 | 576 | - | 0.06 | 0.4 | |
| CDH-21-095 | 38.65 | 39.09 | 0.44 | 218 | - | - | 0.1 | |
| CDH-21-096 | 182 | 212 | 30 | 86 | - | - | 0.04 | F vein system |
| Includes | 182 | 196 | 14 | 164 | - | - | 0.07 | Faulted F vein system |
| Includes | 186 | 195 | 9 | 230 | - | - | 0.11 | Faulted F Vein system |
| Includes | 186 | 187 | 1 | 194 | - | - | 0.06 | F Vein |
| Includes | 187 | 189.37 | 2.37 | 425 | - | - | 0.23 | |
| Includes | 189.37 | 190.6 | 1.23 | 242 | - | - | 0.11 | |
| Includes | 192 | 193.5 | 1.5 | 228 | - | - | 0.04 | Quartz veining in intrusive |
| CDH-21-097 | 98 | 100 | 2 | 33 | - | 0.047 | 0.05 | Fault Zone |
| CDH-21-098 | 88.45 | 89.47 | 1.02 | 32 | - | 0.01 | 0.3 | Fault Zone |
| CDH-21-099 | 126.41 | 127.58 | 1.17 | 61 | - | 0.011 | 0.08 | Hydrothermal breccia |
| | 207 | 209 | 2 | 30 | - | 0.031 | 0.04 | Rhyolite some oxidation |
| CDH-21-100 | No Significant Values | | | | | | | |
| CDH-21-101 | 208.5 | 210.1 | 1.6 | 459 | - | 0.23 | 4 | Fault zone with tiny quartz stockwork (East Block) |
| including | 208.5 | 209 | 0.5 | 1,190 | - | 0.588 | 3.93 | |
| including | 209 | 210.1 | 1.1 | 127 | - | 0.08 | 0.152 | |
| CDH-21-102 | 83.2 | 86.95 | 3.75 | 81 | - | 0.01 | 0.27 | Quartz Barite Vein |
| includes | 83.2 | 84 | 0.8 | 163 | - | 0.02 | 0.062 | Oxidized & Silicified Rhyolite |
| | 91 | 92 | 1 | 94 | - | 0.01 | 0.05 | |
| CDH-21-103 | 65.13 | 66 | 0.87 | 179 | - | 0.01 | 0.03 | Quartz Barite Vein |
| | 166 | 210 | 44 | 333 | - | 0.1 | 0.1 | Hydrothermal Breccia with Rhyolite |
| Includes | 179 | 196 | 17 | 805 | - | 0.21 | 0.137 | |
| and | 183 | 194 | 11 | 1201 | - | 0.3 | 0.16 | Hydrothermal Breccia & Quartz Barite Vein |
| Includes | 188 | 194 | 6 | 2035 | - | 0.5 | 0.19 | Quartz barite rhyolite host |
| and | 188 | 189.52 | 1.52 | 933 | - | 0.099 | 0.258 | |
| and | 189.52 | 191 | 1.48 | 657 | - | 0.128 | 0.161 | Hydrothermal Breccia |
| and | 191 | 192.15 | 1.15 | 483 | - | 0.166 | 0.164 | |
| and | 192.15 | 193.07 | 0.92 | 9,840 | - | 2.59 | 0.08 | Quartz Barite Vein |
| CDH-21-104 | 85 | 90 | 5 | 100 | - | 0.03 | 0.05 | Quartz Barite Vein |
| Includes | 86 | 88.45 | 2.45 | 154 | - | 0.05 | 0.08 | |
| | 120.45 | 124.57 | 4.12 | 124 | - | 0.05 | 0.43 | |
| Includes | 121 | 123.5 | 2.5 | 168 | - | 0.05 | 0.54 | |
| | 174.5 | 177.5 | 3 | 120 | - | 0.04 | 0.24 | |
| | 185 | 186 | 1 | 802 | - | 0.34 | 0.29 | Quartz Barite Vein |
| CDH-21-105 | 121 | 123.5 | 2.5 | 174 | - | 0.33 | 0.43 | <i>JZ Trap Zone</i> -Hydrothermal Breccia |
| | 163 | 165 | 2 | 288 | - | 0.01 | 0.03 | <i>JZ Trap Zone</i> -Rhyolite with quartz breccia |
| | 243 | 245 | 2 | 111 | - | 0.03 | 0.08 | <i>JZ Trap Zone</i> -Hydrothermal Breccia |
| CDH-21-106 | 145 | 149 | 4 | 316 | - | 0.12 | 0.1 | <i>JZ Trap Zone</i> – Rhyolite with quartz stockwork |
| and | 147 | 149 | 2 | 417 | - | 0.17 | 0.12 | |
| | 184 | 205 | 21 | 34 | - | 0.02 | 0.1 | |
| CDH-21-107 | 24 | 29 | 5 | 40 | - | 0.03 | 0.02 | <i>JZ Trap Zone</i> – Rhyolite Breccia |
| | 147.5 | 153 | 5.5 | 111 | - | 0.02 | 0.07 | <i>JZ Trap Zone</i> |
| Includes | 150 | 151.5 | 1.5 | 200 | - | 0.019 | 0.05 | |

| | | | | | | | | |
|-------------------|--------|--------|--------------|--------------|---|-------|-------|---|
| | | | | | - | | | |
| CDH-21-108 | 177 | 343 | 166 | 57 | - | 0.02 | 0.116 | Rhyolite with tiny quartz stockwork & Quartz -barite veins & veinlets |
| Includes | 195 | 272 | 77 | 98 | - | 0.03 | 0.14 | |
| Includes | 213 | 224 | 11 | 328 | - | 0.12 | 0.5 | |
| Includes | 218.1 | 224 | 5.9 | 504 | - | 0.16 | 0.75 | |
| Includes | 218.1 | 220 | 1.9 | 519 | - | 0.094 | 0.85 | Quartz-Barite manganese vein "D vein" |
| Includes | 220 | 221 | 1 | 1,100 | - | 0.536 | 2.04 | |
| Includes | 221 | 222.5 | 1.5 | 400 | - | 0.093 | 0.29 | |
| Includes | 222.5 | 223 | 0.5 | 331 | - | 0.07 | 0.2 | |
| Includes | 223 | 224 | 1 | 124 | - | 0.057 | 0.24 | Rhyolite with tiny quartz stockwork & Quartz -barite veins & veinlets |
| Includes | 316 | 317 | 1 | 273 | - | 0.199 | 0.61 | Rhyolite with tiny quartz stockwork |
| CDH-21-109 | 146 | 177 | 31 | 100 | - | 0.04 | 0.14 | Rhyolite with tiny quartz stockwork & Quartz -barite veins & veinlets |
| Includes | 148.44 | 163 | 14.56 | 193 | - | 0.08 | 0.25 | |
| Includes | 148.44 | 155.55 | 7.11 | 294 | - | 0.14 | 0.4 | |
| Includes | 148.44 | 150.19 | 1.75 | 226 | - | 0.159 | 0.24 | Quartz-Barite manganese vein "D vein" |
| Includes | 150.19 | 152.5 | 2.31 | 476 | - | 0.21 | 0.75 | |
| Includes | 150.19 | 150.95 | 0.76 | 525 | - | 0.245 | 0.78 | |
| Includes | 150.95 | 151.75 | 0.8 | 323 | - | 0.167 | 0.49 | |
| Includes | 151.75 | 152.5 | 0.75 | 592 | - | 0.222 | 0.99 | |
| Includes | 152.5 | 153.45 | 0.95 | 197 | - | 0.089 | 0.19 | |
| Includes | 153.45 | 154.12 | 0.67 | 167 | - | 0.048 | 0.13 | |
| Includes | 154.12 | 155.55 | 1 | 206 | - | 0.103 | 0.33 | |
| CDH-21-110 | 151 | 206 | 55 | 269 | - | 0.33 | 0.81 | Rhyolite with tiny quartz |
| Includes | 176.1 | 206 | 29.9 | 453 | - | 0.6 | 1.43 | Quartz-Barite manganese vein "D vein" |
| Includes | 178.2 | 196 | 17.8 | 650 | - | 0.9 | 2.28 | |
| Includes | 178.2 | 179.61 | 1.41 | 557 | - | 0.137 | 0.26 | |
| Includes | 179.61 | 179.95 | 0.34 | 633 | - | 0.274 | 1.51 | |
| Includes | 179.95 | 181.17 | 1.22 | 509 | - | 0.43 | 1.79 | |
| Includes | 181.17 | 182 | 0.83 | 1,915 | - | 0.451 | 3.51 | |
| Includes | 182 | 184.5 | 2.5 | 641 | - | 0.507 | 0.59 | |
| Includes | 186 | 187 | 1 | 101 | - | 0.202 | 0.14 | |
| Includes | 187 | 187.93 | 0.93 | 130 | - | 0.077 | 0.12 | |
| Includes | 187.93 | 189 | 1 | 604 | - | 0.299 | 1.55 | |
| Includes | 189 | 190 | 1 | 520 | - | 1.415 | 3.68 | |
| Includes | 190 | 191 | 1 | 885 | - | 1.92 | 7.11 | |
| Includes | 191 | 192 | 1 | 1,565 | - | 3.06 | 8.86 | |
| Includes | 192 | 193 | 1 | 1,360 | - | 5.43 | 8.96 | |
| Includes | 193 | 194 | 1 | 685 | - | 0.775 | 1.99 | |
| Includes | 194 | 195 | 1 | 362 | - | 0.13 | 0.19 | |
| Includes | 195 | 196 | 1 | 382 | - | 0.188 | 0.22 | |
| Includes | 201.3 | 201.85 | 1 | 1,765 | - | 1.22 | 1.5 | |
| CDH-21-111 | 155.71 | 161 | 5.29 | 105 | - | 0.04 | 0.06 | B vein stockwork & veinlets |
| Including | 157.85 | 160 | 2.15 | 190 | - | 0.07 | 0.1 | |
| Including | 157.85 | 158.5 | 0.65 | 387 | - | 0.19 | 0.12 | B vein system |
| CDH-21-112 | 98.6 | 99.9 | 0.7 | 125 | - | 0.05 | 0.09 | Quartz stockwork |
| | 133 | 133.65 | 0.65 | 174 | - | 0.07 | 0.15 | B2 quartz barite vein |
| | 197.5 | 227 | 29.5 | 219 | - | 0.06 | 0.12 | B vein + stockwork |
| Including | 205 | 218.05 | 13.05 | 434 | - | 0.14 | 0.22 | |
| Including | 211 | 218.05 | 7.05 | 667 | - | 0.25 | 0.26 | B vein system |
| Including | 212 | 214 | 2 | 1,050 | - | 0.43 | 0.23 | |
| Including | 214 | 215 | 1 | 781 | - | 1 | 0.1 | |
| CDH-21-113 | 149.5 | 153 | 3.5 | 156 | - | 0.06 | 0.15 | B vein stockwork |
| Including | 150.7 | 151.3 | 0.6 | 574 | - | 0.23 | 0.34 | |
| | 245.5 | 300.4 | 54.9 | 47 | - | 0.01 | 0.06 | |
| Including | 254.5 | 257.5 | 3 | 114 | - | 0.01 | 0.1 | |
| Including | 293.95 | 296 | 2.05 | 393 | - | 0.03 | 0.28 | B vein system |
| Including | 293.95 | 295.05 | 1.1 | 628 | - | 0.05 | 0.41 | |
| CDH-22-114 | NSR | | | | | | | F Vein Intercepted with low values |
| CDH-22-115 | 81.1 | 92.4 | 11.3 | 449 | - | 0.3 | 0.66 | Quartz stockwork-hydrothermal breccia and D Vein |
| Includes | 83.0 | 88.3 | 5.3 | 522 | - | 0.31 | 0.70 | |
| (sub interval) | 83.0 | 84.2 | 1.2 | 635 | - | 0.24 | 0.54 | |
| (sub interval) | 85.9 | 87.0 | 1.1 | 665 | - | 0.24 | 1.08 | |

| | | | | | | | | |
|-------------------|--------|--------|-------|-------|---|------|-------|---|
| (sub interval) | 87.0 | 88.3 | 1.3 | 509 | - | 0.55 | 1.16 | |
| Includes | 90.0 | 91.0 | 1.0 | 795 | - | 0.95 | 1.47 | |
| CDH-22-116 | NSR | | | | | | | F Vein Intercepted with low values |
| CDH-22-117 | 111.0 | 118.0 | 7.0 | 108 | - | 0.05 | 0.09 | Quartz stockwork and D Vein |
| Includes | 112.0 | 115.8 | 3.8 | 167 | - | 0.08 | 0.14 | D Vein |
| And | 158.0 | 158.82 | 0.82 | 140 | - | 0.05 | 0.18 | Quartz stockwork |
| And | 233.15 | 236.0 | 2.85 | 183 | - | 0.1 | 0.35 | Hydrothermal breccia New System |
| And | 240.0 | 242.0 | 2.0 | 109 | - | 0.03 | 0.09 | Quartz stockwork New System |
| CDH-22-118 | 223.05 | 225.0 | 1.95 | 103 | - | 0.03 | 0.16 | Intrusive with calcite veins and quartz veins and hydrothermal breccias |
| And | 226.0 | 227.0 | 1.0 | 151 | - | 0.1 | 0.37 | |
| And | 236.0 | 242.0 | 6.0 | 107 | - | 0.07 | 0.23 | |
| Includes | 237.0 | 238.0 | 1.0 | 110 | - | 0.05 | 0.37 | |
| And | 244.0 | 245.0 | 1.0 | 132 | - | 0.96 | 0.27 | |
| And | 247.0 | 247.66 | 0.66 | 156 | - | 0.25 | 1.35 | Hydrothermal breccia |
| And | 252.0 | 253.0 | 1.0 | 113 | - | 0.1 | 0.32 | |
| CDH-22-119 | 145.5 | 147 | 1.5 | 112 | - | 0.07 | 0.2 | Hydrothermal Breccia |
| And | 244.5 | 252.24 | 7.74 | 416 | - | 0.32 | 1.3 | D Vein |
| Includes | 247.5 | 249.0 | 1.5 | 1,395 | - | 0.94 | 5.3 | |
| (sub-interval) | 247.87 | 248.76 | 0.89 | 1,550 | - | 0.95 | 4.5 | |
| And | 268.2 | 268.86 | 0.66 | 604 | - | 0.34 | 1.2 | Quartz stockwork in rhyolite |
| And | 275.0 | 276.0 | 1.0 | 213 | - | 0.26 | 0.74 | Quartz barite vein |
| And | 287.14 | 287.64 | 0.5 | 365 | - | 1.43 | 1.33 | Calcite vein |
| And | 293.64 | 293.94 | 0.5 | 346 | - | 8.12 | 9.94 | |
| And | 368.0 | 370.0 | 2.0 | 190 | - | 0.07 | 0.06 | Quartz-Chlorite stockwork New System |
| CDH-22-120 | 63.0 | 80.0 | 17.0 | 95 | - | 0.03 | 0.11 | Quartz-Barite-Calcite stockwork |
| Includes | 63.95 | 66.0 | 2.05 | 221 | - | 0.03 | 0.17 | |
| Includes | 68.00 | 69.63 | 1.63 | 169 | - | 0.11 | 0.20 | |
| Includes | 73.25 | 76.0 | 2.75 | 151 | - | 0.07 | 0.20 | |
| And | 146.6 | 147.0 | 0.4 | 325 | - | 0.22 | 0.63 | |
| And | 148.3 | 148.8 | 0.5 | 173 | - | 0.1 | 0.36 | |
| And | 150 | 151.8 | 1.77 | 112 | - | 0.08 | 0.25 | |
| And | 247.0 | 247.66 | 0.66 | 156 | - | 0.25 | 1.35 | Calcite-Barite vein |
| And | 252.0 | 253.0 | 1.0 | 113 | - | 0.1 | 0.32 | Calcite Vein |
| CDH-22-121 | 87.85 | 88.69 | 0.84 | 134 | - | 0.05 | 0.15 | Hydrothermal Breccia |
| And | 202 | 203.6 | 1.58 | 425 | - | 0.11 | 0.35 | |
| And | 211 | 214 | 2.97 | 91 | - | 0.07 | 0.23 | Quartz-Barite vein |
| Includes | 212.8 | 213.5 | 0.7 | 161 | - | 0.16 | 0.33 | |
| And | 248.6 | 250.2 | 1.63 | 2330 | - | 0.06 | 0.8 | Calcite vein in Intrusive |
| And | 260 | 262 | 2.0 | 161 | - | 0.04 | 0.07 | |
| CDH-22-122 | 194.1 | 198.0 | 3.90 | 574 | - | 0.19 | 0.66 | D Vein |
| Includes | 194.1 | 195.0 | 0.90 | 949 | - | 0.38 | 1.135 | |
| Includes | 195.0 | 195.7 | 0.72 | 956 | - | 0.27 | 1.195 | |
| Includes | 195.7 | 196.1 | 0.41 | 503 | - | 0.08 | 0.13 | |
| CDH-22-123 | 91 | 97.5 | 6.5 | 156 | - | 0.08 | 0.15 | Hydrothermal breccia |
| includes | 92.83 | 93.88 | 1.05 | 769 | - | 0.34 | 0.52 | Calcite vein |
| And | 283 | 284 | 1.0 | 117 | - | 0.01 | 0.05 | Calcite vein in Intrusive |
| CDH-22-124 | 175 | 184 | 9.0 | 101 | - | 0.05 | 0.15 | Dioritic rock with narrow quartz stockwork |
| Includes | 175 | 176 | 1.0 | 305 | - | 0.22 | 0.17 | |
| And | 193 | 194.2 | 1.2 | 153 | - | 0.15 | 0.16 | Hanging wall Structure |
| And | 208 | 209 | 1.0 | 180 | - | 0.08 | 0.5 | Quartz Calcite Hydrothermal breccia |
| And | 222 | 225 | 3.0 | 136 | - | 0.12 | 0.15 | |
| And | 328 | 329 | 1.0 | 194 | - | 0.18 | 0.16 | Dioritic rock with narrow quartz stockwork |
| CDH-22-125 | 183.0 | 184.82 | 1.83 | 158 | - | 0.06 | 0.20 | Hydrothermal breccia |
| And | 269.6 | 304.0 | 34.45 | 540 | - | 0.37 | 1.56 | Hydrothermal breccia, D vein and quartz stockwork |
| Including | 283.1 | 292.8 | 9.70 | 1746 | - | 1.11 | 5.20 | D Vein System |
| (sub interval) | 283.1 | 289.7 | 6.60 | 2498 | - | 1.59 | 7.47 | |
| (sub interval) | 286.0 | 288.5 | 2.45 | 5840 | - | 3.08 | 17.25 | D Vein |
| CDH-22-126 | 230.0 | 244.63 | 14.63 | 135 | - | 0.08 | 0.18 | Quartz Stockwork in rhyolite, D vein |
| Including | 238.0 | 244.0 | 6.03 | 234 | - | 0.15 | 0.31 | D Vein |
| (sub interval) | 243.6 | 244.0 | 0.43 | 915 | - | 0.35 | 0.54 | |
| And | 247.4 | 248.3 | 0.84 | 137 | - | 0.18 | 0.32 | Quartz Stockwork in rhyolite, D vein |
| CDH-22-127 | 254.72 | 255.7 | 0.98 | 788 | - | 0.64 | 1.33 | D Vein |
| And | 262.0 | 263.0 | 1.0 | 103 | - | 0.04 | 0.13 | Quartz Stockwork in rhyolite, D vein |

| | | | | | | | | |
|-------------------|------------------------|--------|--------------|-------------|---|------|------|------------------------------|
| And | 275.0 | 276.0 | 1.0 | 136 | - | 0.01 | 0.11 | |
| CDH-22-128 | 245.0 | 265.0 | 20.0 | 136 | - | 0.09 | 0.22 | D Vein System |
| Including | 249.0 | 251.0 | 1.0 | 520 | - | 0.03 | 0.07 | D Vein |
| And | 276.0 | 277.0 | 2.0 | 277 | - | 0.34 | 1.24 | Quartz Stockwork in rhyolite |
| And | 282.0 | 284.0 | | 136 | - | 0.58 | 1.29 | Footwall vein |
| CDH-22-129 | No Significant Results | | | | | | | D Vein |
| CDH-22-130 | No Significant Results | | | | | | | B Vein |
| CDH-22-131 | 107.0 | 123.0 | 16.0 | 150 | - | 0.07 | 0.2 | D Vein System |
| including | 116.0 | 120.9 | 4.86 | 311 | - | 0.17 | 0.38 | D Vein |
| (sub interval) | 118.0 | 118.6 | 0.59 | 603 | - | 0.02 | 0.13 | |
| CDH-22-132 | No Significant Results | | | | | | | B Vein |
| CDH-22-133 | No Significant Results | | | | | | | B Vein |
| CDH-22-134 | 233.4 | 240.0 | 6.6 | 109 | - | 0.03 | 0.12 | B Vein System |
| Including | 235.5 | 237.0 | 1.5 | 251 | - | 0.1 | 0.15 | |
| And | 253.5 | 254.0 | 0.5 | 279 | - | 0.13 | 0.2 | |
| CDH-22-135 | 104.89 | 108 | 3.11 | 100 | - | 0.01 | 0.03 | D Vein |
| includes | 106.05 | 106.92 | 0.87 | 234 | - | 0.02 | 0.02 | |
| CDH-23-136 | 76.03 | 81.00 | 4.97 | 203 | - | 0.03 | 0.09 | D Vein |
| includes | 76.03 | 79.00 | 2.97 | 335 | - | 0.03 | 0.08 | |
| CDH-23-137 | 116.8 | 146.0 | 29.20 | 118 | - | 0.03 | 0.08 | D Vein |
| Includes | 116.8 | 128.0 | 11.20 | 190 | - | 0.04 | 0.09 | |
| or | 122.0 | 123.0 | 1.00 | 864 | - | 0.17 | 0.16 | |
| or | 122.0 | 126.0 | 4.00 | 340 | - | 0.06 | 0.08 | |
| CDH-23-138 | 182.94 | 196.5 | 13.56 | 599 | - | 0.54 | 1.21 | D Vein |
| Includes | 184.0 | 192.0 | 8.00 | 858 | - | 0.78 | 1.88 | |
| includes | 185.0 | 186.0 | 1.00 | 2060 | - | 3.22 | 4.29 | |

¹True widths are estimated at between 65% an 85% of the downhole lengths.